Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.







WYMAN'S FRAMINGHAM NURSERIES

PRICE LIST SPRING 1930

TABLE OF CONTENTS

Evergreen Trees4-18	Vines
Evergreen Shrubs19-23	Roses
Rhododendrons	Hardy Perennials63-90
Deciduous Trees24-36	Index of Varieties91-94
Deciduous Shrubs37-56	

OUR LOCATION

We are located about 20 miles from Boston on the Boston-Worcester Turnpike. Framingham is also on the main line of the Boston & Albany R.R., also on the New Haven R.R.

We cordially invite you to inspect our nurseries at your convenience. Salesmen are not in attendance on Sundays.

SHIPPING INSTRUCTIONS

Customers are requested to state explicitly the mode of conveyance and route by which they want their orders shipped. Otherwise we will use our own discretion. We will not, however, be responsible for delays or damage in transit, or loss in after-cultivation.

MOTOR DELIVERY. Orders of considerable size can best be delivered within a radius of one hundred miles, or even more, by motor truck. Trees so shipped arrive in the best condition. DELIVERY CHARGES will depend on the size of the load and the distance.

PRICES

The articles in the following list will be furnished at the annexed prices only when the quantity specified, of any given variety and size, is taken. FIVE to TWENTY-FOUR plants at the TEN RATE; TWENTY-FIVE or MORE at the HUNDRED RATE.

Specimens personally selected by the purchaser or his representative (or specially selected by us at his request) will be priced according to their individual values.

The prices are for the stock F.O.B. our nurseries. The prices in this list cancel all previous prices.

GUARANTEE

We give no warranty, express or implied, as to quality, description, productiveness, or any other matter of any nursery stock that we sell.

No complaints will be considered that are not made within ten days after receipt of the stock.



N this New Price List we have attempted to accomplish the seemingly impossible. We have attempted to inject the information, usually found only in large un-

wieldy illustrated descriptive catalogs, into a small price list of convenient size.

To accomplish this it has been necessary to depart from accepted practice. It has been necessary to dispense with long sentences full of flattering praise—we have reserved our praise for those items which especially deserve praise. It has been necessary to classify trees and plants, not along botanical lines, but along practical lines, into groups which can be graphically presented. It has been necessary to tabulate information and refer to that information by means of code.


Perhaps we have overdone this matter of brevity; perhaps a little more verbosity would be acceptable. We are, however, positive that never before has such a wealth of useful and usable plant information been presented in a Nursery Price List of such small and convenient proportions.

We sincerely hope you will find it helpful.

WYMAN'S FRAMINGHAM NURSERIES COCHITUATE ROAD, FRAMINGHAM, MASS.

Telephones:

February 1, 1930. Framingham 331 and 1685



TYPES OF EVERGREENS

To enable us to give accurate brief descriptions of Evergreens, we classify them into six types shown above.

A. Large, roughly conical, medium to coarse texture.
 B. Narrow conical to columnar, medium to fine texture.

C. Broad conical, medium to fine texture.

D. Globose, including elliptical and flattened globe.

E. Spreading, bush-form, not prostrate.F. Flat, prostrate or procumbent.

PROPORTIONS

We indicate the relation between height and breadth by figures such as 3/1. The first figure represents the relative (not actual) height; the second indicates the relative breadth.

MAXIMUM HEIGHTS

These vary under different conditions. The figures given represent an average—not the extremes.

RATES OF GROWTH

These also vary, but we give an approximate average rate per year, also the key letters used in the code.

VR—very rapid—over 18 inches. S—slow—4 to 8 inches. R—rapid—12 to 18 inches. VS—very slow—under 4 inches. M—medium—8 to 12 inches.


TRANSLATION OF DESCRIPTIVE CODE

We condense the above information into code form such as—B3/1—18' M. Reference to the above explanation indicates that the tree described is a narrow cone or column, its height about three times its breadth, a usual maximum height of eighteen feet, growing from eight to twelve inches a year.

EVERGREEN TREES

Our Evergreens have the quality necessary to provide excellent IMMEDIATE EFFECT—and heavy root masses to promote TRANS-PLANTING SUCCESS.


We dig our Evergreens with a ball of the earth in which they are grown, and wrap them in burlap WITHOUT additional charge.



ABIES balsamea	Each	Per 10	Per 100 Balsam Fir
A5/3—60'R. Needles ½"—1",	dark above	e, pale belo	w.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$. 5.00	\$35.00 45.00 55.00	\$300.00 400.00
concolor			White Fir
A5/3-80'R. Soft flat needles,	11/2"-21/2",	green to s	silver.
18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 8 to 9 ft. 9 to 10 ft. 10 to 12 ft. 12 to 14 ft.	. 4.00 . 6.00 . 8.00 . 10.00 . 12.00 . 15.00 . 18.00 . 21.00 . 25.00 . 30.00	37.50	360.00
fraseri			Fraser Fir
A3/2-40'M. Stubby needles, 1/2	2"-34".		2 . 230. 2 1
2 to 2½ ft	. 5.00	45.00 60.00	

ABIES-cont'd	Each	Per 10	Per 100
homolepis			Nikko Fir
A5/3-80'VR. Strong needles,	3/4"-11/4",	light green	
18 to 24 in		36.00	
2 to 2½ ft		45.00	
2½ to 3 ft	. 6.00		110000
veitchi			Veitch Fir
A3/2-80'R. Needles 3/4"-1", silvery beneath. Succeeds in	lustrous difficult so	dark green ils and exp	above,
2 to 2½ ft		45.00	400.00
2½ to 3 ft		60.00	550.00
3 to 3½ ft	. 8.00		

CHAMAECYPARIS—Retinospora



CHAMAECYPARIS FOLIAGE

CHAMAECYPARIS pisifera		Sawar	a Retinospora
C5/3-35'M. Light green foliag	e, lacy	texture, grace	eful.
2 to 2½ ft	4.00	35.00	
2½ to 3 ft	5.00	45.00	4.02.59
3 to 4 ft	6.00	55.00	500.00
4 to 5 ft	8.00	75.00	700.00
5 to 6 ft	11.00	105.00 135.00	
6 to 7 ft	18.00	155.00	
		2 11 0	TD. of
pisif. aurea		Golden Sawar	a Ketinospora
C3/2-30'M. Golden form of pre			30.00
2 to 2½ ft	3.50	30.00	250.00
$2\frac{1}{2}$ to 3 ft	4.00	35.00	300.00
3 to 4 ft	5.00	45.00	400.00
4 to 5 ft	8.00	75.00 100.00	900.00
5 to 6 ft	11.00	, 100.00	
p. filifera		Thread	d Retinospora
C1/1-15'S. Foliage long, slende	r, droop	ing, thread-li	ke.
18 to 24 in	3.50	30.00	
2 to $2\frac{1}{2}$ ft	4.50	40.00	360.00
$2\frac{1}{2}$ to 3 ft	5.50	50.00	450.00
3 to 4 ft	7.00	65.00	

Each	Per 10	Per 100
(Colden Thread	d Retinospora
		10011111
4.00 5.00 7.00 9.00	35.00 45.00 65.00	300.00 400.00
	Plum	Retinospora
e.		
2.00 2.75 2.50 3.50 3.50 4.50 6.00	16.00 25.00 20.00 30.00 30.00 40.00 55.00	120.00 200.00 150.00 250.00 250.00 360.00 500.00
	Golden Plume	Retinospora
eceding,	valuable for	color
2.00 2.75 2.50 3.50 3.50 4.50 5.50 7.00	16.00 25.00 20.00 30.00 30.00 40.00 50.00 65.00	120.00 200.00 150.00 250.00 250.00 360.00 450.00
	Sulphur Plum	e Retinospora
2.25 2.75 3.50 4.50 5.50	20.00 25.00 30.00 40.00 50.00	180.00 225.00 270.00 360.00
	n of pre 4.00 5.00 7.00 9.00 12.00 18.00 2.75 2.50 3.50 3.50 4.50 6.00 2.75 2.50 3.50 3.50 4.50 6.00 2.75 2.50 3.50 3.50 3.50 3.50 3.50 3.50 3.50 3	Golden Thread n of preceding. 4.00 35.00 5.00 45.00 7.00 65.00 9.00 12.00 18.00 Plume se. 2.00 16.00 2.75 25.00 2.50 20.00 3.50 30.00 4.50 40.00 6.00 55.00 Golden Plume ecceding, valuable for 2.00 16.00 2.75 25.00 2.50 20.00 3.50 30.00 4.50 40.00 6.00 55.00 Golden Plume ecceding, valuable for 2.00 16.00 2.75 25.00 2.50 20.00 3.50 30.00 4.50 40.00 Sulphur Plume an preceding. More condition of the condition o

JUNIPERUS—Juniper (or Cedar)







MATURE OR SCALE TYPE

JUVENILE OR MATURE OR NEEDLE TYPE SCALE TYPE
THE TWO TYPES OF JUNIPER FOLIAGE


		D 10	D 100
HINIDEDIIC 1:	Each		
JUNIPERUS chinensis albovariegata C3/2—20'S. Compact, dense. steel gray-green, occasional yel	Foliage low-wh		hinese Juniper e, dark
18 to 24 in	4.00	E0.00	
2 to 2½ ft	5.50 7.00	50.00 66.00	
3 to 3½ ft	9.00	00.00	
chin. pfitzeriana			Pfitzer Juniper
E1/2—12' spread, S to M. Folitypes, medium green, slightly a	age bo	th scale and	needle ged.
18 to 24 in. spread	3.50	33.00	300.00
2 to 2½ ft. spread	5.00	45.00	400.00
2½ to 3 ft. spread	6.50	60.00	540.00
3 to 3½ ft. spread	8.50	80.00 110.00	750.00
3½ to 4 ft. spread	16.00	150.00	
r to 5 It. spread	10.00	130.00	
EXTRA FINE COMPA	ACT	SPECIMEN	NS,
SHEARED MA			
3 to 3½ ft. spread	12.50	120.00	
3½ to 4 ft. spread	16.00	150.00	
4 to 5 ft. spread	20.00	190.00	
5 to 6 ft. spread	25.00	240.00	
communis depressa			Field Juniper
	to M.	Gray-green	needle
foliage, turns purple in winter. 18 to 24 in. spread	3.25		
	4.00		
2 to 2½ ft. spread	5.50		
3 to 4 ft. spread	7.00		
4 to 5 ft. spread	10.00		
5 to 6 ft. spread	15.00	Colden	Field Juniper
F1/3—10' spread, S to M. Golde	en vari		
18 to 24 in. spread	3.50		
2 to $2\frac{1}{2}$ ft. spread	5.00		
2½ to 3 ft. spread	6.50		
com. hibernica			Irish Juniper
B4/1 to 3/1—12' S. Usually col conical; compact, smooth, stric type foliage. Excellent for form	umnar, t. Ric	sometimes : h gray-green	slightly ne e dle
2 to 2½ ft	3.00	27.00 36.00	240.00 300.00
2½ to 3 ft	5.00	45.00	390.00
4 to 4½ ft	6.00	54.00	480.00
com. suecica			vedish Juniper
B3/1—12' S. Columnar. Gray Juniper, except outline not so slightly drooping give feathery:	-green.	Similar to Tips of bra	Irish
slightly drooping give feathery	appeara	nce to outlin	e.
2 to $2\frac{1}{2}$ ft	3.50	33.00	270.00
2½ to 3 ft	4.50	40.00	360.00
3 to 4 ft	5.50 7.00	50.00 65.00	450.00
7 10-72 11	7.00	05.00	

JUNIPERUS—cont'd excelsa stricta	Each	Per 10	Per 100 Greek Juniper
C3/2—10' S. Dense, compact bluish steel gray-green.	. Foliage	sharp, needl	
15 to 18 in	3.00	27.00 36.00	
japonica .			panese Juniper
E4/5—6' spr. VS. Foliage sc.		th medium a 40.00	green.
18 to 24 in	5.50	50.00 60.00	
jap. aurea			panese Juniper
E3/4—8' spr. S. Golden form 15 to 18 in	4.50 5.50	ıg.	
sabina			Savin Juniper
E to F1/2—5' spr. VS. Gra enriched by slight bronze, banks.		age of scale rock garde	e type. ns and
15 to 18 in. spread	3.00	27.00 36.00	225.00 300.00
2 to 2½ ft. spread	5.00	42.00	375.00
2½ to 3 ft. spread	6.00	55.00	
3 to 3½ ft. spread	7.50 9.00	70.00 85.00	
4 to 5 ft. spread	12.00	03.00	
sab. tamariscifolia			Tamarix Savin
E to F1/2—5' spr. VS. Gra 12 to 15 in. spread		age of scale 27.00	type.
15 to 18 in. spread	4.00	36.00	
18 to 24 in. spread	5.50	50.00	
virginiana			Redcedar
B3/1 to 4/1—40' M to S. F predominating in older trees.		types, sca	le type
3 to 4 ft		42.00 60.00	400.00 550.00
4 to 5 ft	9.00	85.00	800.00
6 to 7 ft	12.50	120.00	
7 to 8 ft	18.00		
9 to 10 ft	27.00		
10 to 12 ft	35.00		
PICEA PICEA canadensis	.—Spruce		White Spruce
A5/3—60' R. Light green to	slight silver	green.	vv iiie Sprace
18 to 24 in	2.50	22.50	200.00
2 to 2½ ft	3.00	27.00 35.00	240.00 300.00
3 to 4 ft	5.50	50.00	450.00
4 to 5 ft	8.00		
5 to 6 ft	10.00		
0 10 0 11	12.00		

10 WIMANS FRAN	IIVGIIAW	NUNSER	ILS
PICEA—cont'd engelmanni	Each	Eng	Per 100 elmann Spruce
A3/2—75' M to R. Symmatric dark to silvery gray-green	netrical, con i. Excellent.	ipact. Need	les 1/8",
2 to 2½ ft	6.00	55.00	
2½ to 3 ft	7.00	65.00	
3 to 4 ft	8.00	75.00	
15 to 25 ft. specimens	100.00 to 20	70	
excelsa			lorway Spruce
A5/3—90' R to VR. 'T' Needles 5%"—1", dark. Ha	ne most rap	na-growing	Spruce.
2 to 3 ft	2.50	22.50	200.00
3 to 4 ft	4.00	36.00	330.00
4 to 5 ft	5.50	50.00	480.00
5 to 6 ft	7.00 8.00	65.00 75.00	620.00
6 to 7 ft	0.00	75.00	
	1101.		
10	o hally		
11.11		_	
(VALUE)			
	FAM.	1.11/1	
o Nother			11.
mon Marie			
	MILE	A. Malla	1118/11/11
	(MILES	>	
	· Vallalla	55-2 - 138-2-	
THAN I'M	- Al-1111		
	The state of the s	11.4	
- 4/1	Miles.		
	CE FOLIAGE	D	111
glauca conica	A J		Alberta Spruce
C2/1-6' VS. New, rare, fine-textured, hardy, excee	dingly beauti	iful. Popular	r.
12 to 15 in. VERY	4.00	35.00	300.00
15 to 18 in. DWARF	5.00	45.00	400.00
18 to 21 in. PYRAMID	6.00	55.00	500.00
21 to 24 in. EXCEED- 2 to 2½ ft. INGLY	7.50 10.50	70.00 95.00	650.00
2 to 2½ ft. INGLY 2½ to 3 ft. FINE	10.50	120.00	900.00
$2\frac{1}{2}$ to 3 ft. heavy specimens		120.00	
3 ft. heavy specimens			
3½ ft. heavy specimens	50.00		
4 ft. heavy specimens	60.00		
orientalis		· C	riental Spruce
A5/4-50' M. Needles 3/8"-	-5/8", dark, g		
4 to 5 ft	15.00		
5 to 6 ft	20.00		
6 to 7 ft	25.00		
pungens			olorado Spruce
A3/2-80' M to R. Hands green needles, 3/4"-1".	ome, hardy,	symmetrical.	Light
18 to 24 in	4.00	36.00	330.00
2 to 3 ft		55.00	500.00
3 to 4 ft	8.00	75.00	

		t	
PICEA—cont'd	Each	Per 10	Per 100
pungens glauca		Blue Co	lorado Spruce
A3/2 to 2/1—80' M to R. Needles 78", stiff, pointed, r	Beautiful var nedium silver	iety of pre y blue.	ceding.
18 to 24 in 2 to 2½ ft 2½ to 3 ft 3 to 4 ft 9 to 10 ft. specimens 14 to 20 ft. specimens	8.00 10.00 12.50 50.00	60.00 75.00 95.00	
pungens kosteri		Koste	r Blue Spruce
A3/2-80' M. Needles 1"-12 silvery blue.	¼", stiff, poin	ted, strong,	bright
2 to 2½ ft	17.50	00 each	
rubra			Red Spruce
A3/2 to 2/1-80' M. Needles	about 1/2", b	ight green	
2 to 2½ ft	2:50	18.00 22.50 27.00	150.00 200.00 240.00

PINUS-Pine




PINUS densiflora		Japanese Red Pine
A4/3 to 3/2—100' VVR.	Loose habit.	Slender bright green

2 to 3 ft	3.50	33.00	300.00
3 to 4 ft		45.00	400.00
4 to 5 ft	7.00	65.00	600.00
5 to 6 ft	9.00		

PINUS—cont'd flexilis	Each	Per 10	Per 100 Limber Pine
A3/2-50' R. Dark green, slig with bunchy or tufted appearan	htly bluish	needles,	
4 to 5 ft	7.50 10.00 15.00 20.00 25.00	70.00 90.00 140.00 180.00	
montana mughus			Mugho Pine
D3/5-8' S. Dense, rich green, ceeds in all except wet soils. greens. Neat, compact, hardy, Pine suitable for Foundation P.	wonderful w One of fir full of char lantings.	vinter colo nest dwar racter. T	or. Suc- rf ever- the only
12 to 15 in. spread	2.75 3.50 4.00 7.50	25.00 30.00 36.00 70.00	225.00 270.00 330.00
nigra (austriaca)			Austrian Pine
A3/2-60' M. Needles 4"-6", he Flourishes near salt water as w	eavy, medit ell as inlan	ım to darl	k green.
2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft 7 to 8 ft 8 to 10 ft	4.50 6.50 10.00 15.00 20.00 25.00 30.00	42.00 60.00	
nigra globosa	S (1		Austrian Pine
D1/1—10' S. Dwarf globe form of the state of	30.00 40.00 50.00 60.00	aing.	
resinosa		Red or	Norway Pine
A5/3-70' VR. Tall, pyramidal, by pruning. Leaves 6"-10", da	loose, can	be made	dense
2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft 7 to 8 ft 8 to 10 ft 10 to 12 ft	3.00 5.00 7.00 9.00 12.00 14.00 16.00 20.00 25.00	27.00 45.00	240.00

PINUS-cont'd	Each	Per 10	Per 100
strobus			White Pine
A3/2-100' VR. Needles very green, overlaid with silvery blue	slender, 4". bloom.	—5", rich	dark
10 to 12 ft	3.00 4.00 6.00 10.00 30.00 40.00 50.00 60.00 75.00	27.00 36.00 55.00	240.00 330.00
sylvestris			Scotch Pine
A3/2-60' R to VR. Needles the green, often curly. The trees we strain, bushier and denser than	ve offer are	, grayish e of except ry.	blue-
2 to 3 ft	3.00 4.00 5.50 8,00	25.00 35.00 50.00 75.00	200.00 300.00 450.00

PSEUDOTSUGA—Douglas Fir



PSEUDOTSUGA FOLIAGE

PSEU		TSUGA do					Douglas .	Fir
	A3/2 velop	to 2/1-70's huge colu	R. Dar ımn habi	k gree	n to gramatures.	very bea	ft. De- utiful.	
2		ft			4.50	40.00	375.00	
3	to 4	ft			6.50	60.00	570.00	
4	to 5	ft			9.00	85.00	.800.00	- 1
		ft			12.00	115.00	1100.00	
6	to 7	ft			15.00			

773	1 37	Y TC	* *	7
1.4	X	US	-Y	ev

TAXUS canadensis		Canada Yen
E2/3 to F1/3—10' spr. S. Slerneedles, medium to dark green.	nder branches, s Not good in full	mall fine
15 to 18 in	2.50 22.50	

TAXUS-cont'd

Each Per 10 Per 100 Dwarf Hedge Yew

canadensis stricta

E1/1-2½' VS. The only satisfactory evergreen for dwaff edging hedges in severe New England climate. The best substitute for Dwarf Boxwood. Hardy, really dwarf, fine texture, dark, easily grown, shears perfectly, thoroughly tested for past thirteen years. Also excellent for use in general plantings of dwarf evergreens.

6 to 8 in. not B&B	1.00	8.50	75.00
8 to 10 in. not B&B	1.50	12.00	90.00
10 to 12 in. B&B	2.00	18.00	150.00
12 to 15 in. B&B	3.00	27.00	250.00
		37.50	350.00
18 to 24 in. B&B	5.00	45.00	



TYPICAL TAXUS FOLIAGE

* 1	/ 1.	(
attendata	(spreading	toum	

Spreading Japanese Yew

E2/3-8' spr. S. Naturally somewhat open and irregular, but can be sheared into compact, globose form. Beautiful


either way. Full of character.	Dark, ri	ch.		
15 to 18 in. spread	3.75	35.00	300.00	
18 to 24 in. spread	5.00	45.00	420.00	
2 to 2½ ft. spread	7.50	70.00	650.00	
2½ to 3 ft. spread	12.00	115.00	1100.00	
3 to 3½ ft. spread	18.00	175.00		
3½ to 4 ft. spread	25.00			
3½ to 4 ft. spread, heavy	40.00			
4 to 4½ ft. spread	40.00			
4 to 4½ ft. spread, heavy	60.00			

cusp. capitata		Erect Japanese Yo	ew
B2/1-25'	to 40' S.	Erect form, definite leader. Fine.	

102/1 25 10 40 0. 17/1001 10/11/19	dennite	icauci.	T IIIC.		
15 to 18 in	4.00	38	.00	350.00	
18 to 24 in	6.00	58	.00	550.00	
2 to 2½ ft	7.50	72		700.00	
$2\frac{1}{2}$ to 3 ft	10.00	95.	.00		
3 to $3\frac{1}{2}$ ft	15.00				
Large, heavy specimens, 20	.00 to 4	10.00 ea	ch		

TAXUS—cont'd	Each	Per 10	Per 100
cusp. nana (brevifolia)		Dwarf	Japanese Yew
E1/1-6' VVS. Very dwarf, hal needles, very dark, almost blue	oit irreg	ular. Strong	heavy
12 to 15 in. spread	4.00	38.00	350.00
15 to 18 in. spread	5.00	45.00	420.00
18 to 21 in. spread	8.00	75.00	
21 to 24 in. spread		1.15.00	
2 to 2½ ft. spread	18.00	175.00	1700.00
2½ to 3 ft. spread	25.00	225.00	
3 to 3½ ft. spread	35.00		
sieboldi		Siebold	Japanese Yew .
E2/3 to 1/1-15' spr. S. Glossy	needles,	1''-1½".	
15 to 18 in. spread	4.00	36.00	
18 to 24 in. spread	5.00	45.00	
3½ to 4 ft. spread			
4 to 4½ ft. spread			
4½ to 5 ft. spread	85.00		

THUJA-Arborvitae (or White Cedar)



THUJA FOLIAGE


THUJA occidentalis	American Arborvitae
B5/2 to 2/1—40' S to M. The old, "White Cedar." Valuable for hedges specimens; in small sizes in foundation	; in large sizes for
2 to 3 ft	21.00 160.00
3 to 4 ft 4.00	35.00 300.00
4 to 5 ft 5.50	50.00 450.00
5 to 6 ft 7.50	70.00 650.00
6 to 7 ft	95.00 900.00
7 to 8 ft	13.50
8 to 9 ft	
9 to 10 ft 22.00	
oce. columbia	Columbia Arborvitae
B2/1-10' VS. Broad fronds of foliage,	silver variegation.
3 to 4 ft 6.00	58.00
4 to 5 ft 8.00	75.00
5 to 6 ft	

TITTIA	г 1	D 10	D 100
THUJA—cont'd occ. columnaris	Each		Per 100 nar Arborvitae
B5/2 to 2/1—40' M. This new a	variety 1		
B5/2 to 2/1—40' M. This new of T. occidentalis. For this redense, columnar habit, it is one growing narrow evergreens.	ason, and	d on account most desirab	t of its ole tall-
3 to 3½ ft	5.50	52.00	480.00
3½ to 4 ft	6.50	63.00	600.00
4 to 4½ ft	8.00	75.00	700.00
4½ to 5 ft	9.00	85.00 105.00	800.00
5 to 6 ft	11.00	135.00	1000.00
7 to 8 ft	18.00	175.00	
occ. conica			oed Arborvitae
C2/1—12' S. Perfect cone; need			
2½ to 3 ft	4.50 5.50	40.00 52.00	375,00 480.00
3½ to 4 ft	6.50	63.00	600.00
4 to 4½ ft	9.00	85.00	000.00
4½ to 5 ft	11.00 .	105.00	
occ. densiforma		Comp	act Arborvitae
B5/2-16' S. Similar to T. occ.	pyrami	dalis, but br	oader.
2½ to 3 ft	4.50	40.00	375.00
3 to 3½ ft	5.50 6.50	52.00	480.00
3½ to 4 ft	8.00	63.00 75.00	600.00 700.00
4½ to 5 ft	9.00	85.00	800.00
5 to 6 ft	11.00	105.00	1000.00
6 to 7 ft	14.00	135.00	
occ. douglasi pyramidalis B3/1 to 5/2—15' S. Spire-like h small, but decidedly dense as si			nid Arborvitae n when
Small, but decidedly dense as si	4.50	40.00	
2½ to 3 ft	5.00	48.00	450.00
4 to 5 ft	7.00	65.00	620.00
5 to 6 ft	10.00	90.00	
6 to 7 ft	14.00		
occ. dumosa		Bus	shy Arborvitae
C to D1/1-4' VS. Compact-graphroad rounding cone or pointed	owing, s	omewhat irr Very rugged	egular,
15 to 18 in	3.00	27.00	
18 to 24 in	4.00	36.00	
2 to 2½ ft	5.00	48.00	
2½ to 3 ft	7.50		
occ. ellwangeriana			mb Arborvitae
C1/1-6' S. Dense, compact, wing both scale and needle foliag	ith slend e.	ler branchlet	s hav-
2½ to 3 ft	4.50		
3 to 4 ft	5.50		
occ. globosa	A	merican Glo	be Arborvitae
D1/1-3' VS. Practically perfec			
12 to 15 in	2.00	17.50	150.00
15 to 18 in	2.50	22.50	200.00
18 to 24 in	3.00 4.00	27.00 36.00	250.00
2 to 22 1t	7.00	20.00	

	>		
THUJA-cont'd	Each	Per 10	Per 100
occ. Little Gem		Little G	em Arborvitae
D1/2-2' VS. Low dense tussoc	k of dark	green folia	ge.
15 to 18 in. spread	4.00	36.00	
18 to 21 in. spread	5.00	45.00	
21 to 24 in. spread	6.00		3
occ. lutea	Ge	eorge Peabo	dy Arborvitae
B5/2-15' S. Striking golden y	ellow.		
2 to 2½ ft	4.00	36.00	200
2½ to 3 ft	4.50	40.00	140
3 to 3½ ft	5.50	50.00	
3½ to 4 ft	6.50 7.50	60.00	
4 to 5 ft	9.00	70.00 85.00	5 - V
	2.00		7 4 7 1
occ. pumila		Green Gl	obe Arborvitae
D1/1-2½' VS. Perfect globe. Stained all winter.	trong gre	een hue wel	l main-
15 to 18 in	3.00	27.00	
18 to 24 in	4.00	36.00	300.00
2 to $2\frac{1}{2}$ ft	5.00	45.00	
occ. pyramidalis	Americ	can Pyrami	dal Arborvitae
B3/1 to 5/2—20' S. Improv. columnar, dense, compact. Dark	ement or	n T. occ.	More
columnar, dense, compact. Darl	ker color	well mainta	ined in
	3.50	30.00	270.00
2 to 2½ ft	4.50	40.00	375.00
3 to $3\frac{1}{2}$ ft	5.50	52.00	480.00
3½ to 4 ft	6.50	63.00	600.00
4 to 4½ ft	8.00	75.00	700.00
4½ to 5 ft	9.00	85.00	800.00
5 to 6 ft	11.00	105.00	1000.00
occ. rosenthali			hal Arborvitae
B2/1 to 5/2-8' S. Choice dark			dense.
2 to 2½ ft		45.00	S. Cont.
2½ to 3 ft	6.00	57.00	
3 to 3½ ft		65.00 75.00	
	0.00		
occ. umbraculifera			be Arborvitae
D1/1-3' VS. Loose globe; folia		ım gray-gre	een.
15 to 18 in	2.50 3.50	33.00	
18 to 24 in	4.50	40.00	Frank Li
2 10 22 1111111111111111111111111111111	1.50	1	468 650
occ. vervaeneana			ene Arborvitae
C5/3-10' S. Broad, dense, full.		soft. Rugg	ed.
$2\frac{1}{2}$ to 3 ft	5.00	55.00	1505-70
3 to 4 ft	8.00	75.00	
5 to 6 ft	10.00	95.00	
6 to 7 ft	DO TO BE A LONDON	- 13.03	
	1100141		41
occ. ver. aurea			len Arborvitae
C5/3—10' S. Moderate yellow fo		ceding.	
2½ to 3 ft	5.00 6.00	of a cold	
4 to 5 ft	8.00	1 11 15	
1 10 3 11111111111111111111111111111111	3.00		


THUJA—cont'd	Each	Per 10 Wag	Per 100 ner Arborvitae
D5/3-5' VS. Narrow oval, foliage. Thought to be a cross T. orientalis.	dark gre between T	en, delicat coccidenta	e lacy lis and
18 to 24 in	3.00	27.00	
occ. wareana			m) Arborvitae
C3/2—12' S. Tough; exception Dark; suggestion of dark steel-	-blue. Ful	l of charac	e, run. ter.
18 to 24 in		33.00	270.00
2 to 2½ ft		36.00	
2½ to 3 ft	7.00	45.00 65.00	400.00 600.00
A = Al f	0.00	85.00	000.00

TSUGA-Hemlock



HEMLOCK FOLIAGE

TSUGA canadensis		Cana	da Hemlock
A3/2 to C3/2-70' M to R. The northern United States, Canada lacy, Graceful. Often pronoun North America. The Hemlock, a large specimen of exceptional used in plantings of Dwarf Ev	a. Foliage ricced the finest when unprun beauty. Pru- ergreens.	ch dark g Evergre ed grows aed, It m	reen, en of into
2 to 2½ ft 2½ to 3 ft 3 to 3½ ft 3½ to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft	4.50	5.00 5.00 5.00	
caroliniana		Carol	na Hemlock
C5/3-50' M to R. Only slight ceding. Desirable	dý less beaut	iful than	pre-
2 to 2½ ft	5.50 5	12.00 50.00 50.00	400.00



TYPES OF EVERGREEN SHRUBS

- D. Multiple stems, leaves medium.
 C. Multiple stems, slightly branching, leaves usually small, sometimes minute, even scale-like.
 D. Viny, creeping, climbing or sprawling habit, leaves small to

PROPORTIONS

Since some sorts of Evergreen Shrubs have no definite ratio of height to breadth, we omit the indication of proportion in several instances.

RATES OF GROWTH

VR—very rapid—over 8 inches. S—slow—2 to 4 inches. VS—very slow—under 2 inches. R-rapid—6 to 8 inches. M-medium—4 to 6 inches.

Per 10 Per 100

ARCTOSTAPHYLOS uva-uvsi C to D-8" VS. Leaves $\frac{1}{2}n$, narrow. Scarlet berries $\frac{1}{2}n$ diameter. Forms dense carpet. Requires sandy, acid soil.

48.00

CALLUNA vulgaris

C-15" VS. Leaves scale to needle type, 3"-3" Flowers thay, rosy rink. Aug., Sept. Well drained, acid soil.

75 6.00 Heather

White Heather


Per 10 Per 100
lammond White Heather
ark.
6.00
Tall White Heather
6.00
Alport Heather
ot., Oct. Foliage
6.00
Golden Heather
golden yellow.
6.00
Double Heather
ug., Sept.
6.00
Woolly Heather
ft gray. Flowers
6.00
Coarse Heather
owers pink, Aug.,
6.00
Moss Heather
Moss Heather like, bright green.
like, bright green.
like, bright green. 6.00 Rose Dathne
like, bright green. 6.00 Rose Dathne
like, bright green. 6.00 Rose Daphne Rose-colored, deli- in May, June and
like, bright green. 6.00 Rose Daphne Rose-colored, deli- in May, June and 11.00 90.00
Rose Daphne Rose Colored, delin May, June and 11.00 90.00 14.00 120.00
Rose Daphne Rose-colored, deli- in May, June and 11.00 90.00 14.00 120.00 Spring Heath
Rose Daphne Rose-colored, deli- in May, June and 11.00 90.00 14.00 120.00 Spring Heath
Rose Daphne Rose-colored, deli- in May, June and 11.00 90.00 14.00 120.00 Spring Heath Minute rosy pink, ires well drained
Rose Daphne Rose-colored, deli- in May, June and 11.00 90.00 14.00 120.00 Spring Heath
Rose Daphne Rose-Colored, delim May, June and 11.00 90.00 14.00 120.00 Spring Heath Minute rosy pink, ires well drained 6.00
Rose Daphne Rose-colored, deli- in May, June and 11.00 90.00 14.00 120.00 Spring Heath Minute rosy pink, ires well drained
Rose Daphne Rose-colored, delim May, June and 11.00 90.00 14.00 120.00 Spring Heath Minute rosy pink, ires well drained 6.00 Corsican Heath
Rose Daphne Rose-colored, deli- in May, June and 11.00 90.00 14.00 120.00 Spring Heath Minute rosy pink, ires well drained 6.00 Corsican Heath by to Sept. 6.00
Rose Daphne Rose-colored, deli- in May, June and 11.00 90.00 14.00 120.00 Spring Heath Minute rosy pink, ires well drained 6.00 Corsican Heath ly to Sept. 6.00 Crossleaf Heath
Rose Daphne Rose-colored, deli- in May, June and 11.00 90.00 14.00 120.00 Spring Heath Minute rosy pink, ires well drained 6.00 Corsican Heath by to Sept. 6.00 Crossleaf Heath c.
Rose Daphne Rose Daphne Rose-colored, deli- In May, June and 11.00 90.00 14.00 120.00 Spring Heath Minute rosy pink, ires well drained 6.00 Corsican Heath by to Sept. 6.00 Crossleaf Heath Crossleaf Heath S. 6.00
Rose Daphne Rose Daphne Rose-colored, deli- In May, June and 11.00 90.00 14.00 120.00 Spring Heath Minute rosy pink, ires well drained 6.00 Corsican Heath ly to Sept. 6.00 Crossleaf Heath S. 6.00 Cornish Heath
Rose Daphne Rose Daphne Rose-colored, deli- In May, June and 11.00 90.00 14.00 120.00 Spring Heath Minute rosy pink, ires well drained 6.00 Corsican Heath by to Sept. 6.00 Crossleaf Heath Crossleaf Heath S. 6.00

	Fach	Per 10	Per 100
CLIONIZMI IC 1	Lacii	1 61 10	
EUONYMUS radicans C to D-M. Viny branch	. T	'// on al de ul	Wintercreeper
C to D—M. Viny branch	es. Leaves %	, ovai, dari 5.00	40.00
2 yrs	75	6.00	45.00
	,,		
rad. acutis			Wintercreeper
D-R to VR. Viny, trail Leaves dull, dark, 1", poi		g; makes der	ise mat.
3 yrs	1.00	6.00 8.00	
rad. argenteo-marginata		Silveredge	Wintercreeper
C to D-M. Leaves 3/4",	silver margin	ied.	
2 yrs		5.00	
3 yrs		6.00	50.00
4 yrs	1.00	8.00	
rad. carrieri		Glossy	Wintercreeper
C to B—R. Glossy oval Euonymus. Unsupported	leaves, 134"., makes fine	Strongest counding b	climbing ush.
2 yrs		6.00	50.00
3 yrs		8.00	70.00
4 yrs	1.50	12.50	TT7* .
rad. colorata			Wintercreeper
C to B-R. Leaves 1½",			E0.00
2 yrs	. 75	6.00	50.00
rad. kewensis		_	Wintercreeper
C to D—S. Leaves ½".			** 00
4 in. pots		6.50	55.00
rad. vegetus			Wintercreeper
B to D-M. Leaves roun			
2 yrs		6.00 8.00	48.00 70.00
3 yrs	1.00	0.00	
HEDERA helix			English Ivy
D-VR. Fine viny bra slightly white-veined, 1½		es pentagon	, dark,
4 in. pots, 18 in. tops	60	5.50	
h. baltica		Hai	dy English Ivy
D-VR. A plant of this tine. It is almost the san appearance. Leaves a li Much hardier, having su ingham. While we belie hardy, it may occasionall winters. But because of cost, it should be tried.	sort has been as the ordittle smaller, urvived sever we that it wy lose a branits excellent More of a cre	n needed for nary Englis! darker and e winters at vill prove at ich or two in promise an eper than cl	a long i Ivy in richer : Fram- solutely i severe d small imber.
4 in. pots, 18 in. tops		6.50	60.00
ILEX glabra B4/3 to 1/1-3' M. Dark,	alossa onal	leaves Black	Inkberry
14".	glossy, ovar	icaves. Dia	ck iiuit,
15 in			
KALMIA angustifolia			Lambhill
B4/3—1½' M. Crimson fle	owers in Tun	and Inly	Danogui
18 to 24 in	2.00	18.00	160.00
2 to 2½ ft	2.50	22.50	200.00
2½ to 3 ft	3.00	27.50	200.00

KALMIA—cont'd	Each	Per 10	Per 100
latifolia			ountain Laure
A4/3 to 1/1—8' M to R. Leaves rounding clusters of small wh Our Kalmias are nursery grov by virtue of their exceptional far better results than collected	3"-4", d ite and i vn from i y heavy	ark, glossy. Jink flowers northern see root system	Large, , June. ed, and s, give
15 to 18 in 18 to 24 in 2 to 2½ ft 2½ to 3 ft 3 to 3½ ft 3½ to 4 ft 4 to 4½ ft	2.50 3.00 4.00 5.00 7.00 10.00	22.50 27.00 35.00 45.00 65.00 95.00	200.00 240.00
LEIOPHYLLUM buxifolium			Sandmyrtle
C—18" VS. Leaves ¼", oval, pink outside, in corymbs, 1"—1	thick. F	lowers 1/5",	
pink outside, in corymbs, 1"—1 10 to 12 in. spread		, May, Jun 10.00	e .
LEUCOTHOE catesbaei		Droot	ing Leucothoe
B4/3-4' R. Graceful, drooping narrow, pointed, dark glossy; by Flowers small white, bell-shape	branche		
12 to 15 in. THESE ARE	2.00	18.00	165.00
15 to 18 in. ALL VERY 18 to 24 in. BUSHY	2.50	22.50	200.00
2 to 2½ ft. PLANTS	3.25 3.75	30.00 35.00	270.00
PACHISTIMA canbyi		Can	by Pachistima
C-8" VS. A splendid evergre row oblong leaves ½", and red	en ground	l cover, wit	h nar-
3 yrs. from pots		5.00	40.00
PACHYSANDRA terminalis		la	banese Spurge
C-10" S. Erect plant developin Small white flowers. Plant at	ng into a		
2 yrs., pot grown	1.0	2.50	1. 100t. 18.00
3 yrs., pot grown	.50	3.00	21.00
PIERIS floribunda		Mountai	n Andromeda
B3/4-3". Low, dense, compact White flowers, April, like Lily	t. Dark of the V	oval leaves alley.	, 11/2".
12 to 15 in. spread	3.00	27.00	250.00 330.00
15 to 18 in. spread	4.00 6.00	36.00 55.00	500.00
2 to 2½ ft. spread	9.00	85.00	
VINCA minor			on Periwinkle
D-VR. Glossy dark leaves. every square foot. Grows int	Blue flo	wers. Plan	it one
2 yrs., pot grown	.25	2.20	15.00
min. alba	C		te Periwinkle
D—VR. White flowering form 2 yrs., pot grown	of precedi .40	ng. 3.50	33.00

RHODODENDRONS

A LA A O AND THE MAIN			
RHODODENDRON carolinianum	Each	Per 10	Per 100 Rhododendron
A3/2 to 1/1-6' M to R. Lea Pink flowers, profuse, late Ma; and rugged under almost all co	aves 2"- y, cluste		
15 to 18 in	3.00 3.50	27.00 33.00	250.00 300.00
2 to 2½ ft	4.50 6.00	42.00 55.00	400.00
3 to 3½ ft	7.50	72.00	
catawbiense A4/3-6' M to R. Leaves 4"-6' flowers, clusters 5"-7", profuse,	, revolu		Rhododendron er-pink
18 to 24 in	3.50	33.00	
2 to 2½ ft	4.00 5.00	36.00 48.00	
3 to 3½ ft	6.50 8.00	63.00	
maximum	ana di		Rhododendron
A4/3 to 1/1-10' M to R. Flat I blush-pink flowers in clusters, 4	", June		ite and
18 to 24 in	3.50 4.00	33.00 36.00	300.00
2 to 2½ ft	5.00	45.00	
3 to $3\frac{1}{2}$ ft	6.50	60.00	
3½ to 4 ft	7.50 9.00		
5 to 6 ft	12.00		
minus A4/3-8' M to R. Loose habit.			Rhododendron
18 to 24 in	3.00	27.00	J'anc.
2 to 2½ ft	4.00	36.00	
$2\frac{1}{2}$ to 3 ft	5.00 6.00	45.00 55.00	
smirnovi			Rhododendron
A1/1 to 3/4—8' M to S. Flower narrow, revolute; underside cov pale tan felt.	s pure p ered wit	ink. Leave h heavy w	s long, hite to
12 to 15 in	5.00		,
15 to 18 in	7.00 9.00		
Hybrid Rhododendrons			
A4/3 to 3/4-8' to 10' M to R. are beautiful, strong, bushy p	The Hybrants. V	rid Rhodode Ve offer th	ndrons iem in
A4/3 to 3/4—8' to 10' M to R. are beautiful, strong, bushy p mixed colors only, containing su lavender. These plants are gro Riododendrons, and are MUCH GRAFTED HYBRIDS.	wn from HARD	seeds of LER THAN	Hybrid THE
15 to 18 in. B&B	4.50		
18 to 24 in. B&B	5.50 7.50		
2½ to 3 ft. B&B	10.00		



TYPES OF DECIDUOUS TREES

- A. Narrow columnar habit, branches erect.
- B. Oval or elliptic head, branches ascending.
- C. Conical head, branches ascending.
- D. Broad rounding head, branches spreading.
- E. Irregular habit, branches irregularly ascending or spreading.
- F. Branches ascending, arching, even drooping near ends.

Certain types such as B, C and D do not always show the characteristics depicted when young, but do so as they mature.

PROPORTIONS

We omit the indication of proportions of Deciduous Trees as they are not sufficiently constant to be of any practical value. The type sketches indicate the proportions in a general way.

RATES OF GROWTH

VR—very rapid—over 4 feet.
R—rapid—3 to 4 feet.
M—medium—2 to 3 feet.
S—slow—1 to 2 feet.
VS—very slow—under 1 foot.

DECIDUOUS SHADE AND ORNAMENTAL TREES

Caliper measurements are taken 12 inches above ground. Varieties marked "B&B" are always dug with Ball and Burlapped at No Additional Cost.

	Each	Per 10	Per 100
ACER dasycarpum			Silver Maple
B-80' VR. Lvs. 5", light green	n, silvery	under, 5-lo	bed.
.8 to 10 ft	2.00	18.00	160.00
10 to 12 ft	2.50	22.50	200.00
12 to 14 ft	3.00	27.00	240.00
14 to 16 ft	3.50	30.00	270.00
16 to 18 ft	4.00	35.00	300.00
18 to 20 ft	5.00	45.00	
das. pyramidalis		Pyramida	l Silver Maple
A to C-80' VR. Columnar to	conical st		100
6 to 8 ft			1
0 10 0 11	2.00		
dasy, wieri		Winn	Cuileaf Maple
	T 21		
F-80' VR. Branchlets droop.			
8 to 10 ft	2.00	27.00	240.00
Control of the Contro			70 2 3 6 3
ginnala			ur Bush Maple
15' S. Many-branched, excell Leaves 2½", 3-lobed, brilliant p	ent for	tall bushy	hedge.
			05.00
3 to 4 ft	1.25	10.00 12.50	85.00
4 to 5 ft		17.50	100.00
5 to 6 ft	2.00 2.50	22.50	200,00
6 to 8 ft	3.00	27.00	200.00 240.00
10 to 12 ft	4.00	36.00	240.00
10 to 12 1t	4.00	20.00	4.
		,	7 84 1
platanoides	-174D-1		Vorway Maple
D-50' R. The best of all sha	de trees	for both la	wn and
D-50' R. The best of all sha street use. Broad, dense head, dark rich green leaves, 5" to 7	", 5-lobed	with large,	neavy,
6 to 8 ft	2.75	25.00	225.00
8 to 10 ft	4.00	37.50	360.00
10 to 12 ft	5.00	48.00	450.00
12 to 14 ft	6.50	60.00	540.00
14 to 16 ft	7.50		
16 to 18 ft	10.00		
3 to 5 in. cal. 12.00 to 2	25.00 each	h	
5 to 8 in. cal. 25.00 to 10	00.00 each	h	
plat. schwedleri		Sel	wedler Maple
D-50' R. Lvs. bright red, spri	nas numni		
			miller.
5 to 6 ft	4.00 5.00	36.00 45.00	
6 to 8 ft	6.00	45.00	
8 to 10 ft	0.00		

Each		
ule busines	Sy	camore Maple
3.00		
		Red Maple
-5-lobed,	rich gree	n; pale
		pril.
2.75	25.00	
5.00		
6.50		
		Sugar Maple
o", mediun	n green.	all a line
2.50	24.00	
3.50		
5.00	45.00	
15.00		
00.00 eac	b	
	Devil	s Walkingstick
.75	ly. Leave	s com-
	Ē	W.L. D
triangle		
		210.00
3.00		210.00
3.50		
		Alm Ser -
44000	45	Yellow Birch
	blaze of g	gold, fall.
	27.50	
	37.50	
1000		
	Paper o	r Canoe Birch
		val, 3".
	16.50	
2.00		
	Cutleaf I	Veeping Birch
alets droor	. Leaves	deeply
	111	
2.50		
4 4 4 4 4		
3.00		
	ark brown. 2.50 3.00 -5-Jobed, all. Red fl 2.25 2.75 3.50 5.00 6.50 5", medium 2.50 3.50 5.00 12.00 15.00 00.00 each cems prickl 2"-2½". 75 1.00 1.25 c. triangle 2.50 3.00 3.50 c. oval, 3"; 2.50 3.00 4.00 5.00 older, white 1.75 2.00 cheets droop	Syark brown. 2.50 3.00 -5-Tobed, rich gree all. Red flowers, Ar. 2.25 2.00 2.75 2.50 3.50 5.00 6.50 5", medium green. 2.50 2.4.00 3.50 33.00 5.00 45.00 12.00 15.00 00.00 each Devil. ems prickly. Leave 1/2" - 2½"; yello 2.50 2.50 3.00 27.50 3.00 27.50 3.00 27.50 3.00 27.50 3.00 27.50 4.00 37.50 5.00 Paper of older, white. Lys. of 1.75 1.00 1.75 1.05 2.00 Cutleaf Values 2.50 3.00 4.00 Cutleaf Values 2.50 3.00 4.00 Cutleaf Values 2.50 3.00 4.00

BETULA—cont'd populifolia		Per 10	Cama Rivah
A to C-40' M. Bark white, 2½".	flecked gr	ay. Lvs. ti	nangle,
5 to 6 ft 6 to 8 ft 8 to 10 ft	. 1.00	9.00 12.50 15.00	
CARPINUS caroliniana C-30' S. Leaves pointed o scarlet to orange yellow in fal	val, 3", d		can Hornbeam green;
3 to 4 ft. B&B	. 2.00 . 3.00 . 4.00 . 5.00 . 6.50	18.00 27.00 37.00 48.00 60.00 75.00	
CATALPA bignonioides		Cor	mmon Catalpa
E-30' S. Lys. 8". White fis., 8 to 10 ft	. 1.50 . 2.00 . 2.50		
bignonioides nana (bungei)		· Umi	brella Catalpa
Dense globe-shaped, very dwstraight bare stem for formal 2 yr. heads, 6 ft. stems		isually graf aves heart-s 22.50	ted on shaped.
speciosa		W	estern Catalpa
C-60' R. Leaves 10". Flower	s white, 2"	June. Po	ds 12".
5 to 6 ft	. 1.25	9.00 10.00 14.00	75.00 90.00 125.00
CERCIDIPHYLLUM japonicum			Katsura Tree
A to C-40' S. Leaves 21/2", 1	heart shape	e, opening p	oink to
purple; maturing bright green	; bright ye	llow in tall.	
3 to 4 ft		12.50 18.00	
5 to 6 ft		27.50	
CERCIS canadensis		Amer	ican Red Bud
E-25' S. Lvs. 4", heart-shape	ed. Fls. 1/2		
2 to 3 ft	75	, 1003 p	, 11237
CHIONANTHUS virginica 16' VS. Shrubby. Large lacy	white pani	cles, May, J	White Fringe
2 to 3 ft	. 2.00	14.00 18.00 27.50	
CLADRASTIS lutea		7	Tellow-Wood
E-30' S. Leaves 3", glossy,d. June.			
8 to 10 ft	. 3.50 . 4.50		
12 to 14 ft	6.00		

CORNUS florida	Each		Per 100 ering Dogwood
E-15' VS. Leaves dark red in 4", May. Red fruit \(\frac{1}{3} \)".	n fall.	Flowers whit	te, 3"—
3 to 4 ft	2.00 3.00 5.00 6.50	18.00 27.00 45.00	
			ring Dogwood
E-15' VS. A double-flowering 3 to 4 ft. B&B		the above.	
flor. rubra		Red Flowe	ring Dogwood
E-15' VS. Deep rose-colored ff 2 to 3 ft. B&B	5.00	48.00	
CRATAEGUS coccinea			ket Hawthorn
D to E-20' S. Thorny. Whe scarlet fruits, August, remain la	ite flo te; att	wers, May. ract birds.	Large
3 to 4 ft	1.50 2.00	14.00 18.00	
5 to 6 ft	3.00	25.00	
6 to 8 ft	5.00 6.50		
cordata E to D—25' S. Thorny. Lvs. sr May, June. Abundant crimson	nall 3—	Washing	ton Hawthorn white,
3 to 4 ft	2.00 2.50 3.50	18.00 22.50	150.00
crusgalli		Со	ckspur Thorn
E-20' S. Leaves narrow, day White flowers, June. Red fruit	rk, glo remai	ossy. Long tons late.	thorns.
2 to 3 ft	1.25	12.00	110.00
3 to 4 ft	1.75 2.50 3.50	16.00 22.50	150.00
oxyacantha			ish Hawthorn
E-15' S. Leaves small. Fls. lar 2 to 3 ft	ge, wh	ite, May.	
3 to 4 ft	1.00 1.25		
oxy. splendens		Double Scar	let Hawthorn
E-15' S. Double scarlet form of 4 to 5 ft	2.50	ing. 22.50	
5 to 6 ft	3.00 4.00	27.00 36.00	240.00

			STEE OCCUPATION
CRATAEGUS—cont'd	Each	Per 10	Per 100
ALTONOMICS OF THE PARTY OF THE		Flo	shy Hawthorn
succulenta	in .		3 To 10 To 1
E to D-20' S. White corymbs,			fruits.
2 to 3 ft	1.00	8.50	
3 to 4 ft,	1.25	11.00	90.00
4 to 5 ft	1.50	12.50	110.00
5 to 6 ft	1.75		
			· n ·
FAGUS americana			merican Beech
C to B-80' S. Branches as Foliage pointed, elliptic, 2½"- green, yellowish-green undernea	cending	, bark light	gray.
Foliage pointed, elliptic, 21/2"-	-5", he	avily veined	l, dark
		ht yellow in a	utumn.
	10.00		
8 to 10 ft. B&B	14.00	130.00	
10 to 12 ft. B&B	18.00	170.00	
12 to 14 ft. B&B	22.00		
12 to 14 ft. B&B	28.00		
16 to 20 ft. B&B	35.00		
20 to 25 ft. B&B			
20 to 25 ft. bob	75.00		
sylvatica riversi			River Beech
C to B-50' S. Leaves shorter,	very d	ark nurple.	
18 to 25 ft. B&B 40.00 to 100			
10 to 20 ft. D&D 40.00 to 100	.uu eac	n,	
FRAXINUS americana			White Ash
C to D-80' M Leaves compo	und les	flets 311_511	vellow
C to D-80' M. Leaves comporand purple in autumn.	unu, ica	incis J. —J.,	ycilow
6 to 8 ft	1.50	12.50	110.00
8 to 10 ft	2.00	18.00	150.00
8 to 10 ft			
10 to 12 ft	2.50	22.50	200.00
12 to 14 ft	3.00	27.00	240.00
lanceolata			Green Ash
	,	annau d	
C to D-60' M. Folia'ge light 2"-5".	green,	compound,	leanets
	1.50	14.00	
6 to 8 ft			
8 to 10 ft	2.00	18.00	
10 to 12 ft	2.50	22.50	
12 to 14 ft	3.00	27.00	
GLEDITSIA triacanthos		Commo	n Honeylocust
			ni 120negiocusi
F-80' S to M. Thorny. Foli	age con	npound, lear	iets I",
	1.25	10.00	90.00
5 to 6 ft	1.25	10.00	80.00
6 to 8 ft	1.50	12.00	100.00
8 to 10 ft	1.75	15.00	120.00
CAMPIOCI VDITO II :		. 77	1 0 0
GYMNOCLADUS dioica			icky Coffeetree
Irregular. Coarse branches. Fls. white, small, in large pan	Immens	e compound	leaves.
		ruit pods 2"	· 10′′•
3 to 4 ft			
4 to 5 ft	2.50		
5 to 6 ft	3.00		
6 to 8 ft	4.00		200
	1 1		C. N. C. L. A. W.
HALESIA tetraptera			Great Silverbell
C-25' S to M. Leaves oval,	2"-4".	Flowers 3/4	", bell-
shaped, in loose clusters, April	May.		
3 to 4 ft	1.00	9.00	
4 to 5 ft	1.25		
5 to 6 ft	1.50		
6 to 8 ft	2.00		His sain
	2.00		

JO WIMAN SINAMING	1121111 11	OICLIC	
	Each	Per 10	Per 100
JUGLANS cinerea E-50' S. Leaves compound, I shaped, 2½"-4".	eaflets 3/	—5". Nut	Butternut oblong
5 to 6 ft	2.00 2.50 3.00 4.00	18.00 22.50	
LABURNUM alpinum		Sco	tch Laburnum
C to B-30' S to VS. Leaves in Flowers bright yellow in hangir	threes, 1 ng raceme	″—2″, ligh s.	t green.
3 to 4 ft., bush form	2.00 2.50		
LIRIODENDRON tulipifera			Tulip Tree
C to B—80' R. Lvs. broad, 2—6 tulip-shaped, greenish yellow, 6 4 to 5 ft	1.50 2.00	—6″, gloss rkings.	y. Fls
MALU	JS		
(The Flowerin	ng Crabs)		
We specialize in growing semi-mat MALUS species. Unlike the usu- are mostly old trees, several times to to give a worthwhile immediate eff- or bushiness of each sort is indicate	al run of ransplante ect. The	stock of d, and he degree o	fered, these avy enough
MALUS arnoldiana			Arnold Crab
E-15' S. Semi-double pink blos 3 to 4 ft. B&B	2.00 3.00	ry. Yell w	frúits.
atropurpurea		Pu	rpleleaf-Crab
E-16' S. Single deep pink flor during flowering period.	wers. Fol	iage purpl	ish red
5 to 6 ft. X. B&B	4.50		
6 to 7 ft. XX, B&B	6.00		
atrosanguinea			Cârmine Crab
A to 5 ft V De-B	2.00 2.50 3.50 5.00 6.50	18.00 22.50 33.00	ńk in-
baccata			Siberian Crab
B to D-35' S. Pure white, fra when unfolding. Fruit yellow, st	potted red	ers, pink	outside
6 to 7 ft. XX, B&B	6.00 10.00 15.00	55.00 90.00 140.00	
10 to 12 ft. XXX, B&B	20.00		

coronaria			Per 100 d Sweet Crab			
B-30' S. Flowers rose-pink, st 4 to 5 ft. X, B&B	2.50 3.00 4.00	ed, May.	,			
floribunda E—20' S. Flowers single, deep i small, yellow and red.	rose-pink,	apanese Fl carly May	owering Crab Fruit			
3 to 4 ft X, B&B 4 to 5 ft X, B&B 5 to 6 ft XX, B&B 6 to 7 ft XX, B&B	2.00 3.00 4.50 5.50	18.00 27.50 43.00				
roetsis fl. pl. C. tr. U-15' S. One of the bes punts, resemble small roses, Ma	t. Flower		Bechiel Crab			
10 3 ft X, E&B. 3 to 4 ft X, B&B. 4 to 5 ft X, B&B. 5 to 6 ft XX, B&B. 6 to 7 ft XXX, B&B.	1.50 2.00 2.50 3.50 6.00	13.50′ 18.00 22.50 33.00				
niedzwetzkyjara B to E-28' S. Foliage tinged p	urple. Sei		Rédvein Crab lowers,			
	3.00 4.00 5.00 6.00	27.00 36.00				
parkmani E-12 VS houble, clear pink. 3 to 4 ft. X B&B 4 to 5 ft. X, B&B.	Leaves ve 2.50 3.50		arl _e man Crab			
sargenti B-8 VS Rigid streading bra May. White-colored small fruit	nches. Pr		Sargent Crab owers,			
2 to 3 ft. BNB 3 to 4 ft. BNB 4 to 5 ft. BNB.	2.00 3.00 4.00	18.00 25.00 35.00				
Extra Heavy Specimens Debise and Compact						
4 to 5 ft. broad, 3 to 4 ft. tall						
B&B 5 to 6 ft. broad, 3½ to 4½ ft. tall B&B	12.50	120.00				
scheidecken E-15. S. Double research frei		Scho	eidecker Crab e; free			
blooming 3 to 4 ft. B&B 4 to 5 ft. B&B 5 to 6 ft. X, B&B 6 to 7 ft. X, B&B	2.00 2.50 3.00 4.00	18.00 22.50 27.00	250.00			

## MALUS—cont'd Each Per 10 Per 100 Spectabilis flore pleno				
## B—18' S. Double pale pink flowers. ## to 5 ft, X, B&B.	MALUS—cont'd	Each		
## 4 to 5 ft. X, B&B			Double	Chinese Crab
Spect. rosea plena			22.50	
## B—15' S to VS. Double deep pink. Profuse. 3 to 4 ft. B&B.	5 to 6 ft X B&B	3.00		
## B—15' S to VS. Double deep pink. Profuse. 3 to 4 ft. B&B	5 to 0 1t. 2t, Dab	- 1		4
3 to 4 ft. B&B				Chinese Crab
## ## ## ## ## ## ## ## ## ## ## ## ##			ofuse.	
theifera E—20' S. The following description is given by E. H. Wilson, Keeper of the Arnold Arboretum, who discovered this tree: "Rigid of branch, with wands of blossoms often 15 ft. long, the Chinese M. theifera is the very quintessence of Crab-apple loveliness. It is a small tree, seldom exceeding 20 feet in height, with sparse, upright and spreading, rather zigzag branches. When in blossom the whole branch is transformed into a floral plume into which it is impossible to thrust a finger without touching a flower. The petals are reddish pink in the folded bud, white or delicately stained with pale pink when fully expanded." 2 to 3 ft. B&B. 2.00 18.00 160.00 3 to 4 ft. B&B. 3.00 27.00 250.00 4 to 5 ft. B&B. 4.00 36.00 330.00 7 to 8 ft. XXX, B&B. 12.00 8 to 10 ft. XXXX, B&B. 16.00 150.00 10 to 12 ft. XXXX, B&B. 20.00 MORUS alba pendula 8 ft. Umbrella-shaped, gracefully drooping. Leaves light green, deeply lobed. Fruit reddish-purple, edible. 5 to 6 ft. stems, 2 yr. heads. 3.50 30.00 OXYDENDRON arboreum Sourwood 25' S. Loose, open, erect. Lys. long, narrow, pointed, 4"—7". Flowers, small white bells in panicles, June, July. 2 to 3 ft. 2.50 4 to 5 ft. 3.50 5 to 6 ft. 5.00 PHELLODENDRON sachalinense Saghalien Corktree B to F=50' R. Leaves compound, leaflets 3"—5", dull green. Fruit black ½" 10 to 12 ft. 3.50 30.00 14 to 16 ft. 4.00 36.00 16 to 18 ft. 4.00 36.00 10 to 12 ft. 14 ft. 3.50 30.00 14 to 16 ft. 4.00 36.00 16 to 18 ft. HEAVY 1.25 10.00 90.00 8 to 10 ft. LOW 1.50 12.00 100.00 10 to 12 ft. BRANCHED 2.00 15.00 120.00 12 to 14 ft. TRANS- 2.50 20.00 160.00 14 to 16 ft. PLANTED 3.00 24.00 200.00 16 to 18 ft. SPECI- 3.50 30.00 24.00				
theifera E=20' S. The following description is given by E. H. Wilson, Keeper of the Arnold Arboretum, who discovered this tree: "Rigid of branch, with wands of blossoms often 15 ft. long, the Chinese M. theifera is the very quintessence of Crab-apple loveliness. It is a small tree, seldom exceeding 20 feet in height, with sparse, upright and spreading, rather zigzag branches. When in blossom the whole branch is transformed into a floral plume into which it is impossible to thrust a finger without touching a flower. The petals are reddish pink in the folded bud, white or delicately stained with pale pink when fully expanded." 2 to 3 ft. B&B. 2.00 18.00 160.00 3 to 4 ft. B&B. 2.00 36.00 330.00 7 to 8 ft. XXX, B&B. 12.00 8 to 10 ft. XXX, B&B. 12.00 8 to 10 ft. XXX, B&B. 10.00 150.00 10 to 12 ft. XXX, B&B. 20.00 MORUS alba pendula 8 ft. Umbrella-shaped, gracefully drooping. Leaves light green, deeply lobed. Fruit reddish-purple, edible. 5 to 6 ft. stems, 2 yr. heads. 3.50 30.00 OXYDENDRON arboreum 25' S. Loose, open, erect. Lys. long, narrow, pointed, 4"—7". Flowers, small white bells in panicles, June, July. 2 to 3 ft. 2.00 3 to 4 ft. 2.50 4 to 5 ft. 3.50 5 to 6 ft. 1. 3.50 6 to 18 ft. 3.50 7 CPLLODENDRON sachalinense B to F-50' R. Leaves compound, leaflets 3"—5", dull green. Fruit black ½". 10 to 12 ft. 3.50 30.00 12 to 14 ft. 3.50 30.00 14 to 16 ft. 4.00 36.00 16 to 18 ft. 5.00 45.00 POPULUS nigra italica A-60' V.R. Leaves triangular to rhombic, 2"—4". 6 to 8 ft. HEAVY 1.25 10.00 90.00 10 to 12 ft. BRANCHED 2.00 15.00 12.00 11 to 14 ft. TRANS- 2.50 20.00 160.00 11 to 12 ft. BRANCHED 2.00 15.00 12.00 12 to 14 ft. TRANS- 2.50 20.00 160.00 14 to 16 ft. PLANTED 3.00 24.00 20.00 16 to 18 ft. SPECI- 3.50 30.00 24.00	5 to 6 ft. X. B&B		27.00	
## F-20' S. The following description is given by E. H. Wilson, Keeper of the Arnold Arboretum, who discovered this tree: "Rigid of branch, with wands of blossoms often 15 ft. long, the Chinese M. theilera is the very quintessence of Crab-apple loveliness. It is a small tree, seldom exceeding 20 feet in height, with sparse, upright and spreading, rather zigzag branches. When in blossom the whole branch is transformed into a floral plume into which it is impossible to thrust a finger without touching a flower. The petals are reddish pink in the folded bud, white or delicately stained with pale pink when fully expanded." 2 to 3 ft. B&B. 2.00 18.00 160.00 3 to 4 ft. B&B. 3.00 27.00 250.00 4 to 5 ft. B&B. 4.00 36.00 330.00 7 to 8 ft. XXX, B&B. 12.00 8 to 10 ft. XXX, B&B. 16.00 150.00 10 to 12 ft. XXX, B&B. 20.00 MORUS alba pendula Teas Weeping Mulberry 8 ft. Umbrella-shaped, gracefully drooping. Leaves light green, deeply lobed. Fruit reddish-purple, edible. 5 to 6 ft. stems, 2 yr. heads. 3.50 30.00 OXYDENDRON arboreum 25' S. Loose, open, erect. Lys. long, narrow, pointed, 4"—7". Flowers, small white bells in panicles, June, July. 2 to 3 ft. 2.00 3' to 4 ft. 2.50 4 to 5 ft. 3.50 5 to 6 ft. 5.00 PHELLODENDRON sachalinense Saghalien Corktree B to F-50' R. Leaves compound, leaflets 3"—5", dull green. Fruit black ½". 10 to 12 ft. 3.00 25.00 14 to 16 ft. 4.00 36.00 15 to 18 ft. 5.00 45.00 POPULUS nigra italica Lower triangular to rhombic, 2"—4". 6 to 8 ft. HEAVY 1.25 10.00 90.00 8 to 10 ft. LOW 1.50 12.00 100.00 10 to 12 ft. BRANCHED 2.00 15.00 12.00 10 to 12 ft. BRANCHED 2.00 15.00 12.00 11 to 14 ft. TRANS- 2.50 20.00 160.00 14 to 16 ft. PLANTED 3.00 24.00 24.00 16 to 18 ft. SPECI- 3.50 30.00 240.00			36.00	
## F-20' S. The following description is given by E. H. Wilson, Keeper of the Arnold Arboretum, who discovered this tree: "Rigid of branch, with wands of blossoms often 15 ft. long, the Chinese M. theilera is the very quintessence of Crab-apple loveliness. It is a small tree, seldom exceeding 20 feet in height, with sparse, upright and spreading, rather zigzag branches. When in blossom the whole branch is transformed into a floral plume into which it is impossible to thrust a finger without touching a flower. The petals are reddish pink in the folded bud, white or delicately stained with pale pink when fully expanded." 2 to 3 ft. B&B. 2.00 18.00 160.00 3 to 4 ft. B&B. 3.00 27.00 250.00 4 to 5 ft. B&B. 4.00 36.00 330.00 7 to 8 ft. XXX, B&B. 12.00 8 to 10 ft. XXX, B&B. 16.00 150.00 10 to 12 ft. XXX, B&B. 20.00 MORUS alba pendula Teas Weeping Mulberry 8 ft. Umbrella-shaped, gracefully drooping. Leaves light green, deeply lobed. Fruit reddish-purple, edible. 5 to 6 ft. stems, 2 yr. heads. 3.50 30.00 OXYDENDRON arboreum 25' S. Loose, open, erect. Lys. long, narrow, pointed, 4"—7". Flowers, small white bells in panicles, June, July. 2 to 3 ft. 2.00 3' to 4 ft. 2.50 4 to 5 ft. 3.50 5 to 6 ft. 5.00 PHELLODENDRON sachalinense Saghalien Corktree B to F-50' R. Leaves compound, leaflets 3"—5", dull green. Fruit black ½". 10 to 12 ft. 3.00 25.00 14 to 16 ft. 4.00 36.00 15 to 18 ft. 5.00 45.00 POPULUS nigra italica Lower triangular to rhombic, 2"—4". 6 to 8 ft. HEAVY 1.25 10.00 90.00 8 to 10 ft. LOW 1.50 12.00 100.00 10 to 12 ft. BRANCHED 2.00 15.00 12.00 10 to 12 ft. BRANCHED 2.00 15.00 12.00 11 to 14 ft. TRANS- 2.50 20.00 160.00 14 to 16 ft. PLANTED 3.00 24.00 24.00 16 to 18 ft. SPECI- 3.50 30.00 240.00	thaifara			Tea Crah
3 to 4 ft. B&B. 3.00 27.00 250.00 4 to 5 ft. B&B. 4.00 36.00 330.00 7 to 8 ft. XXX, B&B. 12.00 8 to 10 ft. XXX, B&B. 150.00 10 to 12 ft. XXX, B&B. 20.00 MORUS alba pendula S ft. Umbrella-shaped, gracefully drooping. Leaves light green, deeply lobed. Fruit reddish-purple, edible. 5 to 6 ft. stems, 2 yr. heads. 3.50 30.00 OXYDENDRON arboreum Sourwood 25' S. Loose, open, erect. Lvs. long, narrow, pointed, 4"— 7". Flowers, small white bells in panicles, June, July. 2 to 3 ft. 2.00 3 to 4 ft. 2.50 4 to 5 ft. 3.50 5 to 6 ft. 5.00 PHELLODENDRON sachalinense B to F—50' R. Leaves compound, leaflets 3"—5", dull green. Fruit black ½". 10 to 12 ft. 3.00 25.00 12 to 14 ft. 3.00 36.00 14 to 16 ft. 4.00 36.00 16 to 18 ft. HEAVY 1.25 10.00 90.00 8 to 10 ft. LOW 1.50 12.00 100.00 10 to 12 ft. BRANCHED 2.00 15.00 120.00 12 to 14 ft. TRANS 2.50 20.00 160.00 14 to 16 ft. TRANS 2.50 20.00 160.00 14 to 16 ft. TRANS 2.50 20.00 160.00 14 to 16 ft. PLANTED 3.00 24.00 200.00 16 to 18 ft. SPECI 3.50 30.00 240.00	E-20' S. The following dest Wilson, Keeper of the Arnold this tree: 'Rigid of branch, w 15 ft. long, the Chinese M. thei of Crab-apple loveliness. It is ing 20 feet in height, with sprather zigzag branches. When is transformed into a floral pl sible to thrust a finger with petals are reddish pink in the cately stained with pale pink	Arboreturith wand fera is the a small tarse, upri in blossor ume into out touch e folded k when full	s given by m, who disc s of blossoms e very quint ree, seldom e ght and spre n the whole which it is ing a flower oud, white o y expanded."	E. H. overed s often essence exceed- ading, branch impos The r deli-
4 to 5 ft. B&B	2 to 3 H. D&D	. 2.00	10.00	100.00
7 to 8 ft. XXX, B&B				
MORUS alba pendula Teas Weeping Mulberry	7 to 8 ft. XXX. B&B	12.00	50.00	330.00
MORUS alba pendula Teas Weeping Mulberry	8 to 10 ft. XXX, B&B	. 16.00	150.00	
8 ft. Umbrella-shaped, gracefully drooping. Leaves light green, deeply lobed. Fruit reddish-purple, edible. 5 to 6 ft. stems, 2 yr. heads 3.50 30.00 OXYDENDRON arboreum Sourwood 25' S. Loose, open, erect. Lys. long, narrow, pointed, 4"— 7". Flowers, small white bells in panicles, June, July. 2 to 3 ft 2.00 3 to 4 ft 2.50 4 to 5 ft 3.50 5 to 6 ft 5.00 PHELLODENDRON sachalinense Saghalien Corktree B to F-50' R. Leaves compound, leaflets 3"—5", dull green. Fruit black ½". 10 to 12 ft 3.00 25.00 12 to 14 ft 3.50 30.00 14 to 16 ft 4.00 36.00 16 to 18 ft 5.00 45.00 POPULUS nigra italica Lombardy Poplar A-60' VR. Leaves triangular to rhombic, 2"—4". 6 to 8 ft. HEAVY 1.25 10.00 90.00 8 to 10 ft. LOW 1.50 12.00 100.00 10 to 12 ft. BRANCHED 2.00 15.00 120.00 12 to 14 ft. TRANS- 2.50 20.00 160.00 14 to 16 ft. PLANTED 3.00 24.00 200.00 16 to 18 ft. SPECI- 3.50 30.00 240.00	10 to 12 ft. XXX, B&B	. 20.00		
25' S. Loose, open, erect. Lvs. long, narrow, pointed, 4"— 7". Flowers, small white bells in panicles, June, July. 2 to 3 ft	8 ft. Umbrella-shaped, gracef green, deeply lobed. Fruit red		oing. Leave le, edible.	
25' S. Loose, open, erect. Lvs. long, narrow, pointed, 4"— 7". Flowers, small white bells in panicles, June, July. 2 to 3 ft	OVVDENDRON		111 14	
3 to 4 ft		s. long, na	rrow, pointe les, June, Ju	
4 to 5 ft				
5 to 6 ft	3 to 4 ft	2.50		
PHELLODENDRON sachalinense B to F-50' R. Leaves compound, leaflets 3"-5", dull green. Fruit black ½". 10 to 12 ft. 3.00 25.00 12 to 14 ft. 3.50 30.00 14 to 16 ft. 4.00 36.00 16 to 18 ft. 5.00 45.00 POPULUS nigra italica Lombardy Popular A-60' VR. Leaves triangular to rhombic, 2"-4". 6 to 8 ft. HEAVY 1.25 10.00 90.00 8 to 10 ft. LOW 1.50 12.00 100.00 10 to 12 ft. BRANCHED 2.00 15.00 120.00 12 to 14 ft. TRANS 2.50 20.00 160.00 14 to 16 ft. PLANTED 3.00 24.00 200.00 16 to 18 ft. SPECI 3.50 30.00 240.00 240.00 16 to 18 ft. SPECI 3.50 30.00 240.00 240.00 16 to 18 ft. SPECI 3.50 30.00 240.00				
10 to 12 ft. 3.00 25.00 12 to 14 ft. 3.50 30.00 14 to 16 ft. 4.00 36.00 16 to 18 ft. 5.00 45.00 POPULUS nigra italica A-60' VR. Leaves triangular to rhombic, 2"-4". 6 to 8 ft. HEAVY 1.25 10.00 90.00 8 to 10 ft. LOW 1.50 12.00 100.00 10 to 12 ft. BRANCHED 2.00 15.00 120.00 12 to 14 ft. TRANS 2.50 20.00 160.00 14 to 16 ft. PLANTED 3.00 24.00 200.00 16 to 18 ft. SPECI 3.50 30.00 240.00	PHELLODENDRON sachalinense	npound, 1	Sagh eaflets 3"—5	alien Corktree ", dull
14 to 16 ft		. 3.00		
16 to 18 ft				
POPULUS nigra italica A=60' VR. Leaves triangular to rhombic, 2"-4". 6 to 8 ft. HEAVY. 1.25 10.00 90.00 8 to 10 ft. LOW. 1.50 12.00 100.00 10 to 12 ft. BRANCHED. 2.00 15.00 120.00 12 to 14 ft. TRANS- 2.50 20.00 160.00 14 to 16 ft. PLANTED. 3.00 24.00 200.00 16 to 18 ft. SPECI- 3.50 30.00 240.00	14 to 16 ft	. 4.00		
A-60' VR. Leaves triangular to rhombic, 2"-4". 6 to 8 ft. HEAVY	10 10 10 11	. 5.00	45.00	
6 to 8 ft. HEAVY 1.25 10.00 90.00 8 to 10 ft. LOW		to rhomb		abardy Poplar
8 to 10 ft. LOW				90.00
12 to 14 ft. TRANS 2.50 20.00 160.00 14 to 16 ft. PLANTED 3.00 24.00 200.00 16 to 18 ft. SPECI 3.50 30.00 240.00			1 5 1 5 1	100.00
14 to 16 ft. PLANTED 3.00 24.00 200.00 16 to 18 ft. SPECI 3.50 30.00 240.00				
16 to 18 ft. SPECI 3.50 30.00 240.00				


POPULUS—cont'd simoni fastigiata A-50' VR. Leaves round poin 2"-3". Young shoots reddish.	Each	Chinese Lor	Per 100 mbardy Poplar glossy,
6 to 8 ft	1.25 1.50 1.75 2.00 4.00	10.00 12.00 16.50 18.00	80.00 100.00
PRUNUS cerasifera pissardi		P_{i}	urpleleaf Plum
15' S. Shrubby habit. Leaves d blush-white, May. Dark, wine	lark pur	ple. Flowers	small,
4 to 5 ft	2.00	18.00	
5 to 6 ft	2.50 3.25	22.50 30.00	
cer. bliriana	Do	uble Pink Pi	irpleleaf Plum
15' S. Similar to preceding. Fl. 5 to 6 ft		ouble pink.	
serotina			Black Cherry
B-60' S to M. Leaves lan Flowers white in 6" racemes. I	ce-shape	ed, glossy,	4"6". ack.
5 to 6 ft	.80	7.50	
6 to 8 ft	1.00	9.00 22.50	
8 to 10 ft	2.50 3.00	22.50	
	3.00		
JAPANESE FLOWER	RING (CHERRIES	3
AMANOGAWA			
A-25' S. Flowers semi-double,	pink.		
4 to 5 ft	4.00		
FUJIZAN			
E-20' VS. Flowers snow white		double.	
4 to 5 ft	4.00		
KOFUGEN			
B-30' S. Flowers red, double. 4 to 5 ft	4.00	36.00	
	4.00	20.00	
KWANSAN B-20' VS. Flowers old rose, de	auble f	111	
4 to 5 ft		36.00	
NADEN			
B-20' S. Flowers pink, double			
4 to 5 ft	4.00	36.00	
PTELEA trifoliata		Con	nmon Hoptree
C to E-25' S to M. Leaves pointed elliptic, 3"-5", dark, sh. Small nuts, 1".	compou iny. Fr	nd, leaflets uit broadly v	in 3's, vinged.
5 to 6 ft	.80	7.50	
6 to 8 ft	1.00	9.00	
8 to 10 ft	1.50	12.50	

	Each	Per 10	Per 100
PYRUS calleryana			se Sand Pear
C to B-40' S to M. White flow low to orange, scarlet, red, crim	ers, May son, and	y. Fall foliag purple.	e yel-
5 to 6 ft	2.00		
6 to 8 ft	3.00	27.00	
8 to 10 ft	4.00 5.00	36.00 48.00	
12 to 14 ft	6.00	55.00	
QUERCUS alba E to D—100' M to R. Bark li round-pointed lobes, 5"—8".	ght gra	y. Leaves, 6	White Oak to 16
6 to 8 ft	4.50	42.00	
8 to 10 ft	6.00	55.00	
10 to 12 ft	7.00	68.00	
12 to 14 ft	8.00	78.00	
14 to 16 ft	10.00		
coccinea			Scarlet Oak
C to B—80' M to R. Shining deeply, sharply 7—9-lobed; scarl		oliage, 6"—8" tumn.	
5 to 6 ft	3.50		
6 to 8 ft	4.50		
8 to 10 ft	6.00 8.00		
10 10 12 11	0.00		
rubra		Comn	non Red Oak
B to C-80' M to R. Dark bar	k. Leav	ves 7-9-lobed	, 5'''—
9", dark red in fall.	2.00	27.00	
5 to 6 ft	3.00 3.50	27.00 33.00	
8 to 10 ft	4.50	42.00	
10 to 12 ft	6.00	.2.00	
12 to 14 ft	7.00		
14 to 16 ft	8.00		
SALIX babylonica		Babylon Wee	eping Willow
F-40' R to M. Branchlets ver			
shaped, light green, 2"-6".	1.50	14.00	
6 to 8 ft	1.50	14.00	
pentandra		L	aurel Willow
C to B-20' R. Leaves elliptic, g	glossy, d	ark, 2"—4".	
5 to 6 ft	.90		
6 to 8 ft	1.00		
vitellina aurea		Russian Go	lden Willow
E-80' R. Bark golden yellow.	Leaves		
6 to 8 ft	1.25	11.00	
a a p P v v a			
SORBUS americana		American N	Iountain Ash
C to B-30' S to M. Leaves c pointed. Flowers white, May, small, bright red fruits, 1/4".	June.	l, leaflets 2½ Large corym	ibs of
5 to 6 ft	2.00	18.00	
6 to 8 ft	2.50	21.00	180.00
8 to 10 ft	3.00	27.00	240.00
10 to 12 ft	3.50		

SORBUS—cont'd amurense		Each	Per 10	Per 100 Mountain Ash
		£	22,110,1	112 0 4111 4111 1 2 1 1 1 1
A to C-20' S. Narrow				
6 to 8 ft		2.50	22.50	
8 to 10 ft		3.00	27.00	
10 to 12 ft		3.50		
10 10 12 11		2.20		
			77	74 47
aucuparia				Mountain Ash
C-30' S to M. Large	corymbs.	white	flowers, May	y, June.
C-30' S to M. Large C Large corymbs of large	scarlet i	ruits.		
6 to 8 ft		2.00	18.00	160.00
8 to 10 ft		2.50	22.50	200.00
10 to 12 ft		3.00	28.00	260.00
				· ·
Extra heavy grade.				
5 to 6 ft		2.00	18.00	160.00
6 to 8 ft		2.50	22.50	200.00
9 to 0 1111111111111		3.00	28.00	260.00
8 to 10 ft				
10 to 12 ft		3.50	32.50	300.00
Trained in bush form.			10.00	440.00
5 to 6 ft		2.00	18.00	160.00
6 to 8 ft		2.50	22.50	
8 to 10 ft		3.00	27.00	
0 10 10 11		2.00	27.00	
			***	14 47
auc. pendula			W eeping	Mountain Ash
Irregular drooping form	of prece	ding.		
	_			
3 yr. heads, 6 ft. stems.		5.00		
commixta			Labanese	Mountain Ash
	-1.3 - 6-1:-	1.4.		
C to B-30' S to M. He			. Late fruiti	ng.
5 to 6 ft		2.00		
6 to 8 ft		2.50	22.50	200.00
8 to 10 ft		3.00	27.00	240.00
10 to 12 ft		3.50	27.00	2-10.00
10 to 12 rt		3.30		
			0.1	
decora			Showy	Mountain Ash
C to B-30'. Similar t	o S. am	ericana	: larger clu-	sters of
C to B-30'. Similar t	, D		,	
6 to 8 ft		3.00		
0 10 0 11				
8 to 10 ft		4.00		
10 to 12 ft		5.00		
quercifolia			Oakleaf	Mountain Ash
	-:1 "0-	1. 1		
C to B-25' S. Leaf typ				
4 to 5 ft		1.50	12.50	
SYRINGA japonica			Labat	nese Tree Lilac
o i i i japolitea				
C to A-25' S. Flowers		white p	anicles, June	, July.
5 to 6 ft		2.50		
6 to 8 ft		3.00		
8 to 10 ft		4.00		
0 10 10 11		4.00		
TTT T A .				
ΓILIA americana				nerican Linden
C to B-80' M to R.	Broad.	heart-	shaped lys	5"_g".
Small, yellow, fragrant	fis., July	Good	street tree.	
8 to 10 ft		3.50	33.00	300.00
10 to 12 ft		4.50	42.00	360.00
12 to 14 ft		5.50	50.00	

TILIA—cont'd	Each	Per 10	Per 100
cordata C to B—60' S. Small, broa Small flowers, sweet-scented			opean Linden 2"—3".
8 to 10 ft	3.50 4.50 5.50	h	
euchlora (dasystyla)		Cr	imean Linden
C-50' S to M. Young bra shaped, 3"-4", glossy. Specimens, 4 to 8 in. cal. 60			heart-
platyphyllos (grandiflora) C to B–80' M to R. Lvs. ho Specimens, 4 to 8 in. col. 6	eart-shaped, 3	"-4", light	opean Linden green.
tomentosa (argentea) C to B-80' M to R. Lear green above, silvery fuzzy u Specimens, 5 to 9 in. cal. 7		ped, 3"—5"	Silver Linden , dark
ULMUS americana		_	American Elm
F-120' R. Fine street tr branches. Leaves pointed e	ee for wide		rching
6 to 8 ft 8 to 10 ft 10 to 12 ft 12 to 14 ft 2½ to 3 in. cal. 3 to 4 in. cal. 4 to 8 in. cal. 20.00 to 1	2.75 4.00 5.00 8.00	18.00 25.00 36.00 45.00	160.00 225.00 300.00 400.00
Moline Elm			
C-80' R to VR. Branches I		18.00	
6 to 8 ft	3.00	27.00	
8 to 10 ft	3.75 4.50	35.00 42.00	
Am. Vase Shape Elm			
F—100' R. 5 to 6 ft	2.00	18.00	
6 to 8 ft	3.00	27.00	
8 to 10 ft	3.75	35.00 48.00	
campestris F-80' R to M.			English Elm
specimens 4 to 10 in cal	60	0.00 to 150	.00 each
pumila			Siberian Elm
F-60' VR. Fine branches. popular.	Leaves 1"-2"	'. Graceful	. Very
5 to 6 ft		16.00 21.00	

DECIDUOUS FLOWERING AND ORNAMENTAL SHRUBS



TYPES OF DECIDUOUS SHRUBS

- A. Stems erect, moderately branched, usually narrow.
- B. Stems spreading, then ascending or erect, moderately branched.
- C. Few stems, many branches.
- D. Many stems, few or no branches.
- E. Stems ascending or erect, arching, finally drooping.
- F. Low, spreading, sprawling.

Since few Deciduous Shrubs have a definite rate of growth, or constant ratios of height to breadth, we omit those items, but indicate the types and usual maximum heights.

ACANTHOPANAX pentaphyllun		Per 10	Per 100 veleaf Aralia
A-8'. Slightly thorny. Leadark glossy.	ves compou	and, fine le	eaflets,
2 to 3 ft	75	5.00 6.00 8.00	40.00 50.00
AMELANCHIER canadensis (bott			Shadblow
A-10'. White flowers, May.	Maroon fru	it, June, Ju	ly.
2 to 3 ft		8.00	72.00
3 to 4 ft	. 1.25	11.00	

ARALIA pentaphylla—See ACANTHOPANAX above.

	Each	Per 10	Per 100
ARONIA arbutifolia			ed Chokeberry
A-10'. White fls., May. Crim	son fall i	foliage and f	fruit.
2 to 3 ft	.90	8.00	70.00
3 to 4 ft	1.25	11.00	85.00
4 to 5 ft	1.50	14.00	
melanocarpa (nigra) D-6'. Clusters of white flowed berries. Attracts birds.	ers in N	Bla Aay. Black	ck Chokeberry glossy
2 to 3 ft	.90	7.50	60.00
3 to 4 ft	1.25	10.00	75.00
4 to 5 ft	1.50	12.50	
AZALI	EAS		
Our stock of Azaleas is all NURS transplanted, having heavy masses superior results to the planter. The collected stock frequently offered.	of fibr	ous roots v	which insure
AZALEA arborescens			Sweet Azalea
D—5'. The plants we offer of t lutely true strain—they contain so often found. They are lov Flowers large, white, pink o true strain of arborescens is a should be more freely planted,	his speci no trac w, broad utside, n very des	es are of the of mongre, dense, ro midde June irable shrub	e abso- el blood unding This , which effects.
15 to 18 in. spread B&B	3.00	27.00	250.00
12 to 24 in. spread B&B	3.50	33.00	300.00
2 to 2½ ft. spread B&B		40.00	375.00
2½ to 3 ft. B&B	6.00	55.00	500.00
3 to 4 ft. B&B	8.00		
calendulacea (lutea)			Flame Azalea
A-8'. Varying hues of red, ora	ange, yel	low; early]	Tune.
15 to 18 in. B&B	2.50	22.50	200.00
18 to 24 in. B&B	3.00	27.00	250.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3.50	33.00	300.00
2½ to 3 ft. B&B	4.50	42.00	
3 to 4 ft. B&B	6.00		
canadensis—See RHODORA			
canescens			Gray Azalea
A-4'. Pink, May 20th. Foliage		1.	
15 to 18 in. B&B	2.50		
18 to 24 in. B&B	2.75		
2 to 2½ ft. B&B	3.25		
$2\frac{1}{2}$ to 3 ft. B&B	4.00		
A to B-8'. Flowers medium Dark green leaves 1"-1½"; lig			ihurian Azalea il 10th. in.
3½ to 4 ft. B&B	10.00		
4 to 5 ft. B&B	14.00		
5 to 6 ft. B&B	18.00		
dahur. sempervirens			ngolian Azalea
A to B—8'. Variety of preceding		-evergreen.	
18 to 24 in. B&B	5.00		
2 to 2½ ft. B&B	6.00		
43 10 3 II. D&D	7.00		

	-		
AZALEA—cont'd	Each	Per 10	Per 100
gandavensis A—10'. Flowers June 1, attrac golden yellow, light pink, crean	tive mi	xed colors,	Ghent Azalea light to
15 to 18 in. B&B	4.00	36.00	
18 to 24 in. B&B	5.00	45.00 55.00	
2 to 2½ ft. B&B	6.00 7.50	72.00	
	7.50	12.00	Torch Azalea
kaempferi		on in fall	
A-8'. Foliage small, scarlet t combination of red, pink, salm indescribable flame color; late	on, blen May.	id into a w	onderful
15 to 18 in. B&B	4.00	35.00	300.00
18 to 24 in. B&B	4.75	45.00	
2 to 2½ ft. B&B	6.00	55.00	
2½ to 3 ft	8.00		
mollis			Chinese Azalea
A-6'. The showiest of all A bright orange flowers, occasiona	zaleas.	Large clu	sters of
12 to 15 in. B&B	2.50	22.50	210.00
15 to 18 in. B&B	3.50	33.00 42.00	300.00 400.00
18 to 24 in. B&B	4.50 6.00	42.00	400.00
2½ to 3 ft. B&B	8.00		
22 to 5 ft. D&D	0.00		
mol. altaclarensis			
A-6'. Very bright yellow; late	May.		
12 to 15 in. B&B	2.75	25.00	
mol. Louisa Hunnewell		Louisa Hu	nnewell Azalea
A-6'. Large clusters, flowers early June.	golden		
15 to 18 in, B&B	4.50		
18 to 24 in. B&B	6.00		
mucronulata		Man	churian Azalea
A-6'. Rosy purplish pink, Apr	il 20th.	Leaves bri	ght yel-
low in autumn.	4.00		
15 to 18 in. B&B	4.00		
18 to 24 in. B&B	5.00		
2 to 2½ ft. B&B	6.00		
nudiflora			Pinxterbloom
A-6'. Flowers white to pale pi	ink, frag	grant, May	20th.
15 to 18 in. B&B	2.50	22.50	
18 to 24 in. B&B	2.75	25.00	
2 to 2½ ft. B&B	3.25	30.00	
$2\frac{1}{2}$ to 3 ft. B&B	4.00	36.00	
poukhanense			Korean Azalea
D—3'. I,ow, broad, dense, r branches resting on the ground, in summer resemble those of the dendrons, in fall a pleasing Blooms single, 1½"—2", fragrapink, profuse, mid-May to early of the very best new plants whi late Prof. C. S. Sargent said, New England collections."	Leaves Leaves as sortmant, pure function we have	g, with the 2" long, ½ reen Alpine ent of red re medium We conside ave grown, erves a place	e lower "wide; Rhodo- shades. orchid- r it one and the ee in all
15 to 18 in. spread B&B	4.00	36.00	350.00
18 to 24 in. spread B&B	5.00	45.00	420.00
2 to 2½ ft. spread B&B 2½ to 3 ft. spread B&B	6.50 10.00	60.00	580.00

AZALEA—cont'd	Each	Per 10	Per 100
schlippenbachi	Lacii	1 61 10	Royal Azalea
A-6'. Pure pink, May 20th.			Royal Azalea
12 in. B&B	4.00		
15 in. B&B	5.00		
18 in. B&B	7.50		
vaseyi			inkshell Azalea
A—6'. Native American plant ance. One of the prettiest Aza freely planted. Very delicate put	with a ileas, de	Japanese serves to l	appear- ne more
freely planted. Very delicate pur	re pink	blooms, ear	ly May.
15 to 18 in. B&B EXTRA	3.50	33.00	300.00
18 to 24 in. B&B BUSHY	4.50	42.00	400.00
2 to 2½ ft. B&B PLANTS	6.00	55.00	540.00
2½ to 3 ft. B&B	7.50		
viscosa			Swamp Azalea
A-8'. Tall narrow habit. Frag	rant wh	ite flowers	in June
18 to 24 in. B&B	2.25	20.00	180.00
2 to 23 ft. B&B	2.75	25.00	225.00
2½ to 3 ft. B&B	3.50	32.00	270.00
3 to 4 ft. B&B	4.25	40.00	360.00
4 to 5 ft. B&B	5.00	45.00	
yodogawa			dogawa Azalea
D-4'. Double flowered form of		hanense.	
15 to 18 in. B&B	3.00 6.00		
BERBERIS thunbergi		lab	anese Barberry
	dge pla		
E to D-5'. The familiar he autumn. Crimson-scarlet berrie		nearly all	winter.
12 to 15 in. bushy	.20	1.50	9.00
15 to 18 in. bushy	.25	2.00	12.00
18 to 24 in. bushy	.35	2.50	18.00
2 to 2½ ft. bushy	.50 .60	4.00 5.40	27.00 45.00
2½ to 3 ft. bushy	.90	7.50	60.00
$2\frac{1}{2}$ to 3 ft. specimens, B&B	1.00	9.00	00.00
			D 1
thunb. atropurpurea			anese Barberry
E to D-5'. A new variety of blood-red foliage when planted	the pr in full s	eceding. H unlight.	Brilliant,
15 to 18 in	.90	8.00	75.00
18 to 24 in	1.00	9.00	80.00
vulgaris		Euro	pean Barberry
A-6'. Narrow loose habit. Lon	g, narro		
2 to 3 ft	.60	4.50	
vul. atropurpurea		P	urple Barberry
A-6'. Handsome variety of th foliage, red fruit.	e preced	ling. Viole	t purple
18 to 24 in	.60	5.00	
2 to 3 ft	.75	6.50	
3 to 4 ft	.90	7.50	
BUDDLEIA davida magnifica		Oxey	e Butterflybush
E-6'. Flowers rosy purple, spik	es, Aug.	-	
2 yrs	.60	5.00	
-			

	Each		
CALYCANTHUS floridus			ion Sweetshrub
D-6'. Flowers 1½", brown, spi	cy, June	e to Aug.	
2 to 3 ft	.75	6.00	
3 to 4 ft	1.00	9.00	
CARAGANA arborescens			Siberian Pea
A to E-10'. Leaves compound.	Vellow	flowers Tur	
3 to 4 ft	1.00	9.00	ic.
4 to 5 ft	1.25	10.00	
5 to 6 ft	1.50	12.50	,
			I T
CEANOTHUS americanus			Jersey-Tea
D—3'. Flowers white, June.			
18 to 24 in	.60 .75		
2 to 3 ft	.13		
CEPHALANTHUS occidentalis			Buttonbush
B-5'. Flowers white, globe-sh.	aped, 1"	, July-Sept.	
18 to 24 in		4.50	36.00
2 to 3 ft	.75	6.50	45.00
CHIONANTHUS virginica—See un	der Tre	ees.	
CLETHRA alnifolia			Summersweet
A-6'. Spikes white, fragrant fl	lowers.	Iuly-Sept.	
2 to 3 ft		5.50	45.00
CORNUS alba (siberica)			arian Dogwood
B-10'. Stems blood red in w Flowers yellow-white, June. F	inter. I	Broad, oval	leaves.
birds.	iuit biu	isii wiiite,	attracts
3 to 4 ft	.60	4.50	30.00
4 to 5 ft	.75	6.00	40.00
5 to 6 ft	1.00	7.50	48.00
6 to 8 ft	1.50	12.00	90.00
8 to 10 ft	2.00	18.00	
alba spaethi	S_{f}	aeth Varieg	gated Dogwood
B-8'. Similar to preceding. Le	eaves ed	ged yellow.	
2 to 3 ft	1.00	8.50	
alternifolia		Pa	goda Dogwood
C-15'. Erect stems, horizonta	al branc	hes. Smoo	th pale
C—15'. Erect stems, horizont: green foliage, whitish beneath. Fruit dark blue.	Flowers	white, May	y, June.
2 to 3 ft	1.00	9.00	00.00
3 to 4 ft	1.25	10.00 12.50	80.00 100.00
4 to 5 ft	2.00	18.00	100.00
	2.00		7.11 D
amomum (sericea)			Silky Dogwood
B-10'. Red stems. Flowers, Fruit blue, sometimes partly wh	cymes,	white, June	e, July.
	.75	6.00	
3 to 4 ft	.85	7.00	
5 to 6 ft	1.00	8.00	
6 to 8 ft	1.50	13.00	100.00
8 to 10 ft	2.00	18.00	.00.00
		Silvert	loich Dogwood
elegantissima	ailus	Suvero	toten Dogwood
B-8'. Leaves variegated with		0.50	
2 to 3 ft	1.00	8.50 11.00	
3 to 4 ft	1.23	11.00	

CORNUS—cont'd	Each	Per 10	Per 100
paniculata		G	ray Dogwood
A—10'. Panicles of white flower attracts birds.	rs, May	, June. Whit	e fruit
2 to 3 ft	.75	5.50	45.00
3 to 4 ft. bushy	1.00	8.00	60.00
4 to 5 ft. bushy	1.25	10.00	80.00
sanguinea			wig Dogwood
C—12'. Dark red branches. I Fruit black.	Flowers	white, May,	June.
2 to 3 ft	.60	5.50	
3 to 4 ft	.75	6.00	
4 to 5 ft	1.00	8.00	,
5 to 6 ft	1.50	13.50 *	
6 to 8 ft	2.00	18.00	
8 to 10 ft	2.50	1	
stolonifera flaviramea		Goldent	wig Dogwood
B-8'. Strong, broad leaf. Ba Small white flowers, May, Jun	rk brigh ie.		
2 to 3 ft	.60	4.50	
3 to 4 ft	.75	6.00	40.00
4 to 5 ft	1.00	8.00	60.00
5 to 6 ft	1.25	10.00	22.30

WILSON'S CHINESE COTONEASTERS

Few recent additions to the horticulture of America have met with as much popularity as have the CHINESE COTONEASTERS introduced by Dr. E. H. ("Chinese") Wilson, Keeper of Arnold Arboretum, and famous horticultural explorer. These shrubs are all valuable for their profusion of flowers and fruits, and some for their glossy, semi-persistent leaves. We take pleasure in offering the following species to those who appreciate new and valuable plants.

ing the following species to those who appr	
plants.	ectate new and variable
COTONEASTER acutifolia villosula A—10'. Leaves dull green, 2", Flower	Peking Cotoneast s white, May, June.
Fruit oval, ½", black. 2 to 3 ft., field grown. 1.00 3 to 4 ft., field grown. 1.25 4 to 5 ft., field grown. 1.50 5 to 6 ft., field grown. 2.00 6 to 8 ft., field grown. 2.50	9.00 11.00 13.50 18.00 22.50
dielsiana	Diel's Cotoneast
E-6'. Branches slender. Leaves 1". June. Fruit globe ¼", red.	
18 to 24 in., from 5 in. pots 1.50 2 to 3 ft., from 5 in. pots 2.00 3 to 4 ft., from 5 in. pots 2.50	13.50 125.00 18.00 175.00 21.00 180.00
divaricata E to F-6'. Obliquely ascending, slending and recurving. Leaves oval, ½". fuse, June. Fruit red, ½".	Spreading Cotoneastor branches, spread- Flowers pink, pro-
15 to 18 in., from 5 in. pots 1.25 18 to 24 in., from 5 in. pots 1.50 2 to 3 ft, from 5 in. pots 2.00	11.00 100.00 13.50 125.00 18.00
foveolata A to E-8'. Leaves 1½", orange a Flowers pink, June. Fruit black, ½".	nd scarlet in fall.
9 to 12 in., from 5 in. pots75 15 to 18 in., from 5 in. pots 1.00	6.50 9.00

er

COTONEASTER—cont'd	Each	Per 10	Per 100
horizontalis		Roc	k Cotoneaster
Low spreading, irregular. Ov glossy green leaves, 3/8" to ½". lowed by abundance of red fruit,	al, semi- Pink flo	evergreen, owers, Jun	dark e, fol-
12 to 15 in., from 5 in. pots 15 to 18 in., from 5 in. pots	1.50 2.00	13.50 18.00	120.00 150.00
horiz. Wilsoni		Wilson'	s Cotoneaster
Similar to the preceding, but mo	re even i	n habit.	
	1.25	11.00	100.00
	2.00	13.50 18.00	120.00
	2.00	10.00	
lucida	of inter 1	blook foult	
A-6'. Noteworthy for profusion 15 to 18 in., from 5 in. pots		11.00	
2 to 3 ft from 5 in pots	1.75	16.00	150.00
2 to 3 ft., from 5 in. pots 3 to 4 ft., from 5 in. pots	2.25	20.00	150100
multiflora			
E-6'. Slender arching branche Fruit red, 1/3".	es. Whit	e flowers,	May.
2 to 3 ft., from 5 in. pots	2.00	18.00	
zabelli			
E-6'. Flowers pink, May. Fruis	t red, ova	1, 1/3".	
2 to 3 ft., from 5 in. pots	2.50	22.50	
CYDONIA japonica		Flon	vering Quince
B-6'. Spiny. Orange-scarlet flo			
18 to 24 in	.75	6.50	50.00
2 to 3 ft	.90 1.25	8.00 11.00	60.00
3 to 4 ft	1.43		1 . D
DEUTZIA gracilis		316	ender Deutzia
D-3'. White flowers, May, June 15 to 18 in	.75	6.00	
18 to 24 in	1.00	8.00	
			Rose Deutzia
grac. rosea F-3'. Flowers pink, June.			1 (osc Dearzig
15 to 18 in	.75	6.50	
18 to 24 in	1.00	8.50	
lemoinei		Len	noine Deutzia
D-4'. Flowers white, profuse, la	te May,		
2 to 2½ ft	.75	6.50	50.00
scabra candidissima		Snow	flake Deutzia
A-6'. Large, double white flowe	rs, June.		,
3 to 4 ft	.75	6.00	
4 to 5 ft	1.00	7.50	
5 to 6 ft	1.25 1.50	10.00 12.50	
6 to 7 ft	1.50		
s. crenata			uzzy Deutzia
A-6'. Flowers double white, son			
2 to 3 ft	.50	4.00	27.00 33.00
3 to 4 ft	.60 .75	5.00 6.00	45.00
T 10 9 11	.13	0.00	15.00

-			
DEUTZIA—cont'd	Each	Per 10	Per 100
s. Pride of Rochester		Prid	le of Rochester
A-8'. Double flowers, pink out	side, wh		
2 to 3 ft	.50	4.00	27.00
3 to 4 ft	.60	5.00	33.00
4 to 5 ft	.75	6.00	45.00
5 to 6 ft	.90	8.00	60.00
6 to 7 ft	1.25		
s. watereri			aterer Deutzia
D-6'. Small fringed, double flinside, profuse.	owers, 1	pink outside	, white
2 to 3 ft	.60	5.00	
3 to 4 ft	.75	6.00	
4 to 5 ft	1.00 1.25	8.00	
5 to 6 ft	1.25	10.00	
ENKIANTHUS campanulatus			ein Enkianthus
A-8'. Leaves elliptic, 1½". I drooping clusters, pale yellow, M		small, bell-	shaped,
18 to 24 in	3.00 4.00		
EUONYMUS alatus		Win	ged Euonymus
	orky w		
A to E-10'. Branches have of flame color in autumn. Scattered			
2 to 3 ft	1.50	13.50	120.00
3 to 4 ft	2.00	18.00	160.00
bungeanus			rry Euonymus
A to E-12'. Slender branches. in fall. Fruit pink, orange cap,		2½", pinki	
3 to 4 ft	1.00	8.00	60.00
4 to 5 ft	1.25 1.50	10.00 13.50	75.00 125.00
5 to 6 ft	2.00	18.00	123.00
6 to 8 ft	3.00	27.00	
	3.00	_	n Burningbush
europaeus	-A" cri	mean in fall	. Yel-
A-14'. Dark green foliage, 3"-lowish flowers; scarlet fruit.	-4 , CIII	mson m ran	. 101-
3 to 4 ft	1.25	11.00	90.00
4 to 5 ft	1.50	13.50	125.00
5 to 6 ft	2.00	18.00	150.00
yedoensis		Yed	do Euonymus
A—8'. The showiest bush Eu slightly pendulous, brilliant red berry, with pink husk, borne in ber. We strongly recommend th	onymus in fall.	Leaves Fruit is a	5"—6", scarlet
berry, with pink husk, borne in a	great pr is variet	otusion in S	eptem-
18 to 24 in	1.00	9.00	80.00
2 to 3 ft	1.25	11.00	90.00
3 to 4 ft	1.50	13.50	125.00
4 to 5 ft	1.75		
EXOCHORDA grandiflora			on Pearl Bush
A-10'. Leaves gray green. Flow 10 in a raceme, late May.	wers wh	ite, 2" acros	s, 6 to
2 to 3 ft	.75	6.50	
3 to 4 ft	1.00	8.00	
FORSYTHIA intermedia spectabilis		Shown Bor	der Forsythia
A to E-8'. Deep yellow flowers,	profuse		
2 to 3 ft	.75	6.00	
3 to 4 ft	.90	7.50	
•			

FORCETTIA	r I	D 10	D 100
FORSYTHIA—cont'd	Lach	Per 10	
suspensa E-8'. Drooping branches. Go.	lden flowe		ing Forsythia
2 to 3 ft		5.00	ıy.
3 to 4 ft		6.50	
4 to 5 ft	90	7.50	
susp. fortunei		Fort	une Forsythia
A to E-8'. Golden flowers, pr	ofuse. Ap		ane i oroginia
2 to 3 ft		5.00	
3 to 4 ft	75	6.00	
4 to 5 ft	. 1.00	8.00	
viridissima			tem Forsythia
A-10'. Green bark. Flowers l			
2 to 3 ft	60	5.00	
3 to 4 ft	75	6.00	
HALESIA tetraptera—See under D	Peciduous	Trees.	
HAMAMELIS virginiana		Common	Witch Hazel
A-10'. Loose open habit. S bright yellow flowers, Nov. C	trong bro	ad foliage.	Small
2 to 3 ft		6.50	60.00
3 to 4 ft		8.00	70.00
4 to 5 ft	. 1.25	10.00	90.00
5 to 6 ft	. 1.75	15.00	125.00
6 to 8 ft	. 2.00	18.00	
HIBISCUS syriacus			Shrub-althea
A-12'. Tall narrow shrub or midsummer and August, who	small tree	. Large flow	ers in
flower.	en most	shrubs are i	not in
Anemonaeflorus-Double white.			
Ardens-Double bluish pink.			
Boule de Feu—Semi-double viole Duchesse de Brabant—Double p	t red.		
Jeanne d'Arc—Double white, stro		٠.	
Lady Stanley-Double blush whi			
HYDRANGEA arborescens grandif	lora	Snowhi	ll Hydrangea
D-5'. Foliage broad, dark, 4'	"-5". Flo		
D-5'. Foliage broad, dark, 4' in rounding cymes 5"-7", Jul			
2 to 3 ft	75	6.50	60.00
3 to 4 ft	80	7. 50	69.00
paniculata (type)			le Hydrangea
A-8'. Flowers white, large p			
2 to 3 ft	75	6.50	50.00
3 to 4 ft	. 1.00	8.50	
paniculata grandiflora		Hydr	angea Peegee
A-12'. Huge, white panicles,	turning p	ink, July, A	ug.
18 to 24 in		5.00	33.00
2 to 3 ft	75	5.50	40.00
3 to 4 ft	90	6.50	54.00
paniculata grandiflora—tree form		Tr	ee Hydrangea
Preceding variety trained into		e.	
3 to 4 ft	. 1.50	14.00	

	г.	D 10	D 100
HYPERICUM kalmianum D-5'. Small blue-green foliage 3 to 4 ft	. Yellow		n Hypericum
prolificum		Shrubby :	St. Johnswort
D-5'. Dense. Yellow flowers,		ept.	
2 to 3 ft	.75 1.00 2.00	6.50 9.00	
ILEX verticillata		Common	Winterberry
A-8'. Bright scarlet berries r			
18 to 24 in	.75 1.00 1.25	6.50 8.50	54.00 75.00
KERRIA japonica			Kerria
D-3'. Stems bright green. Ye.	llow flower	s, June-Oct	
15 to 18 in	.60	5.50	
18 to 24 in	.75	6.00	
jap. flore pleno		_	ouble Kerria
D-5'. Double yellow flowers, J	.75	ot.	
2 to 3 ft	.90		
KOLKWITZIA amabilis			Beautybush
E—8'. New, very beautiful a branches are covered with an blush pink flowers and fine if E, H. Wilson of Arnold Arbo one of the most valuable shrub 18 to 24 in	nd desiral abundand oliage. Ir retum, wh s received 2.50 4.00	ole. The ance of magnitroduced by o describes from the C	rching ficent y Dr. it as Orient.
LIGUSTRUM acuminatum		Sha	rpleaf Privet
E-10'. Matures into strong ling, white, June. Inky black	oushy shr	ub. Free fl	ower-
5 to 6 ft. XXX specimens		75.00	
6 to 8 ft. XXX specimens		95.00	
amurense			Amur Privet
A-12'. Excellent, tall, narrow,			10.00
2 to 3 ft	.40 .60	2.50 3.50	18.00 24.00
ibolium		11	olium Privet
A-8'. A cross between the Privet, it combines the hardine of the California. Succeeds un The best Privet for hedges.	California ss of Ibota ider the h		
2 to 3 ft	.40 .50	3.00 4.00	21.00 27.00
ibota		. 1	Ibota Privet
C-8'. Very hardy. Makes bro-		medium hee	ige.
2 to 3 ft	.40 .50	3.00 4.00	18.00 27.00
3 to 4 ft	.50	7.00	27.00

LIGUSTRUM—cont'd	Each	Per 10	Per 100
ibota regelianum—true spreading for F-5'. Makes fine broad, low h	rm jedge.		Regel Privet
18 to 24 in. spread		4.00	
2 to 2½ ft. spread		5.00	39.00
2½ to 3 ft. spread	.70	6.00	
3 to 4 ft	1.00	8.00	
ovalifolium		Cal	ifornia Privet
A-12'. The most popular Priv	et. Leave	s glossy and	dark.
A-12'. The most popular Priv Withstands heavy shearing. O quality, three and four-year tops, heavy root masses.	transplan	ted stock.	Bushy
18 to 24 in	20	1.50	10.00
2 to 3 ft		1.80	12.00
3 to 4 ft	35	2.70	15.00
vulgare		Eu	ropean Privet
A-15'. Tall, strong, vigorous.		flowers June	, July.
6 to 8 ft. XXX specimens		75.00	
8 to 18 ft. XXX specimens	10.00	95.00	
LONICERA fragrantissima		Winter	Honeysuckle
E to F-6'. Flowers white, fr	dagrant, e	arly spring.	
2 to 3 ft		6.50	50.00
3 to 4 ft	90	7.50	72.00
morrowi			Honeysuckle
C to F-12'. Foliage dark grewhite flowers, May, June. Bri	en, grayi	ish under. (ge fruits.	Cream-
2 to 3 ft	50	4.00	30.00
3 to 4 ft	60	5.00	33.00
4 to 5 ft	75	6.00	
ruprechtiana		Manchurian	Honeysuckle
E-12'. Leaves 2"-3", grayis white, May, June. Red fruit.	h-green.	Flowers yel	llow to
2 to 3 ft	60	5.00	•
3 to 4 ft		6.50	
tatarica		Tataria	Honeysuckle
C-10'. Pink flowers, June. I	ight red		
2 to 3 ft	50	4.00	30.00
3 to 4 ft	60	4.50	33.00
4 to 5 ft	75	6.00	
tat. alba C—10'. White flowers, May,			n Honeysuckle
2 to 3 ft		4.00	33.00
3 to 4 ft	60		33.00
4 to 5 ft	75	6.00	
tat. grandiflora rosea		Pink Bride	Honeysuckle
C-10'. Deep pink flowers, M	Iay June.		
2 to 3 ft	60	5.00	
3 to 4 ft	75	6.00	
4 to 5 ft	85	7.50	
xylosteum	E	European Fly	Honeysuckle
A-10'. Leaves grayish. Fls.		ite. Fruit da	rk red.
4 to 5 ft	. 1.00		
5 to 6 ft	. 1.25		

40 WIMANS MAMING	IIAWI	TVOISEIG	LO
MANDIOA	Each	Per 10	Per 100
MYRICA carolinensis			hern Bayberry
4'. Dark green, narrow leaves, Aromatic.	4"—6".	Waxy gray	fruits.
15 to 18 in	.75	6.00	
18 to 24 in	.90	8.00	
2 to 3 ft	1.25	10.00	
PHILADELPHUS coronarius A-10'. Huge, fragrant, white p	anicles		et Mockorange
4 to 5 ft	.75	6.00	50.00
5 to 6 ft	.90	8.00	65.00
cor. aureus		Golde	n Mockorange
D-6'. Clear bright yellow folia	ge.		
12 to 18 in	.75	7.00	
gordonianus		Gordo	n Mockorange
A-10'. Large white flowers, Ju	me, Jul	у.	
4 to 5 ft	.75	6.00	50.00
5 to 6 ft	1.00	8.00	70.00
grandiflorus			ss Mockorange
A-10'. Large, white showy flo		ine.	
3 to 4 ft	.60	4.00	33.00
4 to 5 ft	.75	5.00	39.00
5 to 6 ft	.90	6.00	
speciossimus		Roundlea	f Mockorange
A-8'. Small leaves, white flow		ie, July.	
2 to 3 ft	.60		
3 to 4 ft	.75	6.50	TO 00
4 to 5 ft	.90	8.00	70.00
5 to 6 ft	1.25	11.00	100.00
0 10 0 11	1.50		
HYBRID MOC	KUKA	NGES	
Avalanche			e Mockorange
A-6'. Showy white flowers cov of the slender, drooping branch	er almo	st the entire	length
2 to 3 ft	.75	6.50	
Lemoine A-6'. Pearly white flowers, Ju		Lemoin	e Mockorange
2 to 2½ ft	.75	6.50	
Mt. Blanc			c Mockorange
A-4'. Large, fragrant white flo	owers T		o 112 oction ange
18 to 24 in	.60	5.00	
2 to 3 ft	.75	6.50	
3 to 4 ft	.90	7.50	
4 to 5 ft	1.00	9.00	
5 to 6 ft	1.25	10.00	
			de la constitución de la constit

Virginal

Virginal Mockorange

	Each	Per 10	D., 100	
HYBRID MOCKORANGES—con		rerio	rer 100	
Zeyheri		Zevher	Mockorange	е
A-8'. Bark yellow. White flow	vers, Jur			
2 to 3 ft	.75	6.50		
3 to 4 ft	1.00	9.00		
4 to 5 ft	1.25 1.50	11.00 12.50		
	1.50	12.50	Photinic	
PHOTINIA villosa A-10'. Leaves narrow, 2". F June. Fruit bright scarlet, 1/8".	lowers v	white corymb	os, 2",	4
4 to 5 ft	1.50	14.00		
PHYSOCARPUS opulifolia		Comr	non Ninebark	5
E-14'. Coarse branched. Whit			non I vinebu, y	
5 to 6 ft	.75 1.25			
PRUNUS glandulosa rosea	Doubl	e Pink Flow	ering Almona	ł
A-8'. Small rosettes of pink f branches in early May.	lowers s	cattered alor	ng the	
2 to 3 ft	1.00			
tomentosa		Na	mking Cherry)
A-8'. Leaves oval, 2½". Flow Edible red fruit, 5%".			May.	
2 to 3 ft	1.00	8.50		
triloba			owering Plum	1
A-8'. Flowers light pink, doub				
2 to 3 ft		6.50	41	
trichostyla sinensis				
		White Flowe	ering Aimond	l
A-8'. Flowers double, white, ea	arly May	7.	ering Aimona	l
A-8'. Flowers double, white, ea	arly May		гинд Антопа	l
A-8'. Flowers double, white, ea	rly May 1.25	10.00	na Buckthorn	
A-8'. Flowers double, white, es 3 to 4 ft	1.25 1.50	10.00	na Buckthorn	
A-8'. Flowers double, white, ea 3 to 4 ft	1.25 1.50	10.00 Caroli	na Buckthorn	
A-8'. Flowers double, white, es 3 to 4 ft	1.25 1.50	10.00 Caroli	na Buckthorn	
A-8'. Flowers double, white, ea 3 to 4 ft	1.25 1.50 leaves. .75 1.00 1.25	10.00 Carolii Berries darl	na Buckthorn	
A-8'. Flowers double, white, ea 3 to 4 ft	1.25 1.50 leaves. .75 1.00	7. 10.00 Carolin Berries darl 9.00 11.00	na Buckthorn	1
A-8'. Flowers double, white, ea 3 to 4 ft	1.25 1.50 leaves. .75 1.00 1.25 1.75	7. 10.00 Caroli Berries darl 9.00 11.00 Commo	na Buckthorn c red,	1
A-8'. Flowers double, white, ea 3 to 4 ft	1.25 1.50 1.50 leaves. .75 1.00 1.25 1.75	Caroli Berries darl 9.00 11.00 Commo	na Buckthorn c red, on Buckthorn ries.	1
A-8'. Flowers double, white, ea 3 to 4 ft 4 to 5 ft RHAMNUS caroliniana A-20'. Lustrous dark green turning to black. 5 to 6 ft 6 to 7 ft 7 to 8 ft 8 to 10 ft cathartica A to B-10'. Spiny branches, green turning to black.	1.25 1.50 1.50 leaves. .75 1.00 1.25 1.75 een leav	Caroli Berries darl 9.00 11.00 Comme es, black ber 3.60	na Buckthorn c red, on Buckthorn ries. 33.00	1
A-8'. Flowers double, white, ea 3 to 4 ft	1.25 1.50 1.50 leaves. .75 1.00 1.25 1.75	Caroli Berries darl 9.00 11.00 Commo	na Buckthorn c red, on Buckthorn ries.	1
A-8'. Flowers double, white, ea 3 to 4 ft	1.25 1.50 1.50 1.00 1.25 1.75 een leav .50 .60	7. 10.00 Carolii Berries darl 9.00 11.00 Common es, black ber 3.60 5.00	na Buckthorn c red, on Buckthorn ries. 33.00	1
A-8'. Flowers double, white, ea 3 to 4 ft	1.25 1.50 leaves. .75 1.00 1.25 1.75 een leav .50 .60 .75	7. 10.00 Carolii Berries darl 9.00 11.00 Commes, black ber 3.60 5.00 6.00	na Buckthorn c red, on Buckthorn ries. 33.00 39.00 Rhodora	1
A-8'. Flowers double, white, ea 3 to 4 ft	1.25 1.50 leaves. .75 1.00 1.25 1.75 een leav .50 .60 .75	7. 10.00 Carolii Berries darl 9.00 11.00 Commes, black ber 3.60 5.00 6.00	na Buckthorn c red, on Buckthorn ries. 33.00 39.00 Rhodora	1
A-8'. Flowers double, white, ea 3 to 4 ft	rly May 1.25 1.50 leaves. .75 1.00 1.25 1.75 een leav .50 .60 .75	7. 10.00 Carolii Berries darl 9.00 11.00 Comme es, black ber 3.60 5.00 6.00 alea. Rose-1 15.00 18.00	na Buckthorn c red, on Buckthorn ries. 33.00 39.00 Rhodora	1
A-8'. Flowers double, white, ea 3 to 4 ft	1.25 1.50 leaves. 75 1.00 1.25 1.75 een leave. 50 .60 .75 ling Az	7. 10.00 Carolii Berries darl 9.00 11.00 Commo es, black ber 3.60 5.00 6.00 alea. Rose-1	on Buckthorn ries. 33.00 39.00 Rhodora ourple 135.00 160.00	ı
A-8'. Flowers double, white, ea 3 to 4 ft	1.25 1.50 leaves. 75 1.00 1.25 1.75 een leav 5.0 60 .75 ling Az 1.60 2.00 2.50	7. Carolii Berries darl 9.00 11.00 Commes, black ber 3.60 5.00 6.00 alea. Rose-1 15.00 18.00 22.50	on Buckthorn ries. 33.00 39.00 Rhodora ourple 135.00 160.00	1
A-8'. Flowers double, white, ea 3 to 4 ft	1.25 1.50 leaves. 75 1.00 1.25 1.75 een leav 5.0 60 .75 ling Az 1.60 2.00 2.50	7. Carolii Berries darl 9.00 11.00 Commes, black ber 3.60 5.00 6.00 alea. Rose-1 15.00 18.00 22.50	on Buckthorn ries. 33.00 39.00 Rhodora ourple 135.00 160.00	1
A-8'. Flowers double, white, ea 3 to 4 ft	1.25 1.50 leaves. 75 1.00 1.25 1.75 een leav 5.0 60 .75 ling Az 1.60 2.00 2.50	7. Carolii Berries darl 9.00 11.00 Commes, black ber 3.60 5.00 6.00 alea. Rose-1 15.00 18.00 22.50	na Buckthorn c red, on Buckthorn ries. 33.00 39.00 Rhodora ourple 135.00 160.00 Jetbead June. 40.00	ı
A-8'. Flowers double, white, ea 3 to 4 ft	rly May 1.25 1.50 leaves. .75 1.00 1.25 1.75 een leav .50 .60 .75 ling Az 1.60 2.00 2.50 star-sha	7. Carolii Berries darl 9.00 11.00 Comme es, black ber 3.60 5.00 6.00 alea. Rose-1 15.00 18.00 22.50 aped, May, es. 5.00 6.00	on Buckthorn ries. 33.00 39.00 Rhodora ourple 135.00 160.00 Jetbead June.	ı
A-8'. Flowers double, white, ea 3 to 4 ft	rly May 1.25 1.50 leaves. .75 1.00 1.25 1.75 een leav .50 .60 .75 ling Az 1.60 2.00 2.50	7. 10.00 Caroli Berries darl 9.00 11.00 Comme es, black ber 3.60 5.00 6.00 alca. Rose-1 15.00 18.00 22.50 aped, May, es. 5.00	na Buckthorn c red, on Buckthorn ries. 33.00 39.00 Rhodora ourple 135.00 160.00 Jetbead June. 40.00	ı

	Each.	Per 10	Per 100
RHUS canadensis			ragrant Sumac
5'. Irregular, half-viny, aroma early May.	tic. Sn	nall yellow	flowers,
18 to 24 in	.75	6.50	
2 to 3 ft	1.00 1.25	9.00 11.00	80.00
3 to 4 ft	1.25	11.00	CLining Com-
copallina B—8'. Lvs. compound, dark, glo	Decare on	ange coarle	Shining Sumac
2 to 3 ft	.60	5.50	t, raii.
3 to 4 ft	.75	6.50	
cotinus		Com	mon Smoketree
12'. Small, thread-like, grayish- give hazy, smoky appearance.			e, July,
2 to 3 ft	1.00 2.00	9.00	
glabra			Smooth Sumac
Erect irregular—10'. Compound fall. Large clusters of crimson			; red in
2 to 3 ft	.50 .60	4.00	
3 to 4 ft	.75	5.00 6.50	70.00
5 to 6 ft	.90	7.50	70.00
6 to 8 ft	1.25	10.00	
g. laciniata			Smooth Sumac
10'. Deeply cut-leaved variety		preceding.	
18 to 24 in	.75 1.00		
4 to 5 ft	1.50		
typhina		S	taghorn Sumac
Erect irregular-20'. Young sho	ots fuzz	zy.	
4 to 5 ft	.75		
5 to 6 ft	1.00		
typh. laciniata Cut-leaf variety of preceding.		Cutleaf S	taghorn Sumac
3 to 4 ft	.70	6.50	55.00
4 to 5 ft	.90	7.50	65.00
5 to 6 ft	1.25	10.00	
ROBINIA hispida			Rose Acacia
B-6'. Clear pink flowers in loo 2 to 3 ft		nens. June. 6.50	
2 to 3 ft	.75 1.00	9.00	
6 ft. standards, 2 yr. heads	2.50	22.50	
ROSA blanda			Meadow Rose
E-5'. Flowers single, pink, M		e. Red frui	ts.
2 to 3 ft	.60		,, , p
hugonis		11 0	Hugonis Rose
E-6'. Arching branches. Large June. Well fruited.	e, single	e yellow nov	wers in
2 yrs	1.50	12.50	
lucida			Virginia Rose
D-4'. Shiny dark foliage. Pink	fls., J	une. Scarlet	fruits.
15 to 18 in	.50	4.00	
18 to 24 in	.60	5.00	

ROSA—cont'd	Each	Per 10	Per 100
multiflora japonica			Japanese Rose
A—10'. Long, drooping branch profuse, in June.	es. Flow	ers single,	• •
2 to 3 ft	.40 .50	3.50	30.00
	.00		C., D
palustris (carolina) A-6'. Single pink flowers, 2" of	liam., Ju	ne to Aug.	Swamp Rose
2 to 3 ft	.60	5.00	42.00
rubiginosa			Sweetbriar
E-6'. Bright pink flowers in savery fragrant.	mall clus	ters, June.	Foliage
18 to 24 in	.50	4.00	
2 to 3 ft	.60	5.00	
rubrifolia		D 1	Redleaf Rose
E-6'. Pink flowers borne fre crimson foliage.	ely, Jui	ie. Dark	purplish
2 to 3 ft	.75	6.50	50.00
3 to 4 ft	.90	7.50	
4 to 5 ft	1.00	9.00	
rugosa	T11.		Rugosa Rose
D-5'. Leaves small, dark, glo June to Oct. Large scarlet hips	ossy. Pic s.	owers singi	e, pink,
18 to 24 in	.50	4.50	
2 to 3 ft	.60	5.00	
rugosa alba		Whi	le Rugosa Rose
D-5'. White flowering form of	precedin		
18 to 24 in	.60	5.00	
2 to 3 ft	.75	6.00	
setigera			Prairie Rose
E to F-8'. Flowers large, sin	gle, deep	pink, Jun	e, July.
Heavily fruited, attracts birds.	50	4.00	20.00
2 to 3 ft	.50 .60	4.00 4.50	30.00 36.00
4 to 5 ft	.75	5.00	40.00
5 to 6 ft	.90	6.00	10.00
		Υ.	W: 1 D
wichuraiana	11		Vichurian Rose
Creeping and climbing. Foliage grant, pure white flowers in clu	sman,	aly to Sept	y. Fra-
2 yrs	.60	5.00	42.00
RUBUS odoratus			ring Raspberry
D-4'. Sweet, rose purple flower		nmer. Smal	l fruits.
2 to 3 ft	.60		
3 to 4 ft	.75 .90		
5 to 6 ft	1.25		
SAMBUCUS canadensis			American Elder
	white fo	_	
A-8'. Leaf compound. Minute 6"-10" across, June, July. Fru	its purpl	ish black, j	uicy.
3 to 4 ft	.60	5.00	
4 to 5 ft	.70	6.00	
5 to 6 ft	.80	7.00	

	Each	Per 10	Per 100
SORBARIA arborea glabrata		2 01 10	Tree Spirea
E-12'. Foliage compound, panicles of white flowers, July,	soft, b	ronze-green.	
2 to 3 ft	.75		
3 to 4 ft	1.00		
4 to 5 ft	1.25		
5 to 6 ft	1.50	,	
SPIRAEA arguta			Garland Spirea
D-6'. Feathery foliage, masses			у.
2 to 3 ft. bushy	.50	4.00	30.00
3 to 4 ft. bushy	.60	5.00	39.00
bumalda		' E	Bumalda Spirea
D-3'. Flat pink corymbs, July		5.00	
15 to 18 in	.60	5.00	
bum. Anthony Waterer	1 7		Waterer Spirea
D-3'. Flat bright crimson cory			20.00
15 to 18 in	.50 .60	4.00 5.00	30.00 40.00
2 to $2\frac{1}{2}$ ft	.75	6.00	40.00
fortunei (callosa rosea)			Fortune Spirea
D-4'. Pink panicles, June. Fo	liage pi		
12 to 15 in	.50	4.00	
15 to 18 in	.60	5.00	
froebelli			Froebel Spirea
D-4'. Flat, bright crimson cor for small flowering hedge.	ymbs, J	uly, Aug. V	aluable
	.50	4.00	
18 to 24 in	.60	4.50	39.00
3 to 4 ft	.75	6.00	48.00
japonica ovalifolia (callosa alba) D-3'. White corymbs, July.		White J	apanese Spirea
15 to 18 in	.50	3.60	
18 to 24 in	.60	5.00	40.00
2 to 3 ft	.75	6.50	
prunifolia A to E-6'. White flowers, May	7.		Bridalwreath
2 to 3 ft	.60	5.00	48.00
superba •			Striped Spirea
D-4'. Pinkish white flowers, J	ane, Jul	у.	40.00
2 to 3 ft	.60	5.00	40.00
3 to 4 ft	.75	6.00	50.00
thunbergi D to E-5'. Feathery foliage, s	mall wh	11 lite flowers.	nunberg Spirea May.
2 to 3 ft	.75	6.00	45.00
3 to 4 ft		7.50	54.00
trichocarpa			Korean Spirea
E-8'. A shrub of medium heig	ght, wit	h spreading,	some-
what drooping branches. Wh	ite flo	wers, in ro	unding
ance of long fronds of flowers.	It bloon	ns in late Ju	ne and
E-8'. A shrub of medium heig what drooping branches. Wh clusters, borne freely along the ance of long fronds of flowers. early July, and is valuable for eson for plants of this type. The Arboretum calls it "one of the learners."	tending	the flowering the	ig s e a- Arnold
Arboretum calls it "one of the h	andsom	nest of all Sp	ireas."
2 to 3 ft	1.25	11.00	90.00
3 to 4 ft	1.50	12.50	110.00
4 to 5 ft	2.00	18.00	

	г	D 10	D 100
SPIRAEA—cont'd	Each	Per 10	
vanhouttei			houtte Spirea
E-8'. Leaves small, dark. Sr umbels, May, June.	nall whit	te nowers in	little
2 to 3 ft	.50	4.00	30.00
3 to 4 ft	.60	5.00	33.00
4 to 5 ft	.75	6.00 8.50	45.00 75.00
5 to 6 ft	1.00	6.50	75.00
SYMPHORICARPOS chenaulti			
E-5'. New. Small pink flow small dark red berries.	ers, July	. Dense cli	ısters,
2 to 3 ft	1.25		
3 to 4 ft	1.50		
racemosus		Commo	on Snowberry
A to E-5'. Very small pink fl snow-white, waxy, 5%" diam.	owers, J		Fruit
			20.00
18 to 24 in	.50 .60	4.00 4.50	30.00 36.00
2 to 3 ft	.00	4.50	
vulgaris			Coralberry
E-5'. Graceful, drooping bran ries. Birds like them. Valuabl	ches. Sn e shrub i	nall, dark re for embankme	d ber- ents.
2 to 3 ft	.50	4.00	36.00
3 to 4 ft	.60	4.50	39.00
4 to 5 ft	.70	6.00	48.00
SYRINGA chinensis (rothomagensis)			Chinese Lilac
A to B—12'. Small leaves. La dish-violet flowers in June.	arge, bro	ad panicles of	of red-
2 to 3 ft	.90	8.00	
3 to 4 ft	1.25	11.00	
josikaea	,	Н,	ıngarian Lilac
A to B—12'. Bluish purple pan	icles in		ingarian Litac
3 to 4 ft. bushy		9.00	80.00
4 to 5 ft. bushy	1.25	11.00	100.00
5 to 6 ft. bushy	1.50	13.50	
persica			Persian Lilac
A to B-8'. Pale purple panicle	s, fragra	nt, June.	
2 to 3 ft		6.50	
3 to 4 ft	1.00	9.00	
persica alba		White	Persian Lilac
A to B-8'. A white form of the		variety.	
2 to 3 ft	1.00	9.00	
villosa			Late Lilac
A to B-12'. Flowers pink to l	avender,	June.	2410 21140
3 to 4 ft		11.00	100.00
4 to 5 ft		13.50	120.00
5 to 6 ft		18.00	
6 to 8 ft	3.00	25.00	*
vulgaris			Common Lilac
A to C-12'. The well-known May and June.	purple f	orm that blo	oms in
2 to 3 ft	.75	6.50	55.00
3 to 4 ft	1.00	8.50	75.00
4 to 5 ft	1.25	10.00	

SYRINGA—cont'd vulgaris alba	Each		Per 100 Common Lilac
A-12'. White flowers in May 2 to 3 ft		9.00	80.00
3 to 4 ft	. 1.25	11.00	

HYBRID LILACS

All our Hybrid Lilacs are grown on their own roots, which are preferable to grafted or budded plants.

are preferable to grafted or budded plants.	.10
Alphonse Lavallee—Double, large, pale lavender 3 to 4 ft	
Charles the Tenth—Single, reddish purple	
2 to 3 ft	
Condorcet—Double, pale blue	
2 to 3 ft	
Congo-Single, dark red	
2 to 3 ft	
Dr. Maillot—Double, lavender to pale blue	
2 to 3 ft	
Jean Bart—Double, light to pale reddish purple	
2 to 3 ft	
Marie Legraye—Single white 2 to 3 ft	
Michael Buchner—Double, pink to pale lilac 2 to 3 ft. 1.50 3 to 4 ft. 1.75 4 to 5 ft. 2.50	
President Carnot—Double, light pinkish buds, open pale blue 2 to 3 ft	
Rubra de Marley—Single, rosy purple 2 to 3 ft	
Sanguinea Rubra Major—Single rosy purple 2 to 3 ft. 1.50 3 to 4 ft. 1.75 4 to 5 ft. 2.50	
Souvenir de Ludwig Spaeth—Single, dark red 2 to 3 ft	

HYBRID LILACS—cont'd William Robinson—Double. Petals	Each reddish	Per 10 outside, b	Per 100 lue to lilac
inside. 3 to 4 ft	1.75		
4 to 5 ft	2.50		
2 to 3 ft	1.00		
3 to 4 ft	1.25 1.75		
VACCINIUM corymbosum		High B	ush Blueberry
A to B—8'. Flowers small, whi edible berries of excellent flavo	te, June.	Dark blue	e-black
18 to 24 in	1.00	9.00	75.00
2 to 3 ft	1.25 2.00	11.00 18.00	90.00 160.00
3 to 4 ft	2.50	22.50	200.00
5 to 6 ft	3.50	33.00	
VIBURNUM americanum		American (Cranberrybush
C—12'. Leaves large, maple-lil June. Scarlet fruits, July.	ke. Whi	te flowers,	May,
2 to 3 ft	.75	6.50	
	1.00	F	IZ:L
carlesi Deliciously fragrant pink flowers	turning		ant Viburnum
15 to 18 in	2.00	winte, ma	у.
18 to 24 in	3.00		
cassinoides			Withe Rod
B—12'. Leaves glossy, bronze gr Fruit white, turning to dark blu	reen. Wh	ite flowers,	June.
2 to 3 ft	.90	7.50	60.00
3 to 4 ft	1.25	10.00	80.00
4 to 5 ft	2.00	18.00	
5 to 6 ft	4.00 6.00		
7 to 8 ft	8.00		
8 to 10 ft	10.00		
dentatum			Arrow-wood
A to B—12'. White flowers in a fruit. Excellent.	cymes, Ju	ine. Bluish	ı-black
2 to 3 ft	.60	5.00	40.00
3 to 4 ft	.80	6.50	50.00
4 to 5 ft	1.00	8.00 12.50	60.00 120.00
Extra heavy plants.			
4 to 5 ft	2.00 3.50	18.00 33.00	160.00
5 to 6 ft	5.00	45.00	
7 to 8 ft	7.50	65.00	
8 to 9 ft	10.00		
lantana			ayfaring Tree
A to C—15'. Loose and open leathery texture. Cymes of whit changing to black. Very fine.	habit. e flowers,	Leaves las June. Fru	it red,
2 to 3 ft	.75	6.00	50.00
3 to 4 ft	1.00	8.00 10.00	60.00 85.00
,	* *************************************		00.00

VIBURNUM—cont'd lentago A—20'. Narrow habit. Slend brilliant scarlet in fall. Broad Blue-black fruit holds all win		Per 10	Per 100 Nannyberry leaves, June.
Blue-black fruit holds all win 3 to 4 ft	.75 1.00 1.25	6.50 8.00 10.00 12.50	54.00 65.00 80.00
opulus C-10'. White panicles, June. 2 to 3 ft	.75		
opulus nanum D-2'. Dwarf variety of precand low mass planting.	eding. V		Cranberrybush edging
6 to 9 in	.50	4.50 5.50	40.00 48.00
op. sterile C-10'. Large white, snowball- 2 to 3 ft			mon Snowball ine.
sieboldi C-12'. Long, thick leaves. W 2 to 3 ft	1.00		oold Viburnum une.
tomentosum B-8'. White flowers, June. I 2 to 3 ft			nnese Snowball ack.
tom. plicatum Irregular loose habit—8'. Wh			nnese Snowball globose
balls, June. 2 to 3 ft	75	8.00	
WEIGELIA Eva Rathke B-4'. Brilliant crimson, bel nearly all summer.	l-shaped		athke Weigela pearing
2 to 3 ft	75	6.50	54.00
rosea			Pink Weigela
B-6'. Pink, bell-shaped flower to 3 ft to 4 ft	50	4.20 5.00	36.00 42.00
r. variegata B-4'. Pink flowers, June. L. 2 to 3 ft	75	Vario green, white 6.00 9.00	egated Weigela e edges. 42.00
ZANTHORHIZA apiifolia	a	73.17	Yellow Root
D-2'. Excellent for deep ground 15 to 18 in		4.50	it.

VINES AND CLIMBERS

Each Per 10 Per 100

ACTINIDIA arguta			Actinidia	
25'. Vigorous climber. Large, flowers, June. Green-yellow fru	heavy leav	res. Small	white	
2 yrs	1 00			
	1.00			
AKEBIA quinata	***		eleaf Akebia	l
12'. Small leaves, five-lobed. purple, May.	Flowers	1", broad,	rosy	
2 yrs	.60	5.50		
AMPELOPSIS heterophylla amuren	sis	Amu	r Ampelopsis	
30'. Large porcelain berries, w				
3 yrs	.75	6.50		
4 yrs	.90	7.50		
quinquefolia		Vir	ginia Creeper	
50'. High-climbing. Foliage ric blue berries.	ch crimson		Dark	
2 yrs	.50 .60	3.50 4.50	27.00 30.00	
3 yrs	.00	7.50	30.00	
quinq. engelmanni			nann Creeper	-
40'. Clings to walls very tenact to deep red.	iously, Fall	foliage, br	illiant	
2 yrs	.50	3.50	27.00	
3 yrs	.60	4.50	30.00	
tricuspidata (veitchi)	•		inese Creeper	•
50'. Leaves 4"—10" broad, five with excellent fall color.	-pointed, g	lossy dark	green,	
2 yrs. from pots	.60	5.50	50.00	
3 yrs. from pots	.75	7.00	60.00	
ADISTOLOGIHA : 1		7	, 1 D.	
ARISTOLOCHIA sipho 25'. Giant, heart-shaped leav	es and or	rious brov	ıtchman Pipe	2
purple flowers shaped like a pi	pe.	iiious biov	VIII 511 -	
3 yrs		11.00		
4 yrs				
5 yrs	1.75			
BIGNONIA radicans		Tr	umpelcreepet	•
30'. Foliage compound. Larg shaped flowers in August.	e, orange-s	scarlet, tru	mpet-	
2 yrs	.50 .60	4.00 5.00	30.00	
3 yrs	.00	5.00		
CELASTRUS orbiculatus (articulatus			al Bittersweet	!
15'. Free-fruiting. Fruit oran the crimson seed. Very showy	ge, opening	g so as to	show	
3 yrs		6.00	48.00	
4 yrs	0.0			
	.90	7.50	60.00	

CELASTRUS-cont'd	Each	Per 10	Per 100	
scandens (Roxbury Wax Work)		Americ	an Bittersw	eel
	trailing		Orange	
15'. Strong, arching, drooping, fruits in autumn, lasting well		winter.		
3 yrs	.75	6.00	48.00	
4 yrs	.90	7.50	60.00	
5 yrs	1.00	8.00 18.00	70.00	
	2.00 3.50	33.00	300.00	
8 yrs	5.00	45.00	400.00	
CLEMATIS paniculata		Sweet Au	ıtumn Clema	tis
20'. Small, white, sweet-scenter late summer and early fall.	d flowers	cover the	vine in	
2 yrs	.50	4.00	27.00	
3 yrs	.60 .75	5.00	36.00	
4 yrs	.75	6.00		
virginiana		I	'irgin's Bon	er
20'. Slender, rapid-growing. Fr	agrant fl	owers, star	ry.	
2 yrs	.60			
CLEMATIS I	HYBRII	OS		
T G in intin St.				
Larger-flowering varieties. Stro			pots.	
2 yrs	1.50	12.50		
Henryi—Creamy white				
Jackmanni—Purple Mme. Baron Veillard—Soft pink				
Ramona—Light blue				
ramona Light blue				
HEDERA helix			English I	vy
50'. Leaves evergreen, penta veined, 1½"—3" broad.	gon, dar	k, slightly	white	
18 in. tops, from 4 in. pots	.60	5.50	50.00	
2 ft. tops, from 4 in. pots	.75	6.50	60.00	
hel. baltica		Har	dy English I	vy
A plant of this sort has been no	eeded for	a long tim	e. It is	
almost the same as the ordina	ry Englis	sh lvy in	appear-	
tle smaller, also darker and ric	her in co	lor, but in	hardi-	
ness it is entirely distinct, ha	ving sur	vived seven	e win-	
believe that it will prove absolut	ely hardy	, it may or	casion-	
ally lose a branch or two in se	vere wint	ers. But l	because	
A plant of this sort has been nalmost the same as the ordina ance, with leaves of practically the smaller, also darker and ricness it is entirely distinct, haters at both the Arboretum an believe that it will prove absolut ally lose a branch or two in se of its excellent promise and low more of a creeper than a climb	er.	nould be tr	ied. IS	
18 in. tops, from 4 in. pots	.75	6.50	60.00	
HYDRANGEA petiolaris			ng Hydrang	ea
30'. Rugged, large-leaved clim grant white flowers, July.	ber. Fla	t clusters	ot fra-	
	.75	6.50	60.00	
2 yrs., from pots	.13			7
LONICERA japonica halleana	1		ll Honeysuch	le
20'. Leaves small, elliptical, day Yellow and white flowers in sun	rk green, nmer and	fall. Black	fruits.	
3 yrs	= 0	3.50	30.00	

LONICERA—cont'd		Per 10	
j. aureo reticulata 20'. Variation of preceding. Le			Honeysuckle
4 yrs	.60		
sempervirens			Honeysuckl?
10'. Small, slender, deep crimso from June to Nov. Scarlet bern	on, trumpries.	pet-shaped fl	owers
2 yrs	.50 .60	3.50 4.50	24.00 33.00
LYCIUM chinensis		Chinese Ma	trimony Vine
10'. Half vine, half shrub, vigor shaped flowers. Long scarlet fro	ous clim	ber. Purple,	star-
3 yrs	.50	4.00 4.80	
4 yrs	.00	4.00	
VITIS coignetiae			Gloryvine
30'. Grape foliage, brilliant scar	let in fal	11.	
3 yrs	1.50		
WISTERIA multijuga		Langely	ısler Wisleria
20'. Long clusters of violet-blue	flowers.		ister W totertu
2 yrs	.75	6.00	
3 yrs	1.00 1.25	8.00	
sinensis		Ch:	nese Wisteria
25'. Rapid-growing, vigorous. hanging clusters, purplish pea-s fragrant.	Foliage haped flo		
2 yrs	.60	5.00	* 0.00
3 yrs	. 7 5	6.00 8. 0 0	50.00
5 yrs	1.25	11.00	
2 yrs. grafted	1.00 1.50	8.50 13.50	125.00
4 yrs. grafted	2.25	21.00	
s. alba 25'. White-flowered form of pre	ceding	W hite Chi	nese Wisteria
3 yrs	.75	6.50	
4 yrs	1.00	8.00	
5 yrs 2 yrs. grafted	1.50 1.50	13.50 13.50	
venusta		c	ilky Wisteria
30'. Very large white flowers.			ingy vv isicita
3 yrs	1.00	8.00	
4 yrs	1.25 1.75	11.00 16.00	

ROSES

Strong field-grown plants, \$1.00 each for less than 5 of one kind; 5 or more of a kind at \$9.00 for 10, unless otherwise specified. If we are out of the variety ordered, we shall select the variety most closely resembling it UNLESS OTHERWISE ADVISED. Our list of Roses has been carefully selected and is constantly improved by adding only varieties of the finest type which succeed best in this rugged climate.

HYBRID PERPETUAL ROSES

FRAU KARL DRUSCHKI

Vigorous plant. Large white flowers.

GEN. JACQUEMINOT

Rich crimson, bearing profusely in early summer. Fragrant. Mme. Albert Barbier

New. Long, well-formed buds. Flowers double, salmon-flesh, center suffused with golden apricot.

MME. GABRIEL LUIZET

Vigorous. Light pink, good size, excellent form. Mrs. John Laing

Fragrant, soft pink. Blooms continuously. Mrs. R. G. Sharman-Crawford

Double, light pink. Profuse bloomer.

PAUL NEYRON

Gigantic double, fragrant rose-pink flowers. Showy.

PERSIAN YELLOW

Vigorous plant. Small, semi-double, deep yellow flowers.

PRINCE CAMILLE DE ROHAN

Dark flowers, almost maroon, small, very double. Fragrant.

ULRICH BRUNNER

Vigorous plant. Bright crimson flowers in early summer continuously.

HYBRID TEA ROSES

Close planting (about 15 inches apart), prevents the soil from baking and the roots are kept cool by the shade of the foliage. We list only the sorts that are best for severe northern conditions.

Strong, branching plant. Glossy foliage. Fragrant, pale buff-pink fls.

BRIARCLIFF

Vigorous grower, free bloomer. Rose-pink flowers, fragrant.

COLUMBIA

Light pink. Well formed Duchess of Wellington Well formed.

Thick petals, intense saffron yellow; fragrant. Francis Scott Key

Extremely large, crimson.

GENERAL MACARTHUR

Bright red, freely produced throughout season.

GOLDEN OPHELIA

Robust grower; delicately fragrant, golden yellow. GRUSS AN TEPLITZ

Large bushy plant. Clusters of crimson flowers all season.

HADLEY

Rich shining crimson with velvety shades.

INDEPENDENCE DAY

Copper shade, opening to light orange-pink. Slightly fragrant. Jonkheer J. L. Mock

Inside petals silvery pink; outside, carmine-pink. Full. KAISERIN AUGUSTE VIKTORIA

Pure white, tinted lemon in center.

ROSES 61

KILLARNEY QUEEN

Sparkling pink. Fragrant. KILLARNEY DOUBLE WHITE Pure white, long, pointed buds.

LADY ASHTOWN

Shining pink, yellow at base of petals. Free-blooming. LADY URSULA

Large, strong growing. Flesh pink flowers.

LA FRANCE

Double silvery pink flowers; fragrant.

Los Angeles

Flame pink; fragrant. MLLE. LOLITA ARMOUR

Double creamy copper; fragrant.

MME. BUTTERFLY

Soft pink overlaid with apricot and yellow. Very fragrant. MME. CAROLINE TESTOUT

Large satiny pink. Slightly fragrant. MME. EDOUARD HERRIOTT

Coral red, shaded with yellow and bright rosy scarlet. Mrs. Aaron Ward

Indian yellow, pinkish fawn when full; fragrant. Mrs. W. C. Miller

Clear rose to light pink; peony-like petals; very fragrant.

OPHELIA

Pale pink and gold, changing to white in hot weather.

RADIANCE

Strong growing. Free blooming. Large, globular flowers of two delicately contrasted shades of pink.

RED RADIANCE

Similar to above but shining light crimson.

SOUVENIR DE CLAUDIUS PERNET

Strong growing, free blooming. Glossy green foliage; clear yellow blooms.

SUNBURST

Bright glowing orange. Fragrant.

TALISMAN

Gorgeous new rose, color blending yellow to orange to pink. \$2.00 each; \$17.50 per 10.

WILLOWMERE

Rich pink, yellow glow in center.

POLYANTHAS

A very satisfactory class of Everblooming Roses, mostly planted in beds and low hedges.

BABY DOROTHY

Clusters of light crimson-pink flowers. Bushy plants.

CHATILLON ROSE

Hardy. Semi-double, bright pink flowers.

ERNA TESCHENDORF

Bright crimson clusters. Dwarf, and continuous blooming.

GEORGE ELGER

Yellow buds; dainty flowers which become cream-white upon opening. KATHERINE ZEIMET

Clusters of white flowers.

LA MARNE

Dainty single pink flowers in clusters. Freely produced.

Miss Edith Cavell Large clusters of briliant red flowers.

MME. CECIL BRUNER

Double, light pink suffused with yellow. Fragrant. Mrs. W. H. Cutbush

Low, bushy plant. Clusters of sparkling pink flowers.

ORLEANS Large, brilliant light red flowers on compact corymbs. Strong grower.

HYBRID RUGOSA ROSES

Strong field-grown plants, \$1.00 each for less than 5 of a kind; 5 or more of a kind at \$9.00 per 10.

CONRAD F. MEYER

Vigorous. Pale silvery pink flowers.

F. J. GROOTENDORST

Strong bush. Flowers small, fringed, bright crimson, produced in clusters.

PINK GROOTENDORST

Pink flowers.

SIR THOMAS LIPTON

Strong grower. Double white flowers.

CLIMBING ROSES

Strong field-grown plants, 75c each; \$6.00 per 10.

ALIDA LOVETT

Large, double, bright shell pink flowers; fragrant.

AMERICAN BEAUTY CLIMBER

Brilliant carmine. Fragrant.

AMERICAN PILLAR

Vigorous grower. Gigantic clusters of rosy pink flowers with large white centers.

Bess Lovett

Large, cup-shaped, light crimson flowers. Fragrant. Strong growing.

BLUE RAMBLER

Purplish rose flowers which turn steel blue.

CRIMSON RAMBLER

Clusters of deep crimson flowers.

DOROTHY PERKINS

Rapid growing climber. Clusters of shell-pink flowers; fragrant. Glossy foliage.

DOROTHY PERKINS WHITE

Small double flowers of creamy white.

Dr. Van Fleet

Large, deep flesh-pink flowers. Glossy foliage.

ERNST GRANDPIERRE

Salmon-yellow buds; double creamy flowers; fragrant.

EXCELSA

Vigorous plant. Scarlet crimson flowers.

GARDENIA

Bright yellow in bud, opening cream color. Vigorous.

Very large clusters of brilliant red flowers with white eye. Vigorous.

MARY LOVETT Large, waxy white flowers; fragrant. Strong grower.

MARY WALLACE

Bright pink double flowers. Excellent foliage. Vigorous.

Paul's Scarlet Climber

Vivid scarlet, semi-double.

PURITY

Large, cupped flowers of pure, snow-white. Freely produced.

SILVER MOON

Large semi-double flowers of pure white and gold.

Almost thornless. Large clusters of flowers varying from rich pink to creamy white.


Hardy Perennials

Our list of perennials contains the better sorts only. We have other varieties not listed, which we grow in limited quantities. We shall be pleased to quote on these when requested.

Varieties marked with an asterisk (*) are particularly suitable for the rock garden.

Do not expect to make effective plantings by choosing one or two of a large number of varieties. Better results are obtained by massing together several plants of a kind.

For this reason we are not quoting an "each" price on perennials. However, if only one plant of a kind is required, we will furnish it at one-third of the Three Rate.



PERENNIAL DESCRIPTIONS

For easy visualization of perennials we classify their flowers according to their GENERAL APPEARANCE as shown above, and not according to their botanical structure.

A few sorts are described by foliage characteristics. Other convenient information, such as height of plant, color and period of bloom,

is also given.

KEY TO DESCRIPTIVE CODE OF PERENNIALS

Ag—August Ap—April bk—black bl—blue br—bronze cm—cream cr—crimson cs—cerise db—double	fl—foliage fr—fragrant gd—golden gn—green gy—gray Jl—July Jn—June le—lemon ll—lilac	mg—magenta mn—maroon Mr—March mv—mauve mx—mixed Nv—November Oc—October or—orange pn—pink	s—standards of Iris sc—scarlet sg—single sm—salmon Sp—September tc—terra cotta vb variable vg—variegated vl—violet
dk—dark	lt—light	pp—purple	wt-white
ev-evergreen	lv—lavender	rd—red	yl—yellow
f-falls of Iris	Ma-May	rs-rose	

Example: A plant with the code—18" B. lv-pn. Ma-Ag.—would grow 18 inches tall, have lavender pink panicles, blooming from May to August inclusive.

HARDY PERENNIALS

ACHILLEA	Three	Per 10	Per 100
millefolium roseum, Pink Yarrow 18" C. rs-pn. Jn-Oc ptarmica, Perry White, 18" B.	.75	2.20	15.00
wt. Jn-Sp	.90	2.40	18.00
ptarmica, The Pearl, 2 B. wt. Jl-Oc	.75 1.50 1.50	2.20 4.00 4.00	15.00
yl. JlSp	.90	2.40	18.00
ACONITUM			Monkshood
autumnale, Autumn Monkshood, 4' A. dk. bl. Sp-Oc fischeri, Azure Monkshood, 1½'	1.50	4.00	25.00
A. dk. bl. Sp-Oc	1.20	3.50	25.00
A. vl. bl. Sp	2.25	6.00	50.00
Jl-Ag	1.05	2.70	24.00
vg. bl-wt. Jl-Ag	1.20	3.50	
n. Sparks, Spark's Aconite, 3' B. dk. bl. Jl-Oc	1.05	3.00	25.00
AEGOPODIUM		Silvered	lge Goutweed
*podograria variegatum, 12" D. wt. Ma-Jn	.90	2.40	18.00
AETHIONEMA *coridifolium, 12" rs. Jn	1.05	Leban 3.00	on Stonecress
AGROSTEMMA (See LYCHNIS)			
AJUGA			Bugle
*genevensis, Geneva Bugle, 8" A. dk. bl. Ma	.90	2.40	18.00
*reptans, Carpet Bugle, 4" A. bl. Ma-Jn.	.90	2.40	18.00
ALTHAEA rosea, 5' A. Jl-Ag.			Hollyhock
Double varieties, pink, red, white, yellow	.75	2.20	15.00
Single varieties, pink, red, white, yellow	.75	2.20	15.00
Allegheny, 5' A. mx. Jl-Ag. Fringed flowers	.75	2.20	15.00

ALYSSUM	Three	Per 10	Per 100 Alyssum
*argenteum, Silver Alyssum, 12" B. yl. Jn-Ag	.75	2.20	15.00
*rostratum, Yellowhead Alyssum, 12" D. yl. Jn-Jl	.90	2.40	18.00
*saxatile compactum, Dwarf Gold- entuft, 1' B. yl. ApJn *saxatile sulphureum, 12" B. yl.	.75	2.20	15.00
Ap-Jn	.90	2.40	
AMSONIA			Amsonia
tabernaemontana, Willow Am- sonia, 2½' B. gy. bl. Ma-Jn	.90	2.40	18.00
ANCHUSA			Bugloss
italica dropmore, Dropmore Bugloss, 3½' B. bl. Jn-Sp *myosotidiflora, Siberian Bugloss,	.90	2.40	18.00
12" B. It. bl. Ap-Ma	1.20	3.50	24.00
ANDROSACE			Rock Jasmine
*carnea, 5" rs. Ap-Ma	1.05	3.00	
*lanuginosa, 6" D. rs. Ma *primuloides, 6" D. rs. ll	1.05	3.00 4.00	
ANEMONE			Anemone
hupehensis, Chinese Anemone, 12	.90	2.40	18.00
H. mv. pn. Ag-Nv japonica alba, White Japanese Anemone, 3' H. wt. Ag-Nv.	.90	2.40	18.00
j. rubra, Japanese anemone, 2' H. rs-rd. Ag-Nv	.90	2.40	18.00
j. Lady Ardilaun, 2' H. wt.	., 0		
j. Lady Ardilaun, 2' H. wt. Ag-Nv. j. Mt. Rose, 2' db. H. rs. pn.	.90	2.40	18.00
i Prince Heinrich 2' db H	.90	2.50	20.00
rd-pn. Ag-Nvj. Queen Charlotte, 2' H. dk. pn.	.90	2.50	20.00
Ag-Nv. j. Rosea Superba, 2' H. rs.	.90-	2.40	18.00
Ag-Nv	.90	2.40	18.00
*pulsatilla, European Pasque-	.90	2.40	18.00
flower, 1' M. rd-pp. Ap-Ma. *p. alba, 12" M. wt. Ap-Ma	.90 1.05	2.40 3.00	18.00
*p. rubra, 12" M. rd. Ap-Ma	.90	2.40	20.00
"p. rubra, 12" M. rd. Ap-Ma *sylvestris, Snowdrop Anemone, 12" M. wt. Ma-Jl	.90	2.40	18.00
ANTENNARIA			Pussytoes
*dioica, Common Pussytoes, 4" D. wt. Jn-Jl.	.90	2.40	18.00
ANTHEMIS			Camomile
tinctoria, Yellow Camomile, 2½' U. yl. Jn-Nv	.90	2.40	18.00

AQUILEGIA	Three	Per 10	Per 100 Columbine
*anavylos Colovado Columbino			Cotumotne
*caerulea, Colorado Columbine, 12" L. bl-wt. Ma-Jl *c. alba, White Colorado Colum-	.90	2.40	18.00
bine, 12" L. wt. Ma-Jl "canadensis, American Columbine,	.90	2.40	18.00
2' L. sc-yl. Ma-Jn	.90	2.40	18.00
3' 1 n . A ~ .	.90	2.40	18.00
*flabellata nana alba, White Fan Columbine, I' L. wt. Jn *formosa truncata, California	.75	2.20	15.00
Columbine, 2½' L. mx. Ma-Jl. Long-spurred Hybrids, 2½' L. mx.	.90	2.40	18.00
Ma-II	.90	2.40	18.00
vulgaris, European Columbine, 2' L. mx. Ma-Jn v. alba, White European Colum-	.75	2.20	15.00
bine, 2' L. wt. Ma-Jn	.90	2.40	18.00
v. flore plena alba, 2' db. L. wt. Ma-Jn.	.75	2.20	15.00
ARABIS			Rockcress
*albida, Wallcress, 8" D. wt. Ma. *alpina, Alpine Rockcress, 9" D.	.90	2.40	18.00
wt. Ap-Ma *a. nana compacta, Dwarf Alpine	.75	2.20	15.00
Rockcress, 6" D. wt. Ap-Ma. *mollis, Downy Rockcress, 6" D.	.90	2.40	18.00
wt. Ap-Ma	.75	2.20	
ARENARIA			Sandwort
*balearica, Corsican Sandwort, 3" G. wt. Jn	1.05	2.70	20.00
*grandiflora, Showy Sandwort, 6" G. wt. Ma-Jn	1.05	2.70	
"montana, Mountain Sandwort, 6". G. wt. Ma-Jn	.90	2.40	18.00
*verna caespitosa, Moss Sandwort, 2½" G. wt. Jn	.90	2.40	18.00
ARMERIA (See STATICE)			
ARTEMISIA			Tarragon
abrotanum, Southernwood, 3' fr. fl. finely cut	1.50	4.50	
Wt. A.g-Sp	1.05	2.70	20.00
stelleriana, Dusty Miller, 2' Silvery fl.	.75	2.20	15.00
ASCLEPIAS			Milhweed
tuberosa, Butterfly Weed, 2' D. or. Jl-Sp	1.05	2.70	21.00
ASPERULA .			Woodruff
*odorata, Sweet Woodruff, 6" D. wt. Ma	.90	2.40	

	Three	Per 10	Per 100
DWARF ALPIN	E AST	ERS	
ASTER			Aster
*alpinus, Rock Aster, 9" U. pp.			
Ma-Jn. *a. albus, 9" U. wt. Ma-Jn	.75	2.20	15.00
*a. albus, 9" U. wt. Ma-Jn	.75	2.20	15.00
*a. Dark Beauty, 9" U. vl.	75	2.20	15.00
Ma-Jn*a. Subcaerulus, 10" U. lt. bl. Jn.	.75 .90	2.20 2.40	15.00
a. Subcaerulus, 10 O. II. Di. Jii.	.90	2.70	
AUTUMN FLOWERIN	G TAL	L ASTE	RS
novae-angliae, New England			
Aster, 4' U. pp. Ag-Sp	.75	2.20	15.00
nov-ang. roseus, Pink New Eng- land Aster, 4' U. pn. Ag-Sp. novibelgi, New York Aster, 4'			
land Aster, 4' U. pn. Ag-Sp.	.75	2.20	15.00
novibelgi, New York Aster, 4'			
U. lt. bl. Sp-Oc	.75	2.20	15.00
U. It. bl. Sp-Oc	.75	2.20	15.00
Aster, 12 U. Wt. Ag-Sp	.75	2.20	15.00
bl. vl. Oc-Nv	.75	2.20	15.00
DI. VI. OC-14V	.,,	2.20	15.00
CHOICE VAI	RIETIE	S	
DI C # 77 N 11 C O	1.00	2.50	2400
Blue Gem, 4' U. dk. bl. Sp-Oc.	1.20 .90	3.50	24.00
Blue Gem, 4' U. dk. bl. Sp-Oc. Climax, 4' U. lt. bl. Ag-Oc Feltham Blue, 3' U. lt. bl.	.90	2.40	18.00
	.90	2.40	18.00
Grev Lady, 4' U. ev. Sp	1.20	3.50	24.00
Japanese, 2' db. U. wt. Sp	.90	2.40	
Grey Lady, 4' U. gy. Sp Japanese, 2' db. U. wt. Sp Lady Lloyd, 3' U. rs. pn.			
	.90	2.40	18.00
Snowflake, 3' U. wt. Ag-Sp	.75	2.20	15.00
St. Egwyn, 18" U. pn. Sp-Oct. T. S. Ware, 3' U. pn. Sp	.90 .75	2.40 2.20	18.00
White Climax, 4' U. wt. Ag-Oc.	.90	2.40	18.00
with Chinax, 4 O. wt. Ag-Oc.	.70	2.70	10.00
ASTILBE			Astilbe
chinensis, Chinese Astilbe, 18"			
B. pn. Jl-Ag	.90	2.50	20.00
A randai variatios			
Gloria, 2' B. dk. pn. Jl-Ag	1.20	3.50	25.00
Meta Immik, 3' B. dk. pn. Jl-Ag.	1.50	4.00	30.00
Rose Pearl, 2½' B. lt. pn. Jl-Ag.	1.20	3.50	30.00
Salland, 5' B. rd. Jl-Ag	1.50	4.00	33.00
Gloria, 2' B. dk. pn. Jl-Ag Meta Immik, 3' B. dk. pn. Jl-Ag. Rose Pearl, 2½' B. lt. pn. Jl-Ag. Salland, 5' B. rd. Jl-Ag Vesta, 3' B. mv-ll. Jn-Jl	1.20	3.50	30.00
Japonica varieties: japonica, Japanese Astilbe, 2½' B.			
wt In-II	1.05	2.70	
wt. Jn-Jl j. Peach Blossom, 18" B. pn. Jl-			
Ag	1.20	3.50	27.00
Ag		0.50	24.00
j. W. E. Gladstone, 2' B. wt.	1.20	3.50	24.00
J. W. E. Gladstone, Z' B. wt.	1.50	4.00	30.00
Jn-Jl	1.00	7.00	50.00

AUBRETIA	Three	Per 10	Per 100 Aubretia
*deltoidea, Common Aubretia, 4" G. rs. pp. Ap-Ma	1.05	2.70	20.00
d. graeca, Greek Aubretia, 3" G., dk. vl. Ma *d. florariensis, a new form *d. leichtlini. Leichtline Aubretia.	1.05 1.20	2.70 3.50	30.00
*d. leichtlini, Leichtline Aubretia, 4" G. pn. Ap-Ma *d. purpurea, Purple Lady Aubre-	1.05	2.70	
tia, 4" G. pp. Ap-Ma	1.05	2.70	
BAPTISIA australis, 2½' B. dk. bl. Ma-Jn.	.90	2.40	Wild-Indigo 18.00
BELLIS *perennis, English Daisy, 5" U. mx. Ap-Jn *perennis, white, 5" U. wt. Ap-Jn.	.75	2.20	15.00
	.75	2.20	15.00
BOLTONIA asteroides, White Boltonia, 5' B. wt. Sp-Oc			Boltonia
B. wt. Sp-Oclatisquama, Violet Boltonia, 4' B.	.75	2.20	15.00
lv. Il-Oc	.75	2.20	15.00
lat. nana, Dwarf Pinkray Boltonia, 2' B. pn. Sp	.90	2.40	18.00
CACTUS—See OPUNTIA			
CALLIRHOE *involucrata, 10" O. cr. Jn-Sp	.75	2.20	Poppy Mallow
CAMPANULA			Bellflower
*alliariaefolia, Spurred Bellflower, 18" M. wt. Jl-Ag *barbata Bearded Bellflower 6"	1.20	3.50	
*barbata, Bearded Bellflower, 6" M. It-bl. Jl	1.05	3.00	24.00
*carpatica, Carpathian Bellflower, 9" M. dk. bl. Sp *car. alba, White Carpathian Bell-	.90	2.40	18.00
*car. alba, White Carpathian Bell- flower, 9" M. wt. Sp	.90	2.40	18.00
*garganica, Gargano Harebell, 4" M. bl. Jn-Sp *glomerata, Danesblood, 2' M. lt. bl. Jn-Jl *gl. acaulis, Low Cluster Bell-	1.05	2.70	24.00
bl. Jn-Jl	1.05	2.70	24.00
flower, 4" M. vl. bl. Ma-Jn medium, Canterbury-Bells, 2½'	1.05	2.70	24.00
M. Jn-Jl	.90	2.40	18.00
m. calycanthema, Cup and Saucer		* ,	
m. calycanthema, Cup and Saucer Bellflower, 2½' M. Jn-Jl Pink, blue, white, and mixed	.90	2.40	18.00
*muralis, Dalmatian Bellflower, 6" M. bl. Ma-Jn persicifolia, Peachleaf Bellflower,	1.05	2.70	
2½′ M. pp. Jn-Jl	.90 .90	2.40 2.40	18.00 18.00
$2\frac{1}{2}$ ' M. pp. Jn-Jlper. alba, $2\frac{1}{2}$ ' M. wt. Jn-Jlper. Moerheimi, $2\frac{1}{2}$ ' M. wt. Jn-Jl.	.90	2.40	18.00

CAMPANULA—cont'd	Three	Per 10	Per 100
*punctata (nobilis), Spotted Bell-			
flower, l' M. wt. Jn-Jl pyramidalis, Chimney Bellflower,	.90	2.40	18.00
3½' M. bl. Jl-Ag	.90	2.40	18.00
3½' M. bl. Jl-Ag pyr. alba, White Chimney Bell- flower, 3½' M. wt. Jl-Ag *rotundifolia, Harebell, 10" M. bl.	.90	2.40	18.00
Jn-Ag.	.90	2.40	18.00
CASSIA marilandica, Wild Senna, 3½ P. yl. Jn-Sp	.90	2.40	18.00
CENTAUREA			Centaurea
*dealbata, Persian Centaurea, 18" U. rs. pp. In-Ag macrocephala, Globe Centaurea, 3' V. yl. JI-Sp *montana, Perennial Corn Flower, 18" U. bl. vl. JI-Ag *mont. alba, White Mountain	.90	2.40	
3' V. yl. Jl-Sp* *montana, Perennial Corn Flow-	.90	2.40	18.00
er, 18" U. bl. vl. Jl-Ag	.90	2.40	18.00
Bluet, 18" U. wt. Jl-Ag	.90	2.40	18.00
CENTRANTHUS ruber, Jupitersbeard, 3' W. rd. Jn-Jl	.90	2.40	18.00
CERASTIUM			Cerastium
argenteum (grandiflorum), 6" G. wt. Ma-Jn bierbersteini, Taurus Cerastium,	1.20	3.50	27.00
6" G. wt. Ma-Jn*tomentosum, Snow-in-Summer, 6"	.90	2.40	18.00
G. wt. Ma-Jn	.75	2.20	15.00
CERATOSTIGMA			Plumbago
*plumbaginoides, Larpente Plumbago, 6" K. dk. bl. Ag-Sp	1.05	2.70	21.00
CHEIRANTHUS *allioni, 10" D. or. yl. Ma-Jl	.90	2.40	Wallflower 18.00
CHELONE glabra, White Turtlehead, 2' B.			Turtlehead
wt. Jl-Ag	.90	2.40	18.00
rs. pp. Ag-Sp	.90	2.40	18.00
CHRYSANTHEMUM *articum, Arctic Chrysanthemum, 18" U. wt. Sp-Oc coccineum, Pyrethrum roseum	.90	2.40	18.00
Hybrid Pyrethrums: Coccinea, 18" U. rd. pp. Ma-Jn. Elsie Gertrude, 18" U. It. pn.	1.05	3.00	24.00
Ma-Jn. Hebe, 18" U. wt. Ma-Jn	1.05 1.05	3.00 3.00	24.00 24.00
Roseum atrosanguineum, 18" U. cr. Ma-Jn.	.90	2.40	18.00

	T1	D., 10	D 100
CHRYSANTHEMUM—cont'd	Three	Per 10	Per 100
Roseum single, 18" U. mx. Ma-In.	.90	2.40	18.00
coreanum, Korean Chrysanthe- mum, 2' U. wt. rs. pn. Sp-Oc. leucanthemum h y b r i d u m, Im- proved Oxeye Daisy, 18" U.	.90	2.40	18.00
wt. Jl-Ag	.75	2.20	15.00
wt. Jl-Aguliginosum, Giant Daisy, 4' U.	.75	2.20	15.00
wt. JI-Sp	.75	2.20	15.00
HARDY NAMED	VARIE	TIES	
Aberdeen, 18" V. mn. Oc-Nv Autumn Glow, 18" V. rs. rd.	.90	2.40	18.00
Oc-Nv.	.90	2.40	18.00
Boston, 18" V. yl. Oc-Nv	.90	2.40	18.00
Oc-Nv	.90	2.40	18.00
Ôc-Nv	.90	2.40	18.00
Oc-Nv	.90	2.40	18.00
Oc-Nv	.90	2.40	18.00
Oc-Nv.	.90	2.40	18.00
James Boone, 16" V. wt. Oc-Nv. Julie Lagravere, 18" V. mn.	.90	2.40	18.00
Oc-Nv Old Homestead, 18" V. Iv. pn.	.90	2.40	18.00
Pauline Wilcox, 18" V. br.	.90	2.40	18.00
Oc-Nv	.90	2.40	18.00
Oc-Nv	.90	2.40	18.00
Skibo, 18" W. yl. Oc-Nv	.90	2.40	18.00
Victory, 18" V. wt. Oc-Nv	.90	2.40	18.00
Viola, 18" V. vl. pn. Oc-Nv	.90	2.40	18.00
Skibo, 18" W. yl. Oc-Nv Victory, 18" V. wt. Oc-Nv Viola, 18" V. vl. pn. Oc-Nv White Doty, 18" V. wt. Oc-Nv.	.90	2.40	18.00
CIMICIFUGA		- 1	Bugbane
foetida simplex, Kamchatka Bug- bane, 4' A. cm. wt. Jn racemosa, Cohosh Bugbane, 5' A.	2.25	6.00	
wt. Jl-Sp	1.05	3.00	21.00
CONVALLARIA		Lily	of the Valley
*majalis, Clumps, 8" F. wt. Ma-Jn.	1.50	4.50	40.00
*majalis, strong pips	.50	1.00	7.50
COPTIS *trifolia, 4" H. wt. Ma	.75	2.20	Goldthread 15.00
COREOPSIS			Coreopsis
2' H. yl. Jl-Sp	.75	2.20	15.00
delphinifolia, Larkspur Coreopsis, 2' H. yl. Jl-Sp grandiflora, Big Coreopsis, 2' H. gd. yl. Ma-Nv	.75	2.20	15.00

COREOPSIS—cont'd	Three	Per 10	Per 100
*rosea, Rose Coreopsis, 1' H. rs. pn. Jl-Ag	.75	2.20	15.00
verticillata, Threadleaf Coreopsis, 18" H. le. yl. Jn-Sp	.75	2.20	15.00
CORONILLA *varia, 18" P. pn. Jn-Oc	.90	2.40	Crownvetch
CRUCIANELLA			Crosswort
*stylosa, Common Crosswort, 6" W. pn. Jn-Sp	1.20	3.50	
CYNANCHUM			Mosquito Trap
acuminatifolium, 18" B. wt. Ag.	.90	2.40	18.00
DELPHINIUM			Larkspur
elatum, Bee Larkspur, 4' A. dk. bl. Jn-Sp formosum, Hardy Larkspur, 4' A.	.90	2.40	18.00
bl. Jn-Jl	.90 .90	2.40 2.40	18.00 18.00
f. bellamosum, 2' A. dk. bl.			
Jn-Sp*grandiflorum chinensis, Slender	.90	2.40	18.00
Larkspur, 18" A. bl. Jn-Ag.	.90 .90	2.40 2.40	18.00 18.00
Erskine Park Hybrids, Mixed 4' A. lt. & dk. bl. Jn-Sp	2.70	7.50	
DIANTHUS			Pink
*alpinus, Alpine Pink, 3" I. rs. pn. Jn-Jl	1.05	3.00	
*arenarius, Sand-Loving Pink, 6" I. wt. Jl-Sp	1.05		10.00
barbatus, Sweet William, 18" D.		2.40	18.00
mx. Jn-Jlb. Newport Pink, 18" D. sm. pn.	.75	2.20	15.00
Jn-Jlb. Scarlet Beauty, 18" D. sc.	.90	2.40	18.00
Jn-Jl. *caesius, Cheddar Pink, 5" I. rs.	.90	2.40	18.00
pn. May-II	.90	2.40	18.00
*deltoides, Maiden Pink, 6" I. rd. Jn-Jl. *d. alba, White Maiden Pink,	.90	2.40	18.00
*d. alba, White Maiden Pink, 6" I. wt. Jn-Jl*d. Brilliant, 6" I. rs. cr. Jn-Jl.	.90 .90	2.40 2.40	18.00 18.00
"latifolius atrococcineus fi. pl. 0"		2.40	10.00
D. cr. Jn-Oc	.90	2.40	
Pink, 12" I. pn. Jn	.75	2.20	15.00
*speciosus, 12" I. lv. pn. Jl-Sp *superbus, Lilac Pink, 12" I. lv.	.90	2.40	18.00
pn. Jn-Ag	1.20	2.40	18.00

DIANTHUS—cont'd	Three	Per 10	Per 100
HARDY GARD	EN PII	NKS	
Abbottsford, 8" V. cr. Jl *Carmen, 3" I. pn. Jl *Essex Witch, 3" I. pn. Jl *Grenadin's Scarlet, 12" V. sc.	.90 .90 .90	2.40 2.40 2.40	18.00 18.00
Ag. *Her Majesty, 10" V. wt. Jl-Ag. *Homer, 6" V. rd. Jl *Juliet, 8" V. wt. Jl *Lord Lyons, 10" V. pn. Jl *White Reserve, 10" V. wt. Jn-	.90 .90 1.05 .90 .90	2.40 2.40 2.70 2.40 2.40	18.00 18.00 20.00 18.00 18.00
Sp	.90	2.40	18.00
*formosa, Western Bleeding Heart, 15" F. pn. Ap-Ag spectabilis, Bleeding Heart, 2' F. rs. rd. Ap-Jl	1.05	2.70 7.00	20.00
DICTAMNUS			Gas Plant
albus (fraxinella), 2' K. wt. Jn-Jl	1.20	3.50	25,00
a. caucasicus, Giant Gas Plant, 3' K. wt. Jn-Jl	1.35	4.00	35.00
DIGITALIS ambigua, Yellow Foxglove, 2' A. yl. Jn-Jl	.90	2.40	Foxglove
purpurea, Common Foxglove, 3'. A. pp. Jn-Jl p. alba, Common White Foxglove,	.90	2.40	18.00
3' A. wt. Jn-Jl	.90	2.40	18.00
glove, 3' A. mx. Jn-Jl p. roseum, 3' A. rs. Jn-Jl	.90 .90	2.40 2.40	18.00 18.00
DORONICUM caucasicum, I' U. yl. Ma-Jn plantagineum excelsum, Showy Leopardbane, 2' U. or. yl. Ma-	1.50	4.00	Leopardbane
JnDRABA	1.50	4.00	36.00 Whitlowgrass
*fladnizensis, Arctic Whitlow- grass, 3" yl. Ap	1.50	4.00	
ECHINACEA purpurea, Purple Coneflower, 3' U. rd. pp. Jl-Ag	.90	2.40	Coneflower
ECHINOPS ritro, Steel Globethistle, 4' E. bl.	.,,0	2.10	Globethistle
JI-Ag	.90	2.40	18.00
*repens, Trailing Arbutus, 4" pn. Ap-Ma.	1.05	2.70	20.00
EPILOBIUM angustifolium, Blooming Sally, 4' A. rd. Jn-Ag	.90	2.40	18.00

EPIMEDIUM	Three	Per 10	Per 100 Epimedium
*alpinum, Alpine Epimedium, 9" L. rd. yl. Ma-Jn	1.50	4.50	30.00
"macranthum niveum, Snowy Epi- medium, 9" L. wt. Ap-Jl "pinnatum sulphureum, Yellow Persian Epimedium, 8" L. yl.	1.50	4.50	
Persian Epimedium, 8" L. yl. Ap-Jl.	1.50	4.50	
ERIGERON C. FILL OF			Fleabane
*aurianticus, Orange Fleabane, 9" U. rdor. Jl-Ag *glabellus, Smooth Fleabane, 8"	1.05	2.70	20.00
U. vl. pp. JI-Ag Quakeress, 18" U. mv. pn. Jn-Jl. speciosus, Oregon Fleabane, 2' U.	.90 .90	2.40 2.40	18.00 18.00
bl. Jn-Jl	.90,	2.40	18.00
ERINUS ALC IN BILL AN			Liver-Balsam
*alpinus, Alpine Liver-Balsam, 4" K. rs. pp. Ap-Jn *hirsutus, 4" K. vl. rd. Ap-Jn	1.05 1.05	3.00 3.00	
ERYNGIUM	4		Eryngo
alpinum, Bluetop Eryngo, 2' E. bl. Jn-Sp	.90	2.40	18.00
2½' E. dk. bl. Jn-Sp	.90	2.40	18.00
ERYSIMUM *pulchellum, Rockery Blistercress,	Mary .		Blistercress
8" D. or. yl, Jl-Ag	.90	2.40	18.00
EUPATORIUM coelestinum, Mistflower, 2' D. vl.			Eupatorium
pp. Ag-Oc	1.05	2.70	20.00
rs. pp. Sp-Oc	.75	2.20	15.00
EUPHORBIA corrolata, Flowering Spurge, 18"			Spurge
O. wt. Jl-Ag*myrsinites, 6" K. yl-or. Ma-Jn.	.75 1.05	2.20 2.70	15.00 20.00
HARDY F	ERNS		
*ADIANTUM	LICINO		
pedatum, American Maidenhair Fern, 15" (shade)	.90	2.40	18.00
*ASPLENIUM platyneuron, Ebony Spleenwort, 12" (semi-shade)	.90	2.40	18.00
*ATHYRIUM filix-femina, Lady Fern, 2' (sun or semi-shade)	.90	2.40	18.00
*CRYPTOGRAMMA acrostichoides, American Rockbrake, 6" ev. (shade)	.90	2.40	18.00

Wan (seaming)	Three	Per 10	Per 100
*DEŃNSTEDTIA punctilobula, Hay-scented Fern, 18" (sun, shade, semi-shade).	.90	2.40	18.00
DRYOPTERIS goldiana, Goldie Fern, 3' (shade) *marginalis, Leather Woodfern, 2'	.90	2.40	18.00
ev. (shade)	.90	2.40	18.00
2' (shade-moist)	.90	2.40	18.00
onoclea sensibilis, Sensitive Fern, 1' (shade)	.90	2.40	18.00
OSMUNDA cinnamomea, Cinnamon Fern, 3'			
(shade & semi-shade) claytoniana, Interrupted Fern, 3'	.90	2.40	18.00
(sun, semi-shade) regalis, Royal Fern, 3' (semi-	.90	2.40	18.00
shade)	.90	2.40	18.00
POLYPODIUM *vulgare, Common Polypody, 6" (shade)	.90	2.40	18.00
*POLYSTICHUM acrostichoides, Christmas Fern, 12" ev. (shade)	.90	2.40	18.00
PTERETIS nodulosa, Ostrich Fern, 3' (sun or semi-shade)	.90	2.40	18.00
*WOODWARDIA areolata (angustifolia), Chain Fern, 1' (semi-shade or shade)	.90	2.40	18.00
FILIPENDULA			Meadowsweet
hexapetala (Spirea filipendula), Dropwort, 2' D. cm. wt. Jn-Jl.	.90	2.40	18.00
rubra venusta, Carmine Meadow- sweet, 4' B. dk. pn. Jn-Jl	1.05	3.00	24.00
FUNKIA (See HOSTA)			
GAILLARDIA aristata (grandiflora) 2' U. rd-		I	Blanket Flower
or. Jn-Nv.	.75	2.20	15.00
GALAX *aphylla, 10" A. wt. Jn	1.20	3.50	Galax
GALIUM *boreale, Northern Bedstraw, 2'			Bedstraw
B. wt. Jn-Sp	.90	2.40	18.00
GAULTHERIA *procumbens, 3" N. wt., sc. berries	1.05	2.70	Wintergreen

GERANIUM	Three	Per 10	Per 100 Cranesbill
*grandiflarum Lilas Cranachill			Crancsont
12" O. vl. bl. Jn-Ag	.90	2.40	18.00
*sanguineum, 18" O. rd. Jn-Ag.	.90	2.40	18.00
*s. album, 18" O. wt. Jn-Ag	.90	2.40	
GEUM			Avens
*chiloense var., Mrs. Bradshaw, 15" O. sc. Jn-Sp	1.05	3.00	20.00
*montanum Heldreichi, Orange	1.05	5.00	20.00
Avens, 12" O. or. yl. Ma-Jl.	1.05	2.70	20.00
GLYCERIA (See PANICULARIA)		
GYPSOPHILA	,		CL II DL
			Chalk-Plant
*cerastiodes, Mouse-ear Gypso- phila, 4" G. wt. Jl paniculata, Baby's Breath, 2½' B.	.90	2.40	18.00
paniculata, Baby's Breath, 2½' B.			
wt. Jl-Ag	.90	2.40	18.00
pan. fl. pl., Double Baby's Breath,	4.00	0.50	00.00
3' db. B. wt. Jl-Ag pan. fl. pl., Bristol Fairy, 2½' B.	1.20	3.50	30.00
dh. wt. In-Oc.	2.25	6.00	50.00
db. wt. Jn-Oc*repens, Creeping Gypsophila, 6"	2.23	0.00	30.00
G wt. Jn-Jl	.90	2.40	18.00
HELENIUM			Sneeze Wort
autumnale, 4' U. yl. Ag-Sp a. pumilum magnificum, 18" U.	.90	2.40	18.00
a. pumilum magnificum, 18" U.			
yl. Ag-Spa. Riverton Beauty, 4' U. le-yl.	1.50	4.00	
a. Riverton Beauty, 4 U. le-yl.	1.05	2.70	20.00
AgOc	1.05	2.10	20.00
Ag-Sp.	1.05	2.70	20.00
a. rubrum, 4' U. dk. rd. Sp-Oc.	1.20	3.00	24.00
Ag-Sp	1.05	2.70	20.00
U. or. yl. Ma-Ag	1.05	2.70	
HELIANTHEMUM	00	2.40	Sun Rose
*chamaecistus, 8" O. yl. Jn-Jl *c. cupreum, 6" O. br. Jn-Jl	.90 .90	2.40 2.40	18.00 18.00
c. tomentosum. Rosemary Sun	.70	2.70	10.00
c. tomentosum, Rosemary Sun Rose, 10" O. yl. Jn-Jl	.90	2.40	18.00
*halimitolium multiflorum, Moroc-			
co Sun Rose, 5" O. or. Jn-Sp. *perfoliatum roseum, 6" O. sm-pn.	.90	2.40	18.00
Jn-Ag	.90	2.40	18.00
	.,0	2.10	
HELIANTHUS decapetalus maximus, Thinleaf			Sunflower
decapetalus maximus, Thinleaf Sunflower, 4' U. yl. Ag-Oc	.75	2.20	15.00
mollis, Ashy Sunflower, 3' U. le-			
	.75	2.20	15.00
scaberrimus var., Miss Mellish, 5'	00	2.40	10.00
U. yl. Ag-Sps. var., Woolly Dodd, 6' U. yl.	.90	2.40	18.00
Ag-Sp	.90	2.40	18.00
	.,,	2.10	
HELIOPSIS helianthoides pitcheriana 3' II			Oxeye Daisy
helianthoides pitcheriana, 3' U. or-yl. Jl-Oc	.90	2.40	18.00
scabra, 4' U. yl. Jl-Oc	.90	2.40	18.00

A PENTENDO CANA MO	Three	Per 10	Per 100
HEMEROCALLIS			Day Lily
aurantiaca major, Great Orange Day Lily, 2' Q. dk. or. Jn-Sp. citrina, Citron Day Lily, 3' Q.	* 1.05 ′	3.00	
le. yl. Jn-Jldumortieri, Early Day Lily, 12'	.90	2.40	18.00
Q. br. yl. Ma-Jn	.90	2.40	18.00
J. J. 11: 11' O I. I. II	.90	2.40	18.00
d. sieboldi, 1½' Q. or. yl. Jn-Jl. flava, Lemon Day Lily, 3' Q. le.	.50	2.40	10.00
yl. Ma-Jn fulva, Tawny Day Lily, 2' Q. fe.	1.20	3.00	
rd. or. Jn-Jlluteola, Golden Day Lily, 4' Q.	.75	2.20	15.00
gd. yl. Jn middendorfi, Amur Day Lily, 2'	1.20	3.00	21.00
Q. gd. or. Jn-Jlthunbergi, Japanese Day Lily, 3'	.90	2.40	18.00
Q. le. yl. Jl	.90	2.40	18.00
HYBRID HEMI	EROCAI	LLIS	
A	1.05	2.70	
Apricot, 2 Q. or. Jn			
Aureole, 3 Q. or. yl. IVla-Jn	.90	2.40	
Dr. Regel, 12 Q. or. yl. Ma-Jn.	.90	2.40	10.00
Apricot, 2' Q. or. Jn	.90	2.40	18.00
or. (db). Jn-Jl	.90	2.40	
or. (db). Jn-Jl	.90	2.20	15.00
HEPATICA			Hepatica
*acutiloba, Sharplobe Hepatica, 6" H. wt-pp. Ap-Ma	.90	2.40	18.00
*triloba, Roundlobe Hepatica, 6" H. pn-pp. Ap-Ma	.90	2.40	18.00
HEUCHERA			Alum Roos
*sanguinea, Coral Bells, 15" F. cr. Jn-Sp	1.05	2.70	20.00
F. wt. Jn-Sp*s. gracillima (gracilis rosea), 15"	.90	2.40	18.00
F. cr. rs. Jn-Sp	1.05	2.70	20.00
HIBISCUS moscheutos, Swamp Rosemallow,		-	Rosemallon
4' O. rs. Ag-Sp m. Marvel Mallows, 4' O. mx.	.90	2.40	18.00
Ag-Sp.	.90	2.40	18.00
HOLLYHOCKS (See ALTHEA	rosea)		
HOSTA (Funkia) caerulea, Blue Plaintain Lily,			Plaintain Lily
18" O. vl. bl. Il-Ag	.90	2.40	18.00
lancifolia, Lance-Leaf Plaintain Lily, 2' Q. II. Ag I. variegata, Wavy-Leaf Plaintain	.90	2.40	18.00
Lily, 1' Q. bl. (vg. fl.). Jn-Jl. ovata, 1½' Q. ll. Jn	.90 .90	2.40 2.40	18.00 18.00

	Three	Per 10	Per 100
HOSTA—cont'd			
plantaginea grandiflora, Big Plain-			
tain Lily, 12 Q. wt. Ag-Sp.	1.50	4.50	39.00
sieboldiana, Cushion Plaintain			
Lily, 18" Q. lt. bl. Ag	1.20	3.50	
		-	
HYPERICUM			St. Johnswort
*repens, 5" O. lt. yl. Ag	1.20	3.50	30.00
ADEDIO.			~ 7
IBERIS			Candytuf
*sempervirens, Evergreen Candy-	00	2.40	10.00
tuft, 1' D. wt. Ma	.90	2.40	18:00
*s. Little Gem, 6" D. wt. Ma	.90	2.40	18.00
*s. Snowflake, 1' D. wt. Ma	.90	2.40	18.00
INULA			Inula
			1111110
*ensifolia, Swordleaf Inula, 15" V. gd. yl. Jl-Ag salicina, Willowleaf Inula, 2' Y.	1 20	3.00	24.00
V. gq. yl. Jl-Ag	1.20	5.00	24.00
salicina, Willowleaf Inula, Z V.	00	2 40	
yl. Jl-Ag	.90	2.40	
IRIS			Iris
*ALPINE, EARLY FLOWERI	NC IRI	s .	
Blue King, 9" S. bl. bk. Mr-	110 11/1	<i>.</i>	
Ma	1.50		
Sulphurea, 9" S. yl. Mr-Ma	1.50		
Sulphurea, 9 S. yl. Ivir-ivia	1.50		and the second
GERMANICA, GERMAN IRI	S. NAN	TED VA	RIETIES.
bloom in June:	, , , , , , , , ,		
Admiral Togo, 15" S. wt. lv	.90	2.40	18.00
Alcazar, 15" S. s. bl-f. pp	1.20	3.00	
Amas, 15" S. s. bl-f. vl	1.20	3.50	
Atroviolacea, 15" S. s. vl. bl-f.	111110		
dk. pp	:90	2.40	18.00
Caprice, 15" S. s. rs. rdf. dk.			
rd.	1.05	3.00	24.00
Charles Dickens, 15" S. s. blf.	1,03	13.00	2.1100
dk. bl	.90	2.40	18.00
Eldorado, 2' S. s. br. ylf. vl. br.	.90	2.40	18.00
Flavescens, 15" S. wt	.90	2.40	18.00
Florentine Alba, 15" S. cm. wt.	.90	2.40	18.00
Florentina Blue, 15" S. bl	.90	2.40	18.00
Camilla 15// S - 11 4 JL L1	.90	2.40	18.00
Garrick, 15" S. s. llf. dk. bl	.90		18.00
Gen. Grant, 15" S. s. le-f. pp Her Majesty, 15" S. s. rs. pn-f.	.90	2.40	10.00
	1.05	3.00	
Cr	1.05		15.00
Isoline, 2' S. s. rs. II-f. pp. rs Johan DeWitt, 15" S. s. II. blf.	.75	2.20	15.00
	0.0	2.40	19.00
pp	.90		18.00
Juanita, 3' S. lt. bl. King, 2' S. s. le. yl-f. mn.	1.05	3.00	24.00
King, Z. S. s. le. yl-r. mn	.90	2.40	18:00
Lohengrin, 18" S. II. pn Loreley, 2½ S. s. It. yl-f. dk. bl.	1.05	3.00	25.00
Loreley, 25 S. s. It. yl-1. dk. bl.	1.05	2.70	20.00
Mme. Chereau, 18" S. wt. vl	.90	2.40	18.00
Mrs. Charles Darwin, 2' S. s.	00	2.40	10.00
wt-t. vl	.90	2.40	18.00
wt-f. vl	1 50	1.00	W. F.
DD.	1.50	4.00	24.00
Pallida dalmatica, 3' S. ll. bl	1.20	3.00	24.00
Perfection, 3' S. s. lt. bl-f. bk. pp.	1.05	3.00	



WYMAN'S

FRAMINGHAM NURSERIES

Framingham - Massachusetts

February 17, 1930

Dear Friends:

Here is a copy of my new price list. Will you take a few minutes right now and look it over? You will find it to be unique -- and useful. Hany rare plants as well as fine specimens of both the new and the old sorts are listed.

You'll find two features about this new price list that should make it particularly interesting to you. I have listed some plants this year that I have in small quantities that cannot be obtained elsewhere - and I believe the list contains more of the really fine new plants than I have ever seen offered by one nursery before.

The new method used in the price list to give maximum information about a plant in minimum space will do much to make it easier to buy from us. It is the result of years of striving for something near enough perfection to be worth using - and I think we've done it this year.

I hope I may have the pleasure of seeing you at the nursery this year. There are new things coming along all the time and you'll find us able to make a visit both interesting and profitable to you.

Yours very truly,

WYMAN'S FRAMINGHAM NURSERIES

Rehard M. Wyman.

RMW/DR



		-	
IRis—cont'd	Three	Per 10	Per 100
Princess Victoria Louise, 2½ S. s. le. yl-f. vl. rd.	.1.05	2.70	20.00
Prosper Laugier, 3' St. s. br-f. rd.,	1.05	2.70	20.00
Purple King, 2' S. pp	.90	2.40	18.00
Queen Caterina, 2' S. It. bl	1.20	3.50	27.00
pp. Purple King, 2' S. pp. Queen Caterina, 2' S. It. bl. Quaker Lady, 2½' S. s. Il. gy-f.	1.20	3.50	20.00
Organ of Mars 2' S vs nn	.90	2.40	30.00 18.00
Rebecca, 2' S. s. gd. yl-f. dk. yl.	.90	2.40	18.00
Rhein Nixe, 3' S. s. wtf. vl. bl.	1.05	3.00	21.00
Rebecca, 2' S. s. gd. yl-f. dk. yl. Rhein Nize, 3' S. s. wtf. vl. bl. Sherwin Wright, 2' S. gd. yl. William HI, 2' S. dk. vl	1.05	3.00 2.40	24.00 18.00
KAEMPFERI, JAPANESE I			
bloom July August:	MD, M.	AMED	VARIETIES,
Aspasie, 3' sg. T. mv. bl Astarte, 3' db. T. vl	1.50	4.00	36.00
Astarte, 3 db. T. vl	1.50	4.00	36.00
Babylon, 3' sg. Tard. pp Band of Clouds, 3' sg. T. pp	1.50	4.00	36.00 36.00
Blue Belle, 3' sg. T. dk. bl	1.50	4.00	36.00
Blue Bird, 3' sg. T. bl	1.50	4.00	36.00
Blue Bird, 3' sg. T. bl Blue Danube, 3' db. T. dk. bl	1.50	4:00	36.00
Double Blue Belle, 3' db. T. dk.	1 50	4.00	
Gold Bound, 3' db. T. wt	1.50	4.00	36.00
Helen Von Sieboldt, 3' sg. T.	1.50	4.00	36.00
dk. pn	1.50	4.00	36.00
Iso-no-Nami, 3' db. T. gy. bl.		100 000	
gd	1.50	4.00	36.00
Maple Cascade, 3' db. T. cr. pp. Navy Blue, 3' db. T. dk. bl	1.50	4.00 4.00	36.00 36.00
Oscar, 3' sg. T. dk. rd	1.50	4.00	36.00
Painted Lady, 3' sg. T. wt. pn	1.50	4.00	36.00
Painted Lady, 3' sg. T. wt. pn Purple Emperor, 3' sg. T. dk. pp. Purple and Gold, 3' db. T. vl. bl.	1.50	4.00	36.00
Purple and Gold, 3' db. T. vl. bl.	1.50	4.00	36.00
Pyramid, 3' db. T. II. bl	1.50	4.00	36.00 36.00
Venus, 3' sg. T. wt	1.50	4.00	40.00
Zama Forest, 3' sg. T. wt	1.50	4.00	36.00
MISCELLANEOUS VARIETI	E G		
*cristata, Crested Iris, 6" T. It. bl.	20		
Ma.	.90	2.40	18.00
pseudacorus, Water Flag, 4' 1.		0.40	
yl. Ma- n	.90	2.40	18.00
"pumila var., Bride, 10" S. wt. Ma.	1.05	2.70	20.00
*p. cyanea, 10" S. bl. Ap-Ma	1.05	2.70	20.00
*p. lutea, 10" S. yl. Ma	1.05	2.70	20.00
p. Sambo, 10" S. dk. pp. Ap-Ma.	1.05	2.70	20.00
siberica, 3' S. bl. Jn	.90	2.40	18.00
s. alba, 3' S. wt. Jns. orientalis, 3' S. bl. Jn	.75 .90	2.20 2.40	15.00 18.00
*verna, 18" S. bl. Ma-Jn	.90	2.40	18.00
Tarana, 10 D. Day, Avad Jakes 1111			

KNIPHOFIA	Three	Per 10	
uvaria, grandiflora, Dayglow Torchlily, 3' A. sm. rd. Ag-			Torchlily
Oc	.90	2.40	18.00
or. rd. Ag-Oc	.90	2.40	18.00
Oc	.90	2.40	18.00
LATHYRUS latifolius, Everlasting Pea, 4' P.			Pea
rs. rd. Jl-Sp Pink Pearl, 4' P. pn. Jl-Sp	.90 .9 0	2.40 2.40	18.00 18.00
LAVANDULA officinalis (vera) l'A. lt. bl., fr.			Lavender
Jl-Ag·	1.05	2.70	20.00
LEONTOPODIUM *alpinum, 6" D. gy. wt. Jn-Ag	1.20	3.50	Edelweiss 30.00
LIATRIS			Gayfeather
pycnostachya, Cattail Gayfeather. 4' A, rs. pp. Ag-Oc spicata, Spike Gayfeather, 3' A.	.90	2.40	18.00
rs. pp. Ag-Oc	.90	2.40	18.00
LILIUM			Lily
auratum, Goldband Lily, 4' R. wt. mn. Jl-Sp	1.50	4.00	30.00
or. yl. Jl-Ag	.90	2.40	18.00
candidum, Madonna Lily, 3' Q. wt. Jn-Jl	1.20	3.50	30.00
rd. or. Jl-Agelegans, Maroon Lily, 2' R. mn.	1.05	3.00	
Jl	1.05	3.00	
wt. Jl-Ag	1.20	3.50	25.00
cm. wt. Jl-Ag	1.50	3.50	27.00
regale, Royal Lily, 3' Q. wt. Ag.	1.80	5.50	50.00
speciosum album, White Speciosum Lily, 3' R. wt. Ag-Sp	2.25	6.00	• 50.00
spec. rubrum, Red Speciosum Lily, 3' R. pn. rs. Ag-Sp	1.20	3.50	25.00
Lily, 3' R. pn. rs. Ag-Sp superbum, American Turkscap Lily, 3' R. rd. or. Jl tigrinum, Tiger Lily, 4' R. or.	1.05	2.70	20.00
Ag	.90	2.40	20.00
LILY-OF-THE-VALLEY—See Co	ONVAL	LARIA	
LIMONIUM *latifolium, Bigleaf Sea Lavender,			Sea Lavender
2' B. II. bl. Jl-Sp	.90	2.40	18.00
LINARIA *cymbalaria, Kenilworth Ivy, 3" G. ll. bl. Jn-Ag	.90	2.40	Toadflax
S. II. DI. Ju-1 ig	• , 0	<u></u>	

LINUM	Three	Per 10	Per 100 Flax
*narbonnense, Narbonne Flax, 18" O. bl. Ma-Jn	1.05	2.70	20.00
*perenne, 18" Ö. bl. Ma-Ag	.90	2.40	18.00
LITHOSPERMUM *Heavenly Blue, Shrubby Gromwell, 6" N. bl. Ag	3.00	8.00	Gromwell
LOBELIA			Lobelia
cardinalis, Cardinal Flower, 3' A. sc. Jl-Agsyphilitica, Large Blue Lobelia,	.90	2.40	18.00
2' A. bl. Ag-Sp	.90	2.40	18.00
LOTUS			Trefoil
corniculatus, Birdsfoot Trefoil, 4" P. yl. Jl-Ag	1.05	3.00	
LUPINUS Washington Lunia			Lupine
polyphyllus, Washington Lupine, 3' A. bl. Jn-Sp p. albus, White Washington Lu-	.90	2.40	18.00
pine, 3' A. wt. Jn-Sp moerheimi, Moerheim Lupine, 3'	.90	2.40	18.00
A. lt. pn. Jn-Sp	1.05 1.05	2.70 2.70	20.00 20.00
LYCHNIS	1.05	2.70	Campion
*alpina, Arctic Campion, 4" C. rs.			
pn. Agchalcedonica, Maltese Cross, 2½'	1.05	2.70	2 0 .00
D. or. sc. Jn-Agviscaria splendens, Rosepink Cam-	.90	2.40	18.00
pion, 1½′ B. rs. pn. Jn v. splen. fl. pl., 15″ B. rs. db.	.90	2.40	18.00
Jn-Jl.	.90	2.40	18.00
LYSIMACHIA clethroides, Clethra Loosestrife,			Loosestrife
2' F. wt. Jl-Sp	.90	2.40	18.00
*nummularia, Moneywort, 4" O. yl. Jn-Ag	.75	2.20	15.00
LYTHRUM alatum, Winged Lythrum, 3' A.			Lythrum
dk. pp. Ag-Oc	.90	2.40	18.00
salicaria roseum, Rose Loosestrife, 4' A. rs. Jl-Sp	.90	2.40	18.00
s. roseum, Perrys Variety, 4' A. rd. JI-Sp	.90	2.40	18.00
MALVA alcea, Hollyhock Mallow, 2' O.			Mallow
pn. Jl-Sp moschata, Musk Mallow, 2' O.	.90	2.40	18.00
rs. Jl-Sp m. alba, 2' O. wt. Jl-Sp	.90 .90	2.40 2.40	18.00 18.00
MAZUS		2.50	20.00
-			

MENTHA	Three	Per 10	Per 100 Mint
piperita, Peppermint, 18" A. II. (fr. fl.) JI-Ag*requieni, Requien Mint, 3" G.	.75	2.20	15.00
mn. (fr. fl.) [1-Ag	1.05	2.70	20.00
spicata, Spearmint, 18" A. pp. Jl-Ag.	.90	2.40	18.00
MERTENSIA	41		Bluebell
*virginica, Virginia Bluebells, 18" N. bl. pn. Ap-Jn	.90	2.40	18.00
MITCHELLA			
*repens, Partridge Berry, 3" ev. N. wt. Jl	.90	2.40	18.00
MONARDA			Bee Balm
didyma, Oswego Bee Balm, 3' V. sc. Jl-Ag	.90	2.40	18.00
d. Cambridge Scarlet, 3' V. cr. sc. Jl-Ag.	.90	2.40	18-00
MYOSOTIS			Forget-me-not
*dissitiflora, Swiss Forget-me-not, 8" F. bl. Ma-Jl	.75	2.20	15.00
*scorpioides semperflorens, 8" F. lt. bl. Jn-Sp	.75	2.20	15.00
NEPETA			Catnip
*hederacea (glechoma), Ground Ivy, 3" G. lt. bl. Ma-Jn	.90	2.40	18.00
*mussini, Mussini Catnip, I' B. lt. bl. Ma-Sp	1.05	2.70	20.00
NIEREMBERGIA			Cupflower
*rivularis, Whitecup, 6" O. cm. wt. Jn-Ag	1.05	2.70	20.00
OENOTHERA			Sundrops
*missouriensis, Ozark Sundrops, 10" O. yl. Jn-Ag fruticosa major, Bush Sundrops, 2' O. dk. yl. Jn-Sp f. youngi, Young's Sundrops, 2'	1.20	3.00	25.00
fruticosa major, Bush Sundrops, 2' O. dk. yl. Jn-Sp	.90	2.40	18.00
f. youngi, Young's Sundrops, 2'O. le. yl. Jn-Ag	.90	2.40	18.00
OPUNTÍA			Cactus
*humifusa, 1' O. yl. Jn-Jl *missouriensis, 6" O. yl. Jn-Jl	1.50 1.50	4.00	Guotas
	1.50	-1.00	Paulistina
PACHISTIMA *canbyi, 6" ev. fl	1.95	5.00	Pachistima 40.00
PACHYSANDRA		Jo	panese Spurge
*terminalis, 8" ev. fl. 2 yr. from pots	1.20	2.50	18.00
3 yr. from pots	1.50	3.00	21.00

	Three	Per 10	Per 100
PAEONIA			Peony
Albert Crousse, 3' X, wt. Jn Augustin d'Hour, 3' X, rd. Jn Beaute Francaise, 2' X, ll. rs.	2.25 3.00	6.00 9.00	
Jn	2.25 2.25	6.00	
Couronne d'Or, 3' X. wt. Jn	2.25	6.00	
Dr. Bretonneau, 3' X. ll. wt. Jn.	2.25	6.00	
Dorchester, 2' X. pn. Jn Duchesse de Nemours, 2½' X.	2.70	8.00	
nuck Ton	2.70	8.00	
Edulis Superba, 2½' X. It. pn. Jn. Felix Crousse, 3' X. rd. Jn Festiva maxima, 3' X. wt. Jn	2.25	6.00	
Felix Crousse, 3' X. rd. Jn	3.00	9.00	4
Festiva maxima, 3' X. wt. Jn	2.25	6.50	50.00
Floral Treasure, 3' X. Il. rs. Jn. Francois Ortegat, 3' X. pp. cr.	2.25	6.00	
	2.25	6.00	
Fulgida, $2\frac{1}{2}$ X. rs. mg. Jn	2.25	6.00	
General Bertrand, 3' X. pn. In.	2.25	6.00	
General Bertrand, 3' X. pn. Jn. Golden Harvest, 2' X. ll. rs.	2123	0.00	
Jn. (fr.)	2.25	6.00	
Humei, 3' X. pn. Jn	2.25	6.00	
Lady Bramwell, 3' X. pn. Jn	2.25	6.00	
La Sublime, 3' X. cr. fr. Jn	2.25	5.00	
Jn. (fr.)	2.70	8.00	
pn. Jn	6.00	18.00	
T_	2.70	8.00	
Mons. Jules Elie, 3' X. pn. In.	3.75	11.00	
Officinalis rosea, 18" X. pn. In.	2.25	7.00	
Mons. Jules Elie, 3' X. pn. Jn. Officinalis rosea, 18" X. pn. Jn. Officinalis rubra, 18" X. cr. Jn. Rosea plena superba, 18" X. pn.	3.00	9.00	
sm. Jn	1.80	5.00	
sm. Jn Solfatare, 2½' X. cm. wt. Jn Double pink, double red, and	2.70	8.00	
double white	1.50	4.00	
PAPAVER			Poppy
*alpinum, Alpine Poppy, 6" O.			1 000
wt. Jn-Sp	1.05	2.70	21.00
Sp	1.05	2.70	21.00
*alpinum roseum, 6" O. pn. Jn-Sp. *nudicaule, Iceland Poppy, 1' O.	1.05	2.70	21.00
*nudicaule, Iceland Poppy, 1' O.	00	0.40	10.00
wt. yl. or. Ma-Ag orientale, Oriental Poppy, 2' O.	.90	2.40	18.00
sc or Ma-il	.90	2.40	18.00
orientale hybrids, varieties Cerise Beauty, 2½' O. cs. Ma-Jl. Goliath, 2½' O. sc. Ma-Jl. Mrs. Perry, 2½' O. sm. pn. Ma-Jl.	1.50	4.00	30.00
Cerise Beauty, 2½' O. cs. Ma-Jl.			
Goliath, 2½' O. sc. Ma-Jl.			
Mrs. Perry, 2½ O. sm. pn. Ma-Jl.			
Orinamme, 23 O. or. sc. Ma-II.	1		
Oriental King, 2½' O. cr. sc.			
Ma-Jl. Queen Alexandra, 2½ O. rs. pn.			
Ma-Jl.			
Royal Scarlet, 2½ O. sc. Ma-Jl.			

	Three	Per 10	Per 100
PENTSTEMON	2 111 00	. 01 .0	Pentstemon
*arizonicus, 8" N. pp. bl. Il-Ag.	1.20	3.50	2 7. 00
diffusus, Bushy Pentstemon, 1½' N. lt. bl. Jn-Jl	.90	2.40	18.00
laevigatus digitalis, Foxglove Pentstemon, 3' B. wt. Jn-Jl	.90	2.40	18.00
torreyi, Torrey Pentstemon, 2½' B. sc. Jl-Ag	.90	2.40	18.00
PHALARIS			
arundinacea variegata, Ribbon Grass, 1½' vg fl	.90	2.40	18.00
DULOV			וומ
PHLOX			Phlox
Paniculata:	.75	2.20	15.00
Albion, $2\frac{1}{2}$ ' B. wt. Jl-Ag Annie Cook, $2\frac{1}{2}$ ' B. lt. pn. Jl-Ag.	.90	2.40	18.00
Antonin Mercier, $2\frac{1}{2}$ B. wt. ll.	.50	2.40	10.00
II-Ag	.90	2.40	18.00
B. Comte, $2\frac{1}{2}$ B. dk. rd. Ag-Sp. Baron van Dedem, 2' B. sm. rd.	.90	2.40	18.00
	.90	2.40	18.00
Ag-Sp. Beacon, 2½' B. rd. Ag-Sp. Blue Hill, 2½' B. lt. bl. Ag-Sp.	.90	2.40	18.00
Blue Hill, 2½' B. It. bl. Ag-Sp.	1.05	3.00	24.00
Bridesmaid, 2½' B. wt. Ag-Sp. Commander, 2½' B. rd. Ag-Sp. Coquelicot, 2½' B. or. sc. Ag-Sp. Debs, 2½' B. cr. Ag-Sp	.90	2.40	18.00
Commander, 23' B. rd. Ag-Sp.	1.05	3.00	24.00
Coquelicot, 23' B. or, sc. Ag-Sp.	1.05	3.00	24.00
Debs. 23' B. cr. Ag-Sp	1.20	3.50	30.00
Deutschland, 2½ B. or rd. Ag-Sp.	1.05	3.00	24.00
Eclaireur, $2\frac{1}{2}$ B. dk. rd. Ag-Sp. Elizabeth Campbell, 2' B. sm. pn.	.90	2.40	18.00
Ag-Sn	1.05	3.00	24.00
Etta's Choice, 2' B. wt. Sp	.90	2.40	18.00
Europa, 2' B. wt. Ag F. G. Von Lassburg, 3' B. wt.	.90	2.40	18.00
Sp	.90	2.40	18.00
Sp	.90	2.40	18.00
Gruppenkoenigin, 2' B. lt. pn.			
Ασ	.90	2.40	18.00
Ag. Jules Sandeau, 2' B. pn. Ag-Sp. L'Esperance, 2' B. ly-pn. Ag	1.05	3.00	24.00
L'Esperance, 2' B. ly-pn, Ag.,	.90	2.40	18.00
Mia Ruys, 1' B. wt. Ag-Sp	1.20	3.50	30.00
Mia Ruys, 1' B. wt. Ag-Sp Mrs. Jenkins, 2½' B. wt. Ag-Sp. Mrs. Milly von Hobelen, 2½' B.	.90	2.40	18.00
pn. Ag-Sp	1.05	2.70	20.00
Pantheon, 21' B. rs. Ag	.90	2.40	18.00
Mrs. Milly von Hoboken, 2½ B. pn. Ag-Sp. Pantheon, 2½ B. rs. Ag. Peachblow, 18" B. lt. pn. Ag. Professor Verchow, 2½ B. or. sc.	.90	2.40	18.00
Ag-Sp	.90	2.40	18.00
R. P. Struthers, 3' B. pn. sm.	.90	2.40	18.00
Ag-Sp	.90	2.40	18.00
Ag-Sp	.90	2.40	18.00
Tapis Blanc, 1' B. wt. Ag-Sp	1.05	2.70	20.00
W. C. Egan, 13' B. Il. Ag	.90	2.40	18.00
W. C. Egan, 1½ B. ll. Ag Widar, 18" B. rd. vl. Ag-Sp	.90	2.40	18.00

PHLOX—cont'd	Three	Per 10	Per 100
DWARF OR CREI	EPING	SORTS	
*amoena, Amoena Phlox, 6" D. pn. Ap-Ma	.90	2.40	18.00
*divaricata, Wild Blue Phlox, 1' C. Il. bl. Ma-Jn *d. alba, 1' C. wt. Ma-Jn *d. Laphami, 1' C. dk. bl. Ma-Jn.	1.20	3.00 2.40	24.00 18.00
*ovata, Mountain Phlox, 1' C. It.	1.20	3.00 2.40	24.00
rd. Jn-Jl	.75	2.20	15.00
*s. alba, White Moss Pink, 4" G.	.75	2.20	18.00
*s. alba, White Moss Pink, 4" G. wt. Ma-Jn *s. G. F. Wilson, Blue Moss Pink, 4" G. ll. bl. Ma-Jn *s. lilacina, 4" G. ll. Ma-Jn	.75	2.20	15.00
*s. lilacina. 4" G. II. Ma-In	.75	2.20	15.00
*s. nelsoni, 4" B. wt. Ma-In	.75	2.20	15.00
*s. nelsoni, 4" B. wt. Ma-Jn *s. The Bride, 4" G. wt. Ma-Jn.	.90	2.40	18.00
*s. Vivid, 4" G. rs. pn. Ma-Jn suffruticosa, Miss Lingard, 2½' B.	1.50	4.00	36.00
lt. ll. Jn-Jlsuf., Rose Queen, 2' B. dk. pn.	.90	2.40	18.00
Jn-Jl.	.90	2.40	18.00
PHYSALIS			
francheti, Chinese Lantern, 18" J. wt. Jn	.90	2.40	18.00
PHYSOSTEGIA			
virginiana, False Dragonhead, 3'			
A JI II C	.90	2.40	18.00
A. dk. pn. Jl-Spv. alba, 3' A. wt. Jl-Sp	.90	2.40	18.00
*grandiflora, Vivid, 15" A. dk. pn.	.50	2.40	10.00
Jl-Sp	.90	2.40	
PLATYCODON			
grandiflorum, Balloonflower, 18"			
M. bl. Jn-Oc	.90	2.40	18.00
g. mariesi, Maries Balloonflower,	.90	2.40	18.00
12" M. bl. Jn-Oc	.90	2.40	18.00
PLUMBAGO larpentae, See CERA	10511	GMA plum	ibago
POLEMONIUM Greek Valorian 11/			Polemonium
caeruleum, Greek Valerian, 1½′ B. bl. Jn-Sp *reptans, Creeping Polemonium, 10″ B. bl. Ap-Jn	.90	2.40	18.00
10" B. bl. Ap-Jn	.90	2.40	18.00
POLYGONUM cuspidatum (sieboldi), Japanese			Fleeceflower
Fleeceflower, 5' B. wt. Ag-Sp. filiforme variegatum, Marbled	1.05	2.70	20.00
Jumpseed, 18" B. wt. Ag-Sp.	.90	2.40	18.00

	Three	Per 10	Per 100
POTENTILLA atrosanguinea, Himalayan Cinque-		-	Cinquefoil
foil, 18" O. cr. Jn-Ag *flagelliformis, 9" O. yl. or. Jn *nepalensis, Miss Willmott, 1' O.	.90 1.20	2.40 3.50	18.00 25.00
cs. pn. Ag* pyrenaica, Pyrenees Cinquefoil,	1.05	2.70	20.00
1' O. gd. yl. Jl-Ag *tridentata, Wineleaf Cinquefoil,	.90	2.40	18.00
1' C. wt. (ev. fl.). Jn-Ag	.90	2.40	18.00
PRIMULA	000		Primrose
acaulis, English Primrose, 8" D. lt. yl. Ma-Jn polyantha, Munstead strain, 10"	1.05	2.70	20.00
D. yl., or., wt. Ma-Jn *veris, Cowslip Primrose, 6" D.	.90	2.40	18.00
yl. wt. Ap-Ma	.90	2.40	18.00
PRUNELLA			Selfheal
*grandiflora, Great Selfheal, 10" B. vl. bl. Jn-Jl *webbiana, Webb Selfheal, 1' C.	.90	2.40	18.00
pp. Jn-Sp	.90	2.40	18.00
PYRETHRUM—See CHRYSANT	HEMU	M coccine	um
RANUNCULUS			Buttercup
acris fl. pl., 2' H. gd. yl. Ma- Sp	.90	2.40	18.00
repens, Creeping Buttercup, 8" H. gd. yl. Ma-Jl	.90	2.40	18.00
RUDBECKIA 2/	1	30	Coneflower
fulgida, Orange Coneflower, 2' U. or. yl. Ag-Sp	.75	2.20	15.00
laciniata, Golden Glow, 5' V. gd. yl. Jl-Sp	.75	2.20	15.00
speciosa (newmanni), Showy Coneflower, 2' V. or. yl. Jl-	00	0.40	10.00
Oc	.90	2.40	18.00
SALVIA azurea grandiflora, Great Azure			Sage
Sage, 3' B. lt. bl. Ag-Sp a. Pitcheri, 3' B. dk. bl. Sp-Oc.	.90 1.05	2.40 2.70	18.00 20.00
*sclarea, Common Clary, $2\frac{1}{2}$ B. lv. pn. Jl-Sp	1.50	4.00	
SANGUINARIA *canadensis, 6" O. wt. Ap-Ma	.75	2.20	Bloodroot 15.00
SANTOLINA		La	wender Cotton
*chamaecyparissus, 1½' A. gy., ev. fr. fl	.90	2.40	18.00
SAPONARIA		,	Soapwort
*ocymoides, Rock Soapwort, 6" C. pn. Ma-Ag	1.05	2.70	20.00

SATUREIA	Three	Per 10	Per 100 Savory
*alpina (Calamintha alpina), Alpine Savory, 8" A. fr. fl	.90	2.40	18.00
*montana, Winter Savory, 12" A. ev. fr. fl	1.20	3.50	
SAXIFRAGA *cordifolia, Heartleaf Saxifrage,			Saxifrage
15" C. rs. Ap-Ma	1.05	3.00	20.00
C. pn. Ap-Jn* *McNabiana, 10" C. wt. Ma-Jn. *Rhei superba, 6" C. rs., ev. fl. Ap-Ma.	1.05 1.05	2.70 2.50	20.00 20.00
SCABIOSA			Scabiosa
caucasica, Caucasian Scabiosa, 18" U. II. bl. Jn-Sp	1.05	2.70	21.00
japonica, Japanese Scabiosa, 18"	1.20	3.50	30.00
U. bl. Jl-Sp	.90	2.40	18.00
SEDUM *acre, Golden Moss, 4" G. yl.			Stonecrop
Ma-Jn	.75	2.20	15.00
*dasyphyllum, Leafy Stonecrop,	.75	2.20	15,.00
Z" ev. II	1.05	3.00	25.00
*kamtschaticum, Orange Stone- crop, 6" yl. Jl-Ag *lydium, Lydian Stonecrop, 2"	.75	2.20	15.00
ev. fl	.75 .90	2.20 2.40	15.00 18.00
*pruinatum fosterianum, 4" bl. fl. *sarmentosum, Stringy Stonecrop, 2" yl. Jl	.90	2.40	10.00
*sexangulare, Hexagon Stonecrop, 3" br. fl	.90	2.40	18.00
*sieboldi, Siebold Stonecrop, 4" rs. pn., bl-gy. fl. Ap-Sp *spectabile, Showy Stonecrop, 1'	1.05	2.70	20.00
D. rs. pn. Ag-Sp	.75	2.20	15.00
*spectabile, Brilliant, 1' D. dk. pn. Sp *stoloniferum, Running Stonecrop,	.75	2.20	15.00
4" pn. Jl-Ag	.90	2.40	18.00
**************************************			House Leel
*arachnoideum, Spiderweb House- leek, 3" ev. fl	.75	2.20	15.00
*globiferum, Globe Houseleek, 6" gy. fl. *tectorum, Roof Houseleek, 6"	.75	2.20	15.00
ev. fl	.75	2.20	15.00
*#####################################	1.20	3.50	

SIDALCEA	Three	Per 10	Per 100 Prairiemallow
Rosy Gem, Rose Prairiemallow, 2' B. rs. pn. Jn	.90	2.40	18.00
SILENE			Catchfly
alpestris, Alpine Catchfly, 4" G. wt. Ma-Jn *schafta, Schafta Catchfly, 4" I.	1.05	3.00	24.00
rs. pn. Jn-Sp	.90	2.40	18.00
SILPHIUM C. P. inval. 6	٠.		Rosinweed
perfoliatum, Cup Rosinweed, 6' U. yl. Jl-Sp	.90	2.40	18.00
STACHYS			Woundwor
grandiflora superba, Mauve Beto- ny, 18" A. pp. Jl-Sp *lanata, Woolly Betony, 1' B. pp.	.90	2.40	18.00
JI Betony, I'B. pp.	.90	2.40	18.00
STATICE			Thrif
*armeria (Armeria maritima), Common Thrift, 6" W. pp rs. Ma-Jn. *a. alba (A. maritima alba),	.75	2.20	15.00
White Common Thrift, 6" W. wt. Ma-Jn	.90	2.40	18.00
wt. Ma-Jn	.75	2.20	15.00
JI-Ag	.90	2.40	18.00
STOKESIA laevis (cyanea), Stokesia, 1' V.			Stokes Aste
lv. bl. Jl-Oc	.90	2.40	18.00
JI-Oc	.90	2.40	18.00
TEUCRIUM			Germande
*orientale, Oriental Germander, 8" A. vl. bl., ev. fl	1.50	4.00	
*chamaedrys, Chamaedrys' Germander, 8" A. rs. Jl-Sp	.90	2.40	
THALICTRUM			Meadow Ru
aquilegifolium, Columbine Meadowrue, 3' C. cm. Ma-Jl.	.90	2.40	18,00
a. purpureum, Purple Columbine Meadowrue, 3' C. pp. Ma-Jl.	.90	2.40	18.00
Meadowrue, 3' C. pp. Ma-Jl. dipterocarpum, Yunnan Meadow- rue, 4' C. vl-mv. Ag-Sp *minus adiantifolium, Maiden- hair Meadowrue, 2' C. cm.	1.05	3.00	24.00
yl., gy. fl. Jn-Jl	.90	2.40	18.00
THERMOPSIS caroliniana, Carolina Thermopsis,			Thermopsi
3' A. yl. Jn-Jl	1.20	3.00	

THYMUS	Three	Per 10	Per 100 Thyme
*serpyllum, Mother-of-Thyme, 6" G. II., ev. fl. JI-Ag *s. album, White Mother-of-Thyme, 4" G. wt., ev. fl	.90	2.40	18.00
JI-Ag	1.05	2.70	20.00
Thyme, 4" G. pn. Jl-Ag	.90	2.40	18.00
Thyme, 4" G. pn. Jl-Ag *s. coccineum, Crimson Thyme, 4" G. cr. Jl-Ag *s. lanuginosis, Woolly Thyme,	1.05	2.70	20.00
4" G. rd. pn., gy. fl. Ag	.90	2.40	18.00
FIARELLA *cordifolia. Alleghany Foamflow-			Foamflower
*cordifolia, Alleghany Foamflow- er, 10" B. cm. wt. Ma-Jn	.90	2.40	18.00
FRADESCANTIA virginiana, Virginia Spiderwort,			Spiderwort
2' D. vl. bl. Jl-Ag	.90	2.40	18.00
FRILLIUM *erectum, Purple Trillium, 9" br.			Trillium
pp. Ma	.75	2.20	15.00
wt. Ma	.75	2.20	15.00
TRITOMA (See KNIPHOFIA)			
TROLLIUS			Globeflower
asiaticus, Siberian Globeflower, 18" H. or. Ma-Jn	1.50	4.00	
europaeus, Common Globeslower, 1½' H. le. yl. Ma-Ag	1.50	4.00	36.00
TUNICA			Tunicflower
*saxifraga, Saxifrage Tunicflower, 6" O. rs. pn. Jn-Sp *s. alba, 6" O. wt. Jn-Sp	.90 .90	2.40 2.40	18.00 18.00
VALERIANA		Con	nmon Valerian
officinalis, Garden Heliotrope, 4' C. pn. lv. Jn	.90	2.40	18.00
VERBASCUM DE LA MARIE A			Mullein
phoeniceum, Purple Mullein, 3' B. pp-mv. Jl-Ag	1.05	3.00	
VERONICA			Speedwell
*incana, Woolly Speedwell, 1' A. vl. bl. Jl-Ag longifolia, subsessilis, Clump Speedwell, 2' A. bl. Jl-Ag *repens, Creeping Speedwell, 3" M. bl. Ma-Jn *rupestris, Heavenly Blue, 4" A. bl. Ma-Ja.	.90	2.40	18.00
Speedwell, 2' A. bl. Jl-Ag	1.20	3.50	20.00
M. bl. Ma-Jn	1.05	2.70	20.00
*rupestris, Heavenly Blue, 4" A. bl. Ma-Jn	1.50	4.00	
*r. I rehani, 4" A. bl., yl. gr. fl. Ma-Jn	1.05	3.00	

	Three	Per 10	Per 100
VERONICA—cont'd			100
spicata, Spike Speedwell, 18" A. bl. Jn-Jl.	.90	2.40	18.00
s. alba, White Spike Speedwell, 18" A. wt. Jn-Jl *spuria (amethystina), Bastard	.90	2.40	18.00
Speedwell, 18" A. dk. bl. Ma-Jn	.90	2.40	18.00
Jn-Ag	1.05	2.70	
VINCA			Periwinkle
*minor, Common Periwinkle, 6" O. bl., ev. fl. Jn-Sp *m. alba. White Periwinkle. 6"	.75	2.20	15.00
*m. alba, White Periwinkle, 6" O. wt., ev. fl. Jn-Sp	1.20	3.50	33.00
VINCETOXICUM (See CYNANG	CHUM)		
VIOLA			Violet
*alpina, Alpine Violet, 6" wt. Jl-Ag	.90	2.40	in Till
Ap-Oc. *c. alba, White Tufted Pansy,	.90	2,40	18.00
8" wt. Ap-Oc	.90	2.40	18.00
*c. atropurpurea, Purple Tufted, Pansy, 8" vl. bl. Ap-Oc *c. G. Wermig, 8" dk. bl. Ap-	.90	2.40	18.00
Ma*cucullata, Blue March Violet, 8" vl. bl. Ap-Ma	. :90	2.40	18.00
8" vl. bl. Ap-Ma *Jersey Gem, 8" vl. bl. Ap-Oc. *odorata, Single Russian Violet,	.75 1.05	2.20 3.00	15.00 20.00
6" bl. Ap-Jn	.90	2.40	18.00
*pedata, Bird-foot Violet, 6" pp. Jn-Jl	.90	2.40	18.00
HYBRIDS	7.5	, , , , ,	15.00
*Blue Perfection, 6" mv. Jn-Sp. *lutea splendens, 6" gd. yl. Jn-Sp.	.75 .75	2.20	15.00 15.00
*White Perfection, 6" wt. Jn-Sp.	.75	2.20	15.00
YUCCA C V 5/			
filamentosa, Common Yucca, 5' B. cm. wt. Jn-Jl., 2 yrs	.90 1.05	2.40 3.00	18.00
3 yrs	1.05	. 5.00	90 66 -1

INDEX

1 agc		rage
Abies	Boltonia	6
Acacia50	Boston Ivy-See Am-	
Acanthopanax 37 Acer 25, 26 Achillea 65 Aconite 65	pelopsis tricuspidata	
Acer	BridalWreath	5
Aconite 65	pelopsis tricuspidata Bridalwreath Buckthorn Buddleia Bugbane Bugle	41
Aconitum65	Bughane	7
Actinidia	Bugle	6
Adiantum74	Bugles Burning Bush Buttercup Butterfly Bush Butterfly-Weed Butternut Buttonbush	60
Aegopodium	Burning Bush	4
Aethionema65	Buttercup	81
Agrostemma—See Lychnis Ajuga	Butterfly Bush	40
Aluga65	Butterfly-Weed	6
Almond Flowering 40	Butternut	31
Althon 45 65	Duttonbush	4.
Alvesum 66	Cactus	21
Alum Root77	Callirhoe	60
Amelanchier37	Callirhoe	19. 20
Ampelopsis57	Calycanthus	4
Ampelopsis 57 Amsonia 66 Anchusa 66 Anchusa 22 Andromeda 22	Calluna Calycanthus Campanula Campion Cardytuft Cardinal Flower Cardinal Flower Cardinal Catalpa Catalpa Catchfly Catnip Ceanothus Cedar	60
Anchusa66	Campanula	59, 70
Andromeda22	Campion	8
Andronace	Canadatuit	73
Antennaria 66	Cardinal Flower	4.
Anthemis 66	Carpinus	27
Aquilegia67	Cassia	70
Arabis67	Catalpa	2
Aralia26, 37	Catchfly	88
Arborvitae	Catnip	82
Arbutus73	Ceanothus	41
Arctostaphylos19	Cedar Celastrus Centaurea	
Arenaria	Contagna	07, 50
Armeria Sas Station 90	Centranthus	7/
Aronia 30	Centranthus Cephalanthus Cerastium	Λ.
Arrow-wood 55	Cerastium	70
Androsace 66 Anemone 66 Antennaria 66 Anthemis 66 Anthemis 67 Arabis 67 Arabis 67 Arabis 76 Arabis 73 Arborvitae 15, 16, 17, 18 Arbutus 73 Arctostaphylos 19 Arcenaria 67 Aristolochia 57 Armeria—See Statice 88 Aronia 38 Arrow-wood 55 Artemisia 67 Asselepias 67 Asselepias 67	Cerastium Cerastostigma Cercidiphylum Cercis Chalk-plant Chamaecyparis Cheiranthus Chelone Cherry, Ornamental Chinese Lantern Chionanthus Chokeberry Chrysanthemum 7 Cimicifuga Cinquefoil Cladrastis Clematis	70
Asclepias67	Cercidiphylum	2
Ash29	Cercis	2
Ash 29 Ash, Mountain 34, 35 Asperula 67	Chalk-plant	76
Asperula	Chamaecyparis	.6,
Asplenium4	Chalana Chalana	/(
Asplenium	Cherry Ornamental	23 10
Athyrium 74 Aubrietia 69 Avens 76 Azalea 38, 39, 40	Chinese Lantern	3, 4
Aubrietia	Chionanthus	2
Avens	Chokeberry	38
Azalea	Chrysanthemum	0, 7
	Cimicifuga	7
Baby's Breath	Cinquetoil	86
Balloonflower85	Cladrastis	2
Parherry 40	Clematis Clethra	J
Bayberry '49	Coffeetree	20
Bearherry 19	Columbine	6
Beautybush46	Coneflower	3. 80
BalloonHower 85 Baptisia 69 Barberry 40 Bayberry 48 Bearberry 19 Beautybush 46 Bedstraw 75 Bee Balm 82 Pooch 20	Coffeetree Columbine Coneflower Convallaria	7
Bee Balm82	Coptis	7
Beech29	Coralberry	53
Bellis69	Coreopsis	1, 72
Bellflower	Corktree	52
Retula 26 27	Comuse 20	11 //
Rignonia 57	Coronilla	7, 44
Birch 26 27	Cotoneaster	12 4
Bittersweet	Coptis Coralberry Coreopsis Corktree Corn Flower Cornus Coronilla Cotoneaster Cotton Cowslip	86
Bittersweet, Evergreen-	Cowslip	86
See Wintercreeper	Crab, Ornamental30, 3	1, 3
Blanket Flower	Cranberry Bush	55, 56
Bleeding Heart	Cranesbill	76
Blue Della	Crataegus	75, 25
Ringherer	Crosswort	1, 3,
Beech 29 Bellis 69 Bellis 69 Bellis 69 Bellis 69 Berberis 40 Betula 26 Bignonia 57 Birch 26 Bittersweet 57 Bittersweet, Evergreen-See Wintercreeper Blanket Flower 75 Bleeding Heart 73 Blistercress 74 Blue Bells 32 Blueberry 55 Bloodroot 86	Cotton Cowslip Crab, Ornamental 30, 3 Cranberry Bush Cranesbill Crategus 2 Creeper 2 Crosswort Crownvetch	7
	0.0,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	

Page 11	Gymnocladus Page 29
Crucianella 79 II	Gymnocladuc 20
Carrette and an 74	Gymnocladus29 Gypsophila76
Cryptogramma 74 Cupflower 82 Cydonia 43 Cynanchum 72	Gypsopппа/6
Cupflower82	
Cydonia43	Halesia 29 Hamamelis 45 Hawthorn 28, 29 Heath 20 Hedera 19, 20 Hedera 21, 58 Helenium 76 Helianthemum 76 Heliopsis 76 Helioprope 89 Hemerocallis 77 Hemlock 18 Hepatica 77
Cynanchum 72	Hamamalia 45
Cynanchum	TT .1
	Hawthorn28, 29
Daisy69	Heath20
Daisy 69 Daphne 20 Delphinium 72 Denzia .75 Deutzia 43, 44 Devil's Walking Stick .26 Dianthus 72, 73 Dicentra 73	Heather 19 20
Dalahinium 72	TI-Jen- 01 ro
Delphinium	педета
Dennstedtia/5	Helenium76
Deutzia43, 44	Helianthemum
Devil's Walling Stick 26	Holionthus 76
D' 11	TT 1'
Dianthus	Heliopsis/6
Dicentra	Heliotrope89
Dictamnus	Hamarocallic 77
Digitalia 72	TI
Digitalis 73 Dogwood 28, 41, 42 Doronicum 73	riemlock18
Dogwood28, 41, 42	Hepatica77
Doronicum	Heuchera
Drobo 73	Hibiana At 77
Diaba	111biscus43, //
Dragonhead85	Hollyhock
Dryopteris	Honevlocust
Draba	Honeystickle 47 50 50
2 december 1 1pc	TI
	110ptree33
Echinacea73	Hornbeam27
	Hemlock 18 Hepatica 77 Heuchera 77 Hibiscus 45, 77 Hollyhock 65 Honeysuckle 47, 58, 59 Hoptree 33 Hornbeam 27 Hosta 77, 78 Hydrangea 45, 58 Hypericum 46, 78
Echinops // 3 Edelweiss 80 Elder 51 Elm 36 Enkianthus 44 Epigaea 73	Hudrangea
T11-	TT
Elder	Hypericum46, 78
Elm36	
Enkianthus 44	Iberis78
Enimant 72	Tlass 21 46
Epigaea/3	11ex
PDHOD111111	Inkberry21
Epimedum74	Inula
Epimedum	Iris78, 79
Erigeron	Ivy21, 58
Erinus74	
Ervneium	Jasmine
Eryngo 74	Tethend : 40
Hryngo	Toe-Pye-Weed
Erysimum/4	Joe-Pye-weed/4
Euonymus	Juglans30
Eupatorium	Tuniper
Euphorbia 74	Tuningues 7 0 0
Euphorbia4	Jumperus, 6, 9
Eringeron 74 Erinus 74 Eryngium 74 Eryngium 74 Eryngo 74 Erysimum 74 Euonymus 21, 44 Eupatorium 74 Euphorbia 74 Exochorda 44	
	Kalmia .21, 22 Katsura Tree .27 Kerria .46
Fagus29	Katsura Tree 27
Dame 74 75	V omni -
TCIRS	IXCITIA40
Filipendula5	Kniphona80
Ferns 74, 75 Filipendula 75 Fir 5, 6, 13	Kniphofia
Flax81	
	Laburnum 30 Lambkill 21 Larkspur 72 Lathyrus 80 Laural 22
Tieabane4	T 11'11 01
Fleecenower85	Lambkiii
Foamflower	Larkspur72
Forget-me-not 82	Lathyrus 80
Forcythia 44 45	Laurel22
Daniel	T J
Foxglove/3	Lavender80
Fraxinus	Lavendula80
Fringe 27	Leek 87
Fleabane 74 Fleeceflower 85 Foamflower 89 Forget-me-not 82 Forsythia 44, 45 Foxglove 73 Fraxinus 29 Fringe 27	Laurel 22 Lavender 80 Lavendula 80 Leek 87 Leiophyllum 22 Leontopodium 80 Leopardbane 73 Leucothoe 22 Liatris 80
Ca:11-13!-	T conton odium
Gamardia5	Leontopodium80
Gaillardia .75 Galax .75 Galium .75	Leopardbane
Galium	Leucothoe22
Gas Plant 72	Liatris80
Gas Hailt	Tidilis
Gaultneria/5	Ligustrum
Gayleather80	Lilac35, 53, 54, 55
Geranium	Ligustrum
Cermander 88	T.ily 77 80
Comment	T :1f +1 \(\tau_{-11} \) 71
Galium .75 Gas Plant .73 Gaultheria .75 Gayfeather .80 Geranium .76 Germander .88 Geum .76 Gleditsia .29 Clobaflower .89	Lily
Gleditsia29	Limonium80,
Globeflower	Linaria80
Globethistle 73	Linden 35 36
Clorurino	Tinum 01
Giory vine	Limin
Golden Glow86	Liriodendron30
Golden Moss87	Lithospermum81
Goldentuft 66	Liver Balsam 74
Gloryvine	T obolio 01
Continued	T
Goulweed	Lonicera
Grass84	Loosestrife81
Gromwell81	Limonium 80 Linaria 80 Linden 35, 36 Linum 81 Liriodendron 30 Lithospermum 81 Liver Balsam 74 Lobelia 81 Lonicera 47, 58, 59 Loosestrife 81 Lotus 81 Lutione 81 Lutione 81
Groundcharry	Lupine81
Groundcherry85	Lupine81

Page	Page
Lupinus	Platycodon Page Plumbago 70 Plum, Ornamental 33, 49 Polenonium 85 Polygonum 85 Polypodium 75 Polystichum 75 Poplar 32, 33 Poppy 83 Populus 32, 33 Potentilla 86 Prairiemallow 88 Primose 86 Primula 36 Privet 46, 47 Prunella 86
Lychnis81	Plumbago70
	Plum, Örnamental33, 49
Lysimachia	Polemonium85
Lythrum81	Polygonum85
Mallow 69, 81 Maltese Cross 81 Malva 81 Malus 30, 31, 32 Maple 25, 26 Matrimony Vine 59 Mazus 81 Meadow Rue 88 Meadowsweet 75 Mentha 82 Mertensia 82	Polypodium
Mallow69, 81	Polystichum
Maltese Cross81	Poplar32, 33
Malva81	Poppy83
Malus	Populus
Maple	Potentilla
Marrinony vine	Primrogo 96
Mardow Rue 98	Primula 86
Meadowsweet 75	Privet 46 47
Mentha82	Prunella86
Mertensia82	Prunus
	Pseudotsuga13
Mint82	Ptelea33
Milkweed 67 Mint 82 Mistflower 74 Mitchella 82 Mockorange 48, 49 Monarda 82 Moreover 91	Privet .46, 47 Prunella .86 Prunus .33, 49 Pseudotsuga .13 Ptelea .33 Pteretis .75 Pussytoes .66 Pyrethrum .86 Pyrus .34
Mitchella82	Pussytoes
Mockorange48, 49	Pyrethrum86
Monarda82	Pyrus34
Midney Wort	
Monkshood55	Ouercus34 Quince, Ornamental43
Monkshood 65 Morus 32 Mosquito Trap 72 Moss Pink 85 Mountain Ash 34, 35 Mountain I,aurel 22 Mullein 89 Myosotis 82 Myrica 48 Myrtle-See Periwinkle Myrtle, Sand Myrtle, Sand 22	
Moss Dink	Panunoulus 96
Mountain Ash 31 35	Raspherry Flowering 51
Mountain Laurel 22	Red Bud 27
Mulberry32	Ranunculus 86 Raspberry, Flowering 51 Red Bud 27 Retinospora 6, 7 Rhamnus 49 Phodological 23
Mullein89	Rhamnus49
Myosotis82	Rhododendron23
Myrica48	Rhodora49
Myrtle-See Periwinkle	Rhodotypos49
Myrtle, Sand22	Rhamnus 49 Rhododendron 23 Rhodora 49 Rhodotypos 49 Rhus 50 Ribbon Grass 84 Robinia 50 Robinia 50
N .	Ribbon Grass84
Nannyberry 56 Nepeta 82 Nierembergia 82 Ninebark 49	Robinia50
Nepeta82	Rockcress
Nincharle 40	Rock Jasmine
Ninebark49	ROSA
Oak34	Rose Acacia 50
Oenothera 82	Rosemallow 77
Oenothera	Rosinweed88
Opuntia82	Roxbury Waxwork58
Osmunda	Rockcress 67 Rock Jasmine 66 Rosa 50, 51 Rose 50, 51, 60, 61, 62 Rose Acacia 50 Rosemallow 77 Rosinweed 83 Roxbury Waxwork 58 Rubus 51 Rudbeckia 86
Opuntia \$2 Osmunda 75 Ox-eye Daisy 76 Oxydendrum 32	Rudbeckia86
Oxydendrum32	
	Sage 86 St. Johnswort 46, 78 Salix 34 Salvia 86 Sambucus 51
Pachistima 22, 82 Pachysandra 22, 82 Paeonia 83 Pansy 90 Papaver 83 Papaver 83	St. Johnswort
Pachysandra22, 82	Salix34
Page 00	Salvia
Panaver 93	Sambucus
Papaver 85 Partridge Berry 82 Pea 41, 80 Pear, Ornamental 34 Pearl Bush, Common 44 Pentstemon 84	Sand Myrtle 22 Sand Pear 34 Sandwort 67
Pea	Sandwort
Pear, Ornamental34	Sanguinaria86
Pearl Bush, Common44	Santolina86
Pentstemon84	Saponaria86
Peony83	Sandwort 86 Sanguinaria 86 Santolina 86 Saponaria 86 Satureia 87
Peppermint82	Savin9
Peony 83 Peppermint 82 Periwinkle 22, 90 Phalaris 84 Phellodendron 32 Philadelphus 48, 49 Phox 84, 85 Photinia 49 Physalis 85 Physalis 85	Savin 9 Savory 87 Saxifraga 87 Scabiosa 87 Sea I_avender 80 Sedum 87 Selfheal 86 Sempervivum 87 Senna 70 Shadbush—See Shadbow 37 Shadblow 37 Sheep Berry—See Nannyberry Shortia Soldalcea 88 Silene 88 Silene 88 Silphium 88
Phalaris84	Saxitraga8/
Phellodendron	Scabiosa8/
Phlor	Sed Lavender
Photinia 40	Selfheal 86
Physalis 85	Sempervivum 87
Physocarpus 49 Physostegia 85 Picea 9, 10, 11	Senna70
Physostegia85	Shadbush-See Shadblow
Picea9, 10, 11	Shadblow37
Pieris22	Sheep Berry-See Nannyberry
Pine11, 12, 13	Shortia87
Pinks72, 73	Sidalcea88
Picea 9, 10, 11 Pieris 22 Pine 11, 12, 13 Pinks 72, 73 Pinus 11, 12, 13 Pinyterbloom 30	Silene88
1 IIIX tel bloom	Silphium
Plaintain Lily	Silverbell, Great29

Page		Page
Smoketree50	Trefoil	81
Sneeze Wort76	Trillium	89
Snow in Summer70	Trollius	89
Snowball56	Trumpetcreeper	
Snowberry53	Tsuga	18
Soapwort86	Tulip Tree	30
Sorbaria52	Tunica	
Sorbus	Tunicflower	00
Sourwood32	Turtlehead	
Sourwood 1		
Spearmint82	Ulmus	36
Speedwell		
Spiderwort89	Vaccinium	55
Spiraea52, 53	Valerian	89
Spirea52, 53	Valeriana	
Spruce	Vervascum	
Spurge22, 74, 82	Veronica	89 90
Stachys88	Vihurnum	55 56
Statice88	Viburnum Vinca	22 00
Stokesia88	Viola	.22, 90
Stonecress65		
Stonecrop87	Violets	90
Sumac50	Virgin's Bower	50
Summersweet41	Virginia Creeper	5/
Sundrops82	Vitis	59
Sunflower76	ALCO ALCO	
Sun Rose76	Wallflower Wayfaring Tree	70
Sun Rose	Wayfaring Tree	55
Sweetbriar51	Weigela	 5 6
Sweetshrub41	White Fringe	27
Sweet William72	Whitlowgrass	
Symphoricarpos53	Wild-Indigo	69
Syringa35, 53, 54, 55	Willow	
	Winterberry	
Tarragon	Wintercreeper	
Taxus	Wintergreen	
Tea, Jersey41	Wisteria	
Teucrium	Witch Hazel	
Thalictrum88	Withe Rod	
Thermopsis88		
Thorn28	Woodruff	0/
Thrift88	Woodwardia	/ 5
Thuja	Woundwort	88
Thyme		17.0
Thymus89	Yarrow	65
Tiarella89	Yellow Root	56
Tilia	Yellow Wood	27
Tilla	Yew13,	14, 15
Toadflax80	Yucca	90
Torchlily80	Zanthorhiza	
Tradescentia 89	/anthorhiza	56

